

DentalAI

Dental Caries Detection Report

Patient Name	Kashif Bhutto	Patient ID	PT-2026-4MZU0
Report ID	RPT-8O62ELKS	Date of Analysis	May 05, 2026
Time of Analysis	12:09 PM	Analyzed File	test2.jpeg
Generated By	DentalAI AI-Assisted Dental Analysis System	Cavity Confidence	3 cavity detections, 75.0% max confidence

This report is AI-generated and is intended for informational purposes only. It does not constitute a medical diagnosis. Please consult a licensed dental professional for clinical evaluation.

Radiographic Analysis - Annotated Image




Figure 1: AI-detected regions of interest are highlighted. When no cavity is detected, the original image is shown without bounding boxes.

Class	Region Coordinates	Confidence Score	Severity Level
cavity	(188, 116) - (212, 142)	67.7%	Moderate Concern
cavity	(185, 113) - (213, 150)	74.8%	Moderate Concern
cavity	(193, 124) - (209, 139)	75.0%	Moderate Concern

Image-Specific Findings

This scan contains 3 cavity detection(s). The findings below are generated from this specific image only and do not include non-cavity detections.

Region	Class	Bounding Box	Confidence	Image-Specific Note
Region 1	cavity	(188, 116) - (212, 142)	67.7%	Cavity-only detection used for report generation.
Region 2	cavity	(185, 113) - (213, 150)	74.8%	Cavity-only detection used for report generation.
Region 3	cavity	(193, 124) - (209, 139)	75.0%	Cavity-only detection used for report generation.

Clinical interpretation is limited to what the model highlighted in this specific image. Non-cavity predictions are excluded from the report to keep the output image-specific and clinically clearer.

Final Verdict

Verdict Level: Mild

Early or mild signs of dental caries may be present in 3 region(s). Professional evaluation is advised to confirm findings and discuss preventive care.

General Dental Health Recommendations

- Brush twice daily with fluoride toothpaste.
- Floss daily to remove interproximal plaque.
- Limit sugary and acidic food and drink intake.
- Schedule professional cleanings every 6 months.
- Drink fluoridated water where available.
- Do not ignore tooth sensitivity - seek early evaluation.