

Short Overview:

OpenHands and Our Agent Taxonomy

Introduction to OpenHands and Our Agent Taxonomy Description:

I did some research on the OpenHands framework that you mentioned as a follow-up to the taxonomy that we developed during the first semester. It appears like a terrific tool to assist moving our study from theory to practical experiments.

OpenHands operates within its very own isolated Docker container, in contrast to the rest of the static tools that we have examined previously. This makes it possible for it to actually execute code, make use of a bash terminal, and do secure web browsing.

On the basis of the six-layer taxonomy that we constructed during my first semester, I believe that OpenHands conforms to the following hierarchy:

Implementation & Operations:

OpenHands operates as the "Coder" and "Executor." For the purpose of constructing and executing code, it makes advantage of the Operations layer by communicating directly with the terminal.

Quality Assurance (QA):

QA is one of the most fascinating aspects. Similar to what we discovered in our SLR, which was that the market is moving toward quality assurance, OpenHands functions as both a "Debugger" and a "Tester." If it gets an error in the terminal, it tries to read it and self-correct the code without me having to tell it what to do.

Orchestration & Functional Dimensions:

Right now, it functions in a hierarchical approach. It is I, the human, who performs the role of the "Manager" at the Orchestration layer. I am responsible for providing the starting prompt, and the agent is in charge of the coding and testing.