

# Final Project



## Objectives

In this lab, you will:

- Build and deploy a simple Guestbook application
- Autoscale the Guestbook application using Horizontal Pod Autoscaler
- Perform Rolling Updates and Rollbacks

## Project Overview


### Guestbook application

Guestbook is a simple web application that we will build and deploy with Docker and Kubernetes. The application consists of a web front end which will have a text input where you can enter any text and submit. For all of these we will create Kubernetes Deployments and Pods. Then we will apply Horizontal Pod Scaling to the Guestbook application and finally work on Rolling Updates and Rollbacks.

## Verify the environment and command line tools

1. If a terminal is not already open, open a terminal window by using the menu in the editor: `Terminal > New Terminal`.

**Note:** Please wait for some time for the terminal prompt to appear.



2. Change to your project folder.

**Note:** If you are already on the `/home/project` folder, please skip this step.

1. 1  
1. `cd /home/project`

Copied!

3. Clone the git repository that contains the artifacts needed for this lab.

1. 1  
1. `[ ! -d 'guestbook' ] && git clone https://github.com/ibm-developer-skills-network/guestbook`

Copied!

```
theia@theiaopenshift- /home/project$ [ ! -d 'guestbook' ] && git clone https://github.com/ibm-developer-skills-network/guestbook
Cloning into 'guestbook'...
remote: Enumerating objects: 78, done.
remote: Counting objects: 100% (78/78), done.
remote: Compressing objects: 100% (61/61), done.
remote: Total 78 (delta 26), reused 30 (delta 6), pack-reused 0
Unpacking objects: 100% (78/78), done.
theia@theiaopenshift- /home/project$
```

4. Change to the directory for this lab.

- 1
1. cd guestbook

Copied!

5. List the contents of this directory to see the artifacts for this lab.

- 1
1. ls

Copied!

## Build the guestbook app

To begin, we will build and deploy the web front end for the guestbook app.

1. Change to the v1/guestbook directory.

- 1
1. cd v1/guestbook

Copied!

2. Dockerfile incorporates a more advanced strategy called multi-stage builds, so feel free to read more about that [here](#).

Complete the Dockerfile with the necessary Docker commands to build and push your image. The path to this file is `guestbook/v1/guestbook/Dockerfile`.

▼ Hint!

The FROM instruction initializes a new build stage and specifies the base image that subsequent instructions will build upon.

The COPY command enables us to copy files to our image.

The ADD command is used to copy files/directories into a Docker image.

The RUN instruction executes commands.

The EXPOSE instruction exposes a particular port with a specified protocol inside a Docker Container.

The CMD instruction provides a default for executing a container, or in other words, an executable that should run in your container.

Copy the code of the completed dockerfile with you. You will be prompted to submit it in the text box in the Peer Assignment.

3. Export your namespace as an environment variable so that it can be used in subsequent commands.

- 1
1. export MY\_NAMESPACE=sn-labs-\$USERNAME

Copied!

```
theia@theiaopenshift- /home/project/guestbook/v1/guestbook$ export MY_NAMESPACE=sn-labs-$USERNAME
theia@theiaopenshift- /home/project/guestbook/v1/guestbook$
```

4. Build the guestbook app using the Docker Build command.

▼ Hint!

- 1
1. docker build . -t us.icr.io/\$MY\_NAMESPACE/guestbook:v1

Copied!

```

theia@theiaopenshift-: /home/project/guestbook/v1/guestbook$ docker build . -t us.icr.io/$MY_NAMESPACE/guestbook:v1
Sending build context to Docker daemon  98.3kB
Step 1/14 : FROM golang:1.15 as builder
1.15: Pulling from library/golang
627b765e08d1: Pull complete
c040670e5e55: Pull complete
073a180f4992: Pull complete
bf76209566d0: Pull complete
6182a456504b: Pull complete
73e3d3d88c3c: Pull complete
5946d17734ce: Pull complete
Digest: sha256:ea080cc817b02a946461d42c02891bf750e3916c52f7ea8187bccde8f312b59f
Status: Downloaded newer image for golang:1.15
--> 40349a2425ef
Step 2/14 : RUN go get github.com/codegangsta/negroni
--> Running in f0ae405f6c93
Removing intermediate container f0ae405f6c93
--> ff3c71a6a901
Step 3/14 : RUN go get github.com/gorilla/mux github.com/xyproto/simpleredis
--> Running in 5414403396b8
Removing intermediate container 5414403396b8
--> 414074738399
Step 4/14 : COPY main.go .
--> 7a25b8c69019
Step 5/14 : RUN go build main.go
--> Running in 8f6951d3434b
Removing intermediate container 8f6951d3434b
--> aa17b6f49c23
Step 6/14 : FROM ubuntu:18.04
18.04: Pulling from library/ubuntu
08a6abff8943: Pull complete
Digest: sha256:982d72c16416b09ffdf2f71aa381f761422085eda1379dc66b668653607969e38
Status: Downloaded newer image for ubuntu:18.04
--> f5cbed4244ba
Step 7/14 : COPY --from=builder /go//main /app/guestbook
--> dab533567691

```

5. Push the image to IBM Cloud Container Registry.

▼ Hint!

1. 1

1. docker push us.icr.io/\$MY\_NAMESPACE/guestbook:v1

Copied!

```

theia@theiaopenshift-: /home/project/guestbook/v1/guestbook$ docker push us.icr.io/$MY_NAMESPACE/guestbook:v1
The push refers to repository [us.icr.io/sn-labs- /guestbook]
0791a8c653f4: Pushed
fd302c0f22b7: Pushed
aeb42d7f3c54: Pushed
54deed58a6a4: Pushed
5dddb4b5996f: Pushed
95c443da13bf: Pushed
v1: digest: sha256:459dc3814b3b0d59aee57f684db436c69abfa52a492fbed84e75c6c42188fe40 size: 1570
theia@theiaopenshift-: /home/project/guestbook/v1/guestbook$

```

**Note:** If you have tried this lab earlier, there might be a possibility that the previous session is still persistent. In such a case, you will see a ‘**Layer already Exists**’ message instead of the ‘**Pushed**’ message in the above output. We recommend you to proceed with the next steps of the lab.

6. Verify that the image was pushed successfully.

1. 1

1. ibmcloud cr images

Copied!

```

theia@theiaopenshift-lavanyar: /home/project/guestbook/v1/guestbook x
theia@theiaopenshift- /home/project/guestbook/v1/guestbook$ ibmcloud cr images
Listing images...

Repository                                Tag      Digest                                Namespace                Created      Size      Security status
us.icr.io/sn-labs- /guestbook             v1       61e06d36213c                        sn-labs-                 21 minutes ago  32 MB    -
us.icr.io/sn-labsassets/instructions-splitter latest   2af122cfe4ee                    sn-labsassets            2 years ago   21 MB    -
us.icr.io/sn-labsassets/pgadmin-theia     latest   0adf67ad81a3                    sn-labsassets            2 years ago   101 MB   -
us.icr.io/sn-labsassets/phpmyadmin        latest   b66c30786353                    sn-labsassets            2 years ago   163 MB   -
us.icr.io/sn-labsassets/tts-standalone    latest   56ce85280714                    sn-labsassets            1 week ago    3.7 GB   -

OK
theia@theiaopenshift- /home/project/guestbook/v1/guestbook$

```

Take a screenshot of the output of Step 6 and save it as a .jpg or .png with the filename crimages.png. You will be prompted to upload the screenshot in the Peer Assignment.

7. Open the deployment.yml file in the v1/guestbook directory & view the code for the deployment of the application:


```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
7. 7
8. 8
9. 9
10. 10
11. 11
12. 12
13. 13
14. 14
15. 15
16. 16
17. 17
18. 18
19. 19
20. 20
21. 21
22. 22
23. 23
24. 24
25. 25
26. 26
27. 27
28. 28
29. 29
30. 30
31. 31
32. 32
33. 33
```

```
1. apiVersion: apps/v1
2. kind: Deployment
3. metadata:
4.   name: guestbook
5.   labels:
6.     app: guestbook
7. spec:
8.   replicas: 1
9.   selector:
10.    matchLabels:
11.      app: guestbook
12.   strategy:
13.     rollingUpdate:
14.       maxSurge: 25%
15.       maxUnavailable: 25%
16.     type: RollingUpdate
17.   template:
18.     metadata:
19.       labels:
20.         app: guestbook
21.     spec:
22.       containers:
23.         - image: us.icr.io/<your sn labs namespace>/guestbook:v1
24.           imagePullPolicy: Always
25.           name: guestbook
26.           ports:
27.             - containerPort: 3000
28.               name: http
29.       resources:
30.         limits:
31.           cpu: 50m
32.         requests:
33.           cpu: 20m
```

Copied!

**Note:** Replace <your sn labs namespace> with your SN labs namespace. To check your SN labs namespace, please run the command `ibmcloud cr namespaces`

- It should look as below:



8. Apply the deployment using:

1. 1

1. `kubectl apply -f deployment.yaml`

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl apply -f deployment.yaml
deployment.apps/guestbook configured
```

9. Open a New Terminal and enter the below command to view your application:


1. 1

1. `kubectl port-forward deployment.apps/guestbook 3000:3000`

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl port-forward deployment.apps/guestbook 3000:3000
Forwarding from 127.0.0.1:3000 -> 3000
Forwarding from [::1]:3000 -> 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
Handling connection for 3000
```

10. Launch your application on port 3000. Click on the Skills Network button on the right, it will open the “Skills Network Toolbox”. Then click the **Other** then **Launch Application**. From there you should be able to enter the port and launch.



11. Now you should be able to see your running application. Please copy the app URL which will be given as below:

Guestbook - v1

SUBMIT

https://-3000.theiaopenshift-0-labs-prod-theiaopenshift-4-tor01.proxy.cognitiveclass.ai/  
[/env](#) [/info](#)

Take a screenshot of your deployed application and save it as a .jpg or .png with the filename app.png. You will be prompted to upload the screenshot in the Peer Assignment.

12. Try out the guestbook by putting in a few entries. You should see them appear above the input box after you hit **Submit**.

# Autoscale the Guestbook application using Horizontal Pod Autoscaler

- 1. Autoscale the Guestbook deployment using `kubectl autoscale deployment`

▼ Hint!

- 1. 1
- 1. `kubectl autoscale deployment guestbook --cpu-percent=5 --min=1 --max=10`

Copied!

```
theia@theiaopenshift: /home/project$ kubectl autoscale deployment guestbook --cpu-percent=5 --min=1 --max=10
horizontalpodautoscaler.autoscaling/guestbook autoscaled
```

- 2. You can check the current status of the newly-made HorizontalPodAutoscaler, by running:

- 1. 1
- 1. `kubectl get hpa guestbook`

Copied!

The current replicas is 0 as there is no load on the server.

- 📸 Take a screenshot of your Horizontal Pod Autoscaler and save it as a .jpg or .png with the filename hpa.png. You will be prompted to upload the screenshot in the Peer Assignment.
- 2. Open another new terminal and enter the below command to generate load on the app to observe the autoscaling (Please ensure your port-forward command is running. In case you have stopped your application, please run the port-forward command to re-run the application at port 3000.)
- 1. 1
- 1. `kubectl run -i --tty load-generator --rm --image=busybox:1.36.0 --restart=Never -- /bin/sh -c "while sleep 0.01; do wget -q -O- <your app URL>; done"`

Copied!

- Please replace your app URL in the <your app URL> part of the above command.

Note: Use the same copied URL which you obtained in step 11 of the previous task.

The command will be as below:

```
theia@theiaopenshift: /home/project$ kubectl run -i --tty load-generator-7 --rm --image=busybox:1.28 --restart=Never -- /bin/sh -c "while sleep 0.01; do wget -q -O- https://0.theiaopenshift-2-labs-prod-theiaopenshift-4-tor01.proxy.cognitiveclass.ai/; done"
```

- Note:** In case you get a Load generator already exists error, please suffix a number after load-generator eg. load-generator-1, load-generator-2.
- You will keep getting an output similar as below which will indicate the increasing load on the app:

```
</div>

<div id="guestbook-entries">
  <link href="https://afeld.github.io/emoji-css/emoji.css" rel="stylesheet">
  <p>Waiting for database connection... <i class='em em-boat'></i></p>
</div>

<div>
  <form id="guestbook-form">
    <input autocomplete="off" id="guestbook-entry-content" type="text">
    <a href="#" id="guestbook-submit">Submit</a>
  </form>
</div>

<div>
  <p><h2 id="guestbook-host-address"></h2></p>
  <p><a href="env">env</a>
  <a href="info">info</a></p>
</div>
<script src="jquery.min.js"></script>
<script src="script.js"></script>
</body>
</html>
```

**Note:** Continue further commands in the 1st terminal

- 3. Run the below command to observe the replicas increase in accordance with the autoscaling:

- 1. 1
- 1. `kubectl get hpa guestbook --watch`

Copied!

```
theia@theiaopenshift: /home/project$ kubectl get hpa guestbook --watch
NAME          REFERENCE          TARGETS          MINPODS  MAXPODS  REPLICAS  AGE
guestbook     Deployment/guestbook <unknown>/5%    1        10       0         51s
```

4. Run the above command again after 5-10 minutes and you will see an increase in the number of replicas which shows that your application has been autoscaled.

```
^Ctheia@theiaopenshift-: /home/project$ kubectl get hpa guestbook --watch
NAME      REFERENCE          TARGETS   MINPODS   MAXPODS   REPLICAS   AGE
guestbook  Deployment/guestbook <unknown>/5%  1         10        0         2m54s
guestbook  Deployment/guestbook <unknown>/5%  1         10        1         3m31s
```

📷 Take a screenshot of your Autoscaler details and save it as a .jpg or .png with the filename hpa2.png. You will be prompted to upload the screenshot in the Peer Assignment.

5. Run the below command to observe the details of the horizontal pod autoscaler:

- 1. 1
- 1. kubectl get hpa guestbook

Copied!

```
^Ctheia@theiaopenshift-: /home/project$ kubectl get hpa guestbook
NAME      REFERENCE          TARGETS   MINPODS   MAXPODS   REPLICAS   AGE
guestbook  Deployment/guestbook <unknown>/5%  1         10        1         8m2s
```

- Please close the other terminals where load generator and port-forward commands are running.

## Perform Rolling Updates and Rollbacks on the Guestbook application

**Note:** Please run all the commands in the 1st terminal unless mentioned to use a new terminal.

- 1. Please update the title and header in index.html to any other suitable title and header like <Your name> Guestbook - v2 & Guestbook - v2.

► Hint!

- 2. Run the below command to build and push your updated app image:

▼ Hint!

- 1. 1
- 1. docker build . -t us.icr.io/\$MY\_NAMESPACE/guestbook:v1 && docker push us.icr.io/\$MY\_NAMESPACE/guestbook:v1

Copied!


```
theia@theiaopenshift-: /home/project/guestbook/v1/guestbook$ docker build . -t us.icr.io/$MY_NAMESPACE/guestbook:v1 && docker push us.icr.io/$MY_NAMESPACE/guestbook:v1
Sending build context to Docker daemon  99.84kB
Step 1/14 : FROM golang:1.15 as builder
--> 40349a2425ef
Step 2/14 : RUN go get github.com/codegangsta/negroni
--> Using cache
--> a99ca8836baa
Step 3/14 : RUN go get github.com/gorilla/mux github.com/xyproto/simpleredis
--> Using cache
--> 223b1eb7b632
Step 4/14 : COPY main.go .
--> Using cache
--> 61e55377f285
Step 5/14 : RUN go build main.go
--> Using cache
--> 9c5a2fefb95d
Step 6/14 : FROM ubuntu:18.04
--> ad080923604a
Step 7/14 : COPY --from=builder /go/main /app/guestbook
--> Using cache
--> 6814c3996683
Step 8/14 : ADD public/index.html /app/public/index.html
--> 4a33338902f5
Step 9/14 : ADD public/script.js /app/public/script.js
--> 142fb28cd864
Step 10/14 : ADD public/style.css /app/public/style.css
--> 15e2bd7e80d6
```

📷 Take a screenshot of your updated image and save it as a .jpg or .png with the filename upguestbook.png. You will be prompted to upload the screenshot in the Peer Assignment.

- 3. Update the values of the CPU in the deployment.yml to **cpu: 5m** and **cpu: 2m** as below:

▼ Hint!





4. Apply the changes to the deployment.yml file.

▼ Hint!

1. 1
1. kubectl apply -f deployment.yml

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl apply -f deployment.yml
deployment.apps/guestbook configured
```

Take a screenshot of the details of the output of Step 4 and save it as a .jpg or .png with the filename deployment.png. You will be prompted to upload the screenshot in the Peer Assignment.


5. Open a new terminal and run the port-forward command again to start the app:

1. 1
1. kubectl port-forward deployment.apps/guestbook 3000:3000


Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl get rs
NAME                                DESIRED  CURRENT  READY  AGE
guestbook-5997448ccb                1         1         1      19m
guestbook-bbdb/c/4cb                0         0         0      5m40s
```

6. Launch your application on port 3000. Click on the Skills Network button on the right, it will open the "Skills Network Toolbox". Then click the **Other** then **Launch Application**. From there you should be able to enter the port and launch.



7. You will notice the updated app content as below:



<https://3000.theiaopenshift-2-labs-prod-theiaopenshift-4-tor01.proxy.cognitiveclass.ai/>  
[/env](#) [/info](#)

📸 Take a screenshot of your updated application and save it as a .jpg or .png with the filename up-app.png. You will be prompted to upload the screenshot in the Peer Assignment.

**Note:** Please stop the application before running the next steps.

8. Run the below command to see the history of deployment rollouts:

1. 1

```
1. kubectl rollout history deployment/guestbook
```

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl rollout history deployment/guestbook
deployment.apps/guestbook
REVISION  CHANGE-CAUSE
1          <none>
2          <none>
```

6. Run the below command to see the details of Revision of the deployment rollout:

- 1. 1
- 1. kubectl rollout history deployments guestbook --revision=2

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl rollout history deployments guestbook --revision=2
deployment.apps/guestbook with revision #2
Pod Template:
  Labels:    app=guestbook
            pod-template-hash=6bdb7c74c6
  Containers:
    guestbook:
      Image:        us.icr.io/sn-labs- /guestbook:v1
      Port:         3000/TCP
      Host Port:    0/TCP
  Limits:
    cpu:           5m
  Requests:
    cpu:           2m
  Environment:    <none>
  Mounts:         <none>
  Volumes:        <none>
```

Take a screenshot of the details of the correct Revision and save it as a .jpg or .png with the filename rev.png. You will be prompted to upload the screenshot in the Peer Assignment.

7. Run the below command to get the replica sets and observe the deployment which is being used now:

- 1. 1
- 1. kubectl get rs

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl get rs
NAME                                DESIRED  CURRENT  READY  AGE
guestbook-5997448ccb               0        0        0      17m
guestbook-6bdb7c74c6               1        1        1      105s
```

8. Run the below command to undo the deployment and set it to Revision 1:

- 1. 1
- 1. kubectl rollout undo deployment/guestbook --to-revision=1

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl rollout undo deployment/guestbook --to-revision=1
deployment.apps/guestbook rolled back
```

9. Run the below command to get the replica sets after the Rollout has been undone. The deployment being used would have changed as below:

- 1. 1
- 1. kubectl get rs

Copied!

```
theia@theiaopenshift: /home/project/guestbook/v1/guestbook$ kubectl get rs
NAME                                DESIRED  CURRENT  READY  AGE
guestbook-5997448ccb               1        1        1      19m
guestbook-bbdb7c74c6               0        0        0      3m40s
```

Take a screenshot of the output of Step 9 and save it as a .jpg or .png with the filename rs.png. You will be prompted to upload the screenshot in the Peer Assignment.

Congratulations! You have completed the final project for this course. Do not log out of the lab environment (you can close the browser though) or delete any of the artifacts created during the lab, as these will be needed for the next lab,Optional: Deploy Guestbook App from the OpenShift Internal Registry.

Changelog

Date	Version	Changed by	Change Description
2022-07-21	1.0	K Sundararajan	Created Lab instructions
2022-07-25	1.1	K Sundararajan	Updated Lab instructions
2022-08-02	1.2	K Sundararajan	Added new IDSN logo
2022-08-04	1.3	K Sundararajan	Updated Lab instructions
2022-08-12	1.4	K Sundararajan	Updated Lab instructions

Date	Version	Changed by	Change Description
2022-09-21	1.5	K Sundararajan	Updated screenshot for Git clone command
2022-11-15	1.6	Lavanya Rajalingam	Updated screenshots
2023-04-04	1.7	Sneha R Baddi	Instructions Updated
2023-04-19	1.8	Sneha R Baddi	Minor Instruction Update for clarity

© IBM Corporation 2023. All rights reserved.