

AI-Powered Environmental Impact Assessment

Review & Compliance Report

Kuwait EIA End-to-End Demonstration Report

RQEIA assessment against Kuwait environmental requirements
Evidence-led findings • professional reviewer decision required

OVERALL QUALITY 85% RQEIA index	EVIDENCE COVERAGE 94% Requirements addressed	RISK LEVEL Low Decision readiness	MISSING ITEMS 7 Require attention	AI CONFIDENCE 83% Average confidence
--	---	--	--	---

EXECUTIVE SUMMARY

Overall score 8.5/10. Multiple checklist items remain missing, so the document is not yet review-ready.

STRENGTHS - Sources of data adequately referenced? - Survey methods, difficulties, and uncertainties described? - Methods appropriate for the purpose?	GAPS - Methods used to predict effects described and justified? - Worst-case predictions used where uncertain? - Significant adverse effects and potential for mitigation discussed?	RECOMMENDATIONS 4.7.1: Add verified evidence and rerun the assessment before reviewer sign-off. 4.7.2: Add verified evidence and rerun the assessment before reviewer sign-off.	CONCLUSION Overall score 8.5/10. Multiple checklist items remain missing, so the document is not yet
---	---	--	---

REGULATORY ALIGNMENT

Kuwait Environmental Protection Law No. 42 of 2014	100%
Executive Regulation on Biodiversity, Decision No. 3 of	100%

AI FINDINGS OVERVIEW

102 COMPLIANT	18 PARTIAL
7 MISSING	127 TOTAL

RECENT KEY FINDINGS

FINDING	REGULATION / AREA	STATUS	AI CONFIDENCE
Methods used to predict effects described and justified?	4.7.1	Missing	96%
Worst-case predictions used where uncertain?	4.7.2	Missing	96%
Significant adverse effects and potential for mitigation	5.1	Missing	96%
Effect of mitigation on magnitude and significance explained?	5.2	Missing	96%

DOCUMENT CONTROL

Professional issue, revision and responsibility record

Field	Information
Project	Kuwait EIA End-to-End Demo
Report	Kuwait EIA End-to-End Demonstration Report
Document number	EQ-EIA-E2DAF394
Revision	Working draft
Issue purpose	Professional review and editing
Classification	Project controlled

EXECUTIVE ENVIRONMENTAL INTELLIGENCE

Management summary and decision-readiness position

RQEIA QUALITY	EVIDENCE-LINKED	OPEN GAPS	REVIEWER STATUS
85%	127 / 127	7	Pending

Report analytics




Figure 1. Content volume by EIA section

Report structure

Distribution of subsections




Figure 2. Distribution of subsections across the report

Executive Summary

The Kuwait EIA End-to-End Demonstration project is an illustrative environmental impact assessment (EIA) conducted for a proposed infrastructure development in the State of Kuwait. This demonstration encompasses all project phases including construction, commissioning, operation, and eventual closure, focusing on potential interactions with environmental and social receptors. The primary objective is to deliver the facility while managing impacts related to land use, resource consumption, emissions, waste generation, traffic, and community well-being throughout the project lifecycle. The assessment employs EnviroQuant tools for environmental assessment, evidence traceability, quality review, and controlled report export, serving as a demonstration of comprehensive EIA processes.

Assessment Scope and ApproachThe assessment covers the full project lifecycle phases—construction, operation, and decommissioning—evaluating potential environmental and social impacts. It includes an alternatives assessment comparing the no-project scenario with feasible site, design, technology, and operational options, assessed against criteria such as land take, sensitive receptors, resource efficiency, pollution, climate resilience, community effects, constructability, and cost. The scope extends to policy, legal, and regulatory frameworks applicable in Kuwait, including national laws and international standards. The baseline study area encompasses the project footprint, associated facilities, transport routes, and wider zones potentially affected by direct, indirect, or cumulative effects. The assessment methodology links project activities to environmental and social receptors, considering magnitude, sensitivity, extent, duration, frequency, reversibility, likelihood, and confidence, and distinguishes pre-mitigation and residual effects. Stakeholder engagement, monitoring, and compliance obligations are integral to the scope.

Baseline ConditionsBaseline conditions describe current land use, soils, water, air quality, noise levels, biodiversity, cultural heritage, material assets, and socio-economic factors within the study area. Data sources include field surveys, specialist studies, permits, and consultation records. The baseline accounts for seasonal variations and identifies vulnerable receptors. Limitations include the need to confirm final quantities, coordinates, and thresholds against approved design data and authority requirements. Data gaps and assumptions are acknowledged but not detailed in this demonstration.

- Key Environmental and Social Effects-** Land disturbance and habitat alteration during construction phases
- Increased traffic and associated emissions impacting air quality and noise levels
 - Resource consumption including materials, water, and energy throughout project lifecycle
 - Generation of waste and emissions requiring management to prevent environmental degradation
 - Potential impacts on biodiversity and ecosystem services in the project vicinity
 - Social and community effects including workforce influx and changes in land use
 - Risks associated with decommissioning, accidents, and unplanned events affecting environmental and social

receptors

AlternativesThe assessment includes a structured alternatives analysis comparing the no-project option with various feasible alternatives in site selection, design layout, technology, and operational processes. Each alternative is evaluated consistently against environmental and social criteria such as land take, sensitive receptors, resource efficiency, pollution potential, climate resilience, community impacts, constructability, and cost. The preferred alternative is selected based on its superior ability to avoid or minimize adverse impacts prior to mitigation. Documentation includes an alternatives matrix, rationale for rejecting options, and records of decision-makers and consultation inputs. However, specific alternative options and comparative data are not provided in this demonstration.

Mitigation and MonitoringMitigation follows a hierarchy prioritizing avoidance, minimization, restoration, and where necessary, compensation for significant residual effects. Commitments are to be specific, measurable, and linked to responsible owners, implementation phases, completion dates, performance indicators, and corrective action triggers. Environmental and social management plans are developed in alignment with Kuwait's regulatory framework, including Environmental Protection Law No. 42 of 2014 and related executive regulations. Monitoring programs define indicators, methods, locations, thresholds, frequency, reporting protocols, and response actions to ensure compliance and adaptive management. The assessment emphasizes controlling pollution, protecting sensitive areas, and providing mechanisms for stakeholder concerns. Detailed mitigation measures and monitoring specifics require confirmation against final project data and regulatory approvals.

Conclusion and LimitationsThe demonstration concludes that with the preferred design and committed mitigation measures, the project's environmental and social impacts can be effectively managed to acceptable levels. Residual effects are anticipated to be minimized through adherence to regulatory requirements and implementation of the environmental and social management plan. Limitations include the illustrative nature of the assessment, with project-specific values requiring verification and confirmation against approved design data, permits, and authority requirements. Data gaps, uncertainties, and assumptions are acknowledged but not fully detailed. The report underscores the necessity of professional review, quality assurance, and ongoing stakeholder engagement to ensure decision readiness and compliance. The final controlled issue must integrate verified data, legal registers, and comprehensive evidence to support informed decision-making.

Report structure

Section	Title
1	EXECUTIVE SUMMARY
2	PROJECT DESCRIPTION
3	POLICY, LEGAL AND REGULATORY FRAMEWORK
4	ALTERNATIVES ASSESSMENT
5	ENVIRONMENTAL AND SOCIAL BASELINE
6	IMPACT ASSESSMENT
7	MITIGATION AND ENVIRONMENTAL MANAGEMENT
8	MONITORING PROGRAMME
9	CUMULATIVE IMPACTS
10	CLIMATE, CARBON AND RESILIENCE
11	STAKEHOLDER AND CONSULTATION RECORD
12	COMPLIANCE MATRIX

Section	Title
13	ENVIRONMENTAL INTELLIGENCE AND QA
14	CONCLUSIONS AND DECISION READINESS
A	APPENDICES AND EVIDENCE REGISTER

1 EXECUTIVE SUMMARY

Structured EIA chapter

1.1 Non-Technical Executive Summary

Assessment responseDemonstration scope: This illustrative response addresses whether non-technical executive summary. It shows the expected structure and level of explanation; project-specific values require verification.

Kuwait EIA End-to-End Demo is presented as a proposed development at State of Kuwait / Kuwait. This demonstration assessment describes the construction, commissioning, operation and eventual closure activities that could interact with environmental and social receptors. The project need is to deliver the proposed facility while controlling land, resource, emissions, waste, traffic and community impacts through its full life cycle.

Information to include in the controlled issue- Confirm the final design basis, footprint, schedule and workforce profile.

- Insert approved layout drawings, access routes, utilities and temporary work areas.
- Quantify material, water, energy, waste, emission and traffic estimates by phase.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 1 — EXECUTIVE SUMMARY.

RQEIA demonstration evidence register6.1 — Does the EIA include a Non-Technical Summary?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-6.1. Status: demonstration evidence available.

6.3 — Does it explain the development consent process and role of EIA?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-6.3. Status: demonstration evidence available.

6.5 — Is it written in non-technical language?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-6.5. Status: demonstration evidence available.

8.1 — Information available in clearly defined document(s)?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.1. Status: demonstration evidence available.

1.2 Key Impacts, Mitigation and Decision Readiness

Assessment responseDemonstration scope: This illustrative response addresses whether key impacts, mitigation and decision readiness. It shows the expected structure and level of explanation; project-specific values require verification.

Kuwait EIA End-to-End Demo is presented as a proposed development at State of Kuwait / Kuwait. This demonstration assessment describes the construction, commissioning, operation and eventual closure activities that could interact with environmental and social receptors. The project need is to deliver the proposed facility while controlling land, resource, emissions, waste, traffic and community impacts through its full life cycle.

Information to include in the controlled issue- Confirm the final design basis, footprint, schedule and workforce profile.

- Insert approved layout drawings, access routes, utilities and temporary work areas.

- Quantify material, water, energy, waste, emission and traffic estimates by phase.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 1 — EXECUTIVE SUMMARY.

RQEIA demonstration evidence register 6.2 — Is it concise but comprehensive (project, environment, effects, mitigation)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-6.2. Status: demonstration evidence available.

6.4 — Does it provide an overview of the assessment approach? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-6.4. Status: demonstration evidence available.

8.2 — Logically organized and clearly structured? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.2. Status: demonstration evidence available.

2 PROJECT DESCRIPTION

Structured EIA chapter

2.1 Project Need, Objectives and Location

Assessment response Demonstration scope: This illustrative response addresses whether project need, objectives and location. It shows the expected structure and level of explanation; project-specific values require verification.

The alternatives assessment compares the no-project option with feasible site, layout, technology, construction and operating options. Each option should be assessed consistently for land take, sensitive receptors, resource efficiency, pollution, climate resilience, community effects, constructability and cost. The preferred option should be the one that best avoids impacts before relying on mitigation.

Information to include in the controlled issue- Add an alternatives matrix with consistent environmental and social criteria.

- Document the no-project scenario and reasons rejected options were not carried forward.

- Record the decision-makers, consultation inputs and date of the preferred-option decision.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 2 — PROJECT DESCRIPTION.

RQEIA demonstration evidence register 1.1.1 — Are the need and objectives of the project

explained? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue.

Evidence: DEMO-RQEIA-1.1.1. Status: demonstration evidence available.

1.1.11 — Are any developments likely to occur as a consequence of the project identified? Demonstration

assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.11.

Status: demonstration evidence available.

1.3.7 — For displacement projects - numbers and characteristics of displaced people/businesses

described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue.

Evidence: DEMO-RQEIA-1.3.7. Status: demonstration evidence available.

1.5.3 — Is employment created or lost discussed (by phase)? Demonstration assessment: Addressed for the

product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.5.3. Status: demonstration evidence available.

1.6.6 — Methods for collecting, storing, treating, transporting, and disposing of liquid effluents

described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue.

Evidence: DEMO-RQEIA-1.6.6. Status: demonstration evidence available.

1.6.15 — Uncertainty attached to estimates discussed? Demonstration assessment: Addressed for the

product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.15. Status: demonstration evidence available.

8.3 — Table of contents present? Demonstration assessment: Addressed for the product-review scenario. The

project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.3. Status: demonstration evidence available.

2.2 Project Components, Layout and Design

Assessment response Demonstration scope: This illustrative response addresses whether project components, layout and design. It shows the expected structure and level of explanation; project-specific values require verification.

The alternatives assessment compares the no-project option with feasible site, layout, technology, construction and operating options. Each option should be assessed consistently for land take, sensitive receptors, resource efficiency, pollution, climate resilience, community effects, constructability and cost. The preferred option should be the one that best avoids impacts before relying on mitigation.

Information to include in the controlled issue- Add an alternatives matrix with consistent environmental and social criteria.

- Document the no-project scenario and reasons rejected options were not carried forward.
- Record the decision-makers, consultation inputs and date of the preferred-option decision.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 2 — PROJECT DESCRIPTION.

RQEIA demonstration evidence register 1.1.2 — Is the programme for implementation described (timeline, start/finish dates for construction, operation, commissioning, including phases)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.2. Status: demonstration evidence available.

1.1.12 — Are existing activities which will alter or cease identified? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.12. Status: demonstration evidence available.

1.3.8 — For transport projects - type, volume, temporal pattern, and distribution of traffic described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.3.8. Status: demonstration evidence available.

1.5.4 — Are access arrangements and worker/visitor traffic movements estimated? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.5.4. Status: demonstration evidence available.

1.6.7 — Locations for final disposal of liquid effluents discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.7. Status: demonstration evidence available.

1.7.1 — Are risks associated with the project discussed (hazardous materials, spills, fire, explosion, traffic, process failure, natural disasters)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.7.1. Status: demonstration evidence available.

8.4 — Clear description of process followed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.4. Status: demonstration evidence available.

2.3 Construction, Operation and Decommissioning

Assessment response Demonstration scope: This illustrative response addresses whether construction, operation and decommissioning. It shows the expected structure and level of explanation; project-specific values require verification.

The alternatives assessment compares the no-project option with feasible site, layout, technology, construction and operating options. Each option should be assessed consistently for land take, sensitive receptors, resource efficiency, pollution, climate resilience, community effects, constructability and cost. The preferred option should be the one that best avoids impacts before relying on mitigation.

Information to include in the controlled issue- Add an alternatives matrix with consistent environmental and social criteria.

- Document the no-project scenario and reasons rejected options were not carried forward.
- Record the decision-makers, consultation inputs and date of the preferred-option decision.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 2 — PROJECT DESCRIPTION.

RQEIA demonstration evidence register 1.1.3 — Are all main components of the project described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.3. Status: demonstration evidence available.

1.1.13 — Are other existing or planned developments with potential cumulative effects identified? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.13. Status: demonstration evidence available.

1.4.1 — Are all operating processes described (manufacturing, extraction, etc.)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.4.1. Status: demonstration evidence available.

1.5.5 — Is housing and services for employees discussed (if relevant)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.5.5. Status: demonstration evidence available.

1.6.8 — Types and quantities of gaseous and particulate emissions identified (by phase)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.8. Status: demonstration evidence available.

1.7.2 — Are measures to prevent and respond to accidents described (prevention, training, contingency, emergency plans)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record

before issue. Evidence: DEMO-RQEIA-1.7.2. Status: demonstration evidence available.

8.5 — Comprehensive but concise? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.5. Status: demonstration evidence available.

2.4 Inputs, Outputs, Emissions, Waste and Resources

Assessment response Demonstration scope: This illustrative response addresses whether inputs, outputs, emissions, waste and resources. It shows the expected structure and level of explanation; project-specific values require verification.

The alternatives assessment compares the no-project option with feasible site, layout, technology, construction and operating options. Each option should be assessed consistently for land take, sensitive receptors, resource efficiency, pollution, climate resilience, community effects, constructability and cost. The preferred option should be the one that best avoids impacts before relying on mitigation.

Information to include in the controlled issue- Add an alternatives matrix with consistent environmental and social criteria.

- Document the no-project scenario and reasons rejected options were not carried forward.
- Record the decision-makers, consultation inputs and date of the preferred-option decision.

Evidence and limitations Waste inventories, emissions calculations, safety studies, monitoring plans and licensed contractor records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 2 — PROJECT DESCRIPTION.

RQEIA demonstration evidence register 1.1.4 — Is the location of each project component identified (maps, plans, diagrams)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.4. Status: demonstration evidence available.

1.2.1 — Is the area of land occupied by permanent components quantified and shown on scaled maps? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.2.1. Status: demonstration evidence available.

1.4.2 — Are types and quantities of outputs described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.4.2. Status: demonstration evidence available.

1.5.6 — Are types and quantities of solid waste identified (by phase)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.5.6. Status: demonstration evidence available.

1.6.9 — Composition and hazards of air emissions discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are

stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.9. Status: demonstration evidence available.

8.6 — Effective use of tables, figures, maps, photos? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.6. Status: demonstration evidence available.

2.5 Programme, Workforce and Associated Facilities

Assessment response Demonstration scope: This illustrative response addresses whether programme, workforce and associated facilities. It shows the expected structure and level of explanation; project-specific values require verification.

The alternatives assessment compares the no-project option with feasible site, layout, technology, construction and operating options. Each option should be assessed consistently for land take, sensitive receptors, resource efficiency, pollution, climate resilience, community effects, constructability and cost. The preferred option should be the one that best avoids impacts before relying on mitigation.

Information to include in the controlled issue- Add an alternatives matrix with consistent environmental and social criteria.

- Document the no-project scenario and reasons rejected options were not carried forward.
- Record the decision-makers, consultation inputs and date of the preferred-option decision.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 2 — PROJECT DESCRIPTION.

RQEIA demonstration evidence register 1.1.5 — Is the layout of the site(s) described (ground levels, buildings, structures, underground works, storage, water features, planting, access, boundaries)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.5. Status: demonstration evidence available.

1.3.1 — Is the area of land required temporarily for construction quantified and mapped? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.3.1. Status: demonstration evidence available.

1.4.3 — Are types and quantities of raw materials and energy needed discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.4.3. Status: demonstration evidence available.

1.6.1 — Composition and hazards of solid wastes discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.1. Status: demonstration evidence available.

evidence available.

1.6.10 — Methods for collecting, treating, and discharging air emissions described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.10. Status: demonstration evidence available.

8.7 — Effective use of annexes/appendices? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.7. Status: demonstration evidence available.

3 POLICY, LEGAL AND REGULATORY FRAMEWORK

Structured EIA chapter

3.1 Applicable National and Local Requirements

Assessment response Demonstration scope: This illustrative response addresses whether applicable national and local requirements. It shows the expected structure and level of explanation; project-specific values require verification.

The baseline study area must cover the project footprint at State of Kuwait / Kuwait, associated facilities, transport routes and the wider zone in which indirect or cumulative effects could occur. Baseline information should describe current land use, soils, water, air, noise, biodiversity, cultural heritage, material assets and socio-economic conditions, including seasonal variation and vulnerable receptors.

Information to include in the controlled issue- Add dated survey results, coordinates, maps and laboratory accreditation details.

- Identify sensitive receptors and explain the spatial and temporal study boundaries.
- List data gaps, survey limitations and the assumptions used to address them.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 3 — POLICY, LEGAL AND REGULATORY FRAMEWORK.

RQEIA demonstration evidence register 7.1 — Relevant Kuwait regulations (KEPA, Ministry of Oil, etc.) provided? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-7.1. Status: demonstration evidence available.

8.8 — All analyses and conclusions supported by evidence? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.8. Status: demonstration evidence available.

3.2 International Standards and Project Commitments

Assessment responseDemonstration scope: This illustrative response addresses whether international standards and project commitments. It shows the expected structure and level of explanation; project-specific values require verification.

The baseline study area must cover the project footprint at State of Kuwait / Kuwait, associated facilities, transport routes and the wider zone in which indirect or cumulative effects could occur. Baseline information should describe current land use, soils, water, air, noise, biodiversity, cultural heritage, material assets and socio-economic conditions, including seasonal variation and vulnerable receptors.

Information to include in the controlled issue- Add dated survey results, coordinates, maps and laboratory accreditation details.

- Identify sensitive receptors and explain the spatial and temporal study boundaries.
- List data gaps, survey limitations and the assumptions used to address them.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 3 — POLICY, LEGAL AND REGULATORY FRAMEWORK.

RQEIA demonstration evidence register7.2 — Applicable environmental standards discussed (Noise, Air, Effluent, Waste, Soil, Biodiversity, etc.)?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-7.2. Status: demonstration evidence available.

8.9 — Consistent terminology used?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.9. Status: demonstration evidence available.

3.3 Permits, Approvals and Compliance Obligations

Assessment responseDemonstration scope: This illustrative response addresses whether permits, approvals and compliance obligations. It shows the expected structure and level of explanation; project-specific values require verification.

The baseline study area must cover the project footprint at State of Kuwait / Kuwait, associated facilities, transport routes and the wider zone in which indirect or cumulative effects could occur. Baseline information should describe current land use, soils, water, air, noise, biodiversity, cultural heritage, material assets and socio-economic conditions, including seasonal variation and vulnerable receptors.

Information to include in the controlled issue- Add dated survey results, coordinates, maps and laboratory accreditation details.

- Identify sensitive receptors and explain the spatial and temporal study boundaries.
- List data gaps, survey limitations and the assumptions used to address them.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 3 — POLICY, LEGAL AND REGULATORY FRAMEWORK.

RQEIA demonstration evidence register7.3 — KOC HSE MS Policy, Vision & Mission clearly described?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-7.3. Status: demonstration evidence available.

8.10 — Reads as a single document with good cross-referencing? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.10. Status: demonstration evidence available.

4 ALTERNATIVES ASSESSMENT

Structured EIA chapter

4.1 No-Project Alternative

Assessment response Demonstration scope: This illustrative response addresses whether no-project alternative. It shows the expected structure and level of explanation; project-specific values require verification.

Potential effects are assessed by linking each project activity to an environmental or social receptor. Significance should consider magnitude, receptor sensitivity, geographic extent, duration, frequency, reversibility, likelihood and confidence. The assessment should cover direct, indirect, induced, cumulative, temporary, permanent, positive and adverse effects, with credible worst-case assumptions where uncertainty remains.

Information to include in the controlled issue- Add an impact register connecting activities, pathways, receptors and significance ratings.

- State the prediction method, assessment criteria and evidence for each material effect.
- Separate pre-mitigation effects from residual effects after committed measures.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 4 — ALTERNATIVES ASSESSMENT.

RQEIA demonstration evidence register 2.1 — Is the process by which the project was developed described, and are alternatives considered? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-2.1. Status: demonstration evidence available.

2.4 — Are the main environmental effects of the alternatives compared with the proposed project? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-2.4. Status: demonstration evidence available.

8.11 — Presentation fair, impartial, and objective? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-8.11. Status: demonstration evidence available.

4.2 Site, Design, Technology and Process Alternatives

Assessment response Demonstration scope: This illustrative response addresses whether site, design, technology and process alternatives. It shows the expected structure and level of explanation; project-specific values require verification.

Potential effects are assessed by linking each project activity to an environmental or social receptor. Significance should consider magnitude, receptor sensitivity, geographic extent, duration, frequency, reversibility, likelihood and confidence. The assessment should cover direct, indirect, induced, cumulative, temporary, permanent, positive and adverse effects, with credible worst-case assumptions where uncertainty remains.

Information to include in the controlled issue- Add an impact register connecting activities, pathways, receptors and significance ratings.

- State the prediction method, assessment criteria and evidence for each material effect.
- Separate pre-mitigation effects from residual effects after committed measures.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 4 — ALTERNATIVES ASSESSMENT.

RQEIA demonstration evidence register 2.2 — Are the alternatives realistic and genuine? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-2.2. Status: demonstration evidence available.

4.3 Comparison and Selection of the Preferred Alternative

Assessment response Demonstration scope: This illustrative response addresses whether comparison and selection of the preferred alternative. It shows the expected structure and level of explanation; project-specific values require verification.

Potential effects are assessed by linking each project activity to an environmental or social receptor. Significance should consider magnitude, receptor sensitivity, geographic extent, duration, frequency, reversibility, likelihood and confidence. The assessment should cover direct, indirect, induced, cumulative, temporary, permanent, positive and adverse effects, with credible worst-case assumptions where uncertainty remains.

Information to include in the controlled issue- Add an impact register connecting activities, pathways, receptors and significance ratings.

- State the prediction method, assessment criteria and evidence for each material effect.
- Separate pre-mitigation effects from residual effects after committed measures.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 4 — ALTERNATIVES ASSESSMENT.

RQEIA demonstration evidence register 2.3 — Are the main reasons for choice of the proposed project explained (including environmental reasons)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-2.3. Status: demonstration evidence available.

5 ENVIRONMENTAL AND SOCIAL BASELINE

Structured EIA chapter

5.1 Study Area, Methods, Sources and Limitations

Assessment response Demonstration scope: This illustrative response addresses whether study area, methods, sources and limitations. It shows the expected structure and level of explanation; project-specific values require

verification.

Mitigation should follow the hierarchy of avoidance, minimization, restoration and, where appropriate, compensation for significant residual effects. Each commitment should be specific, measurable and linked to an owner, implementation phase, completion date, performance indicator and corrective-action trigger.

Information to include in the controlled issue- Add a commitments register with accountable owners and implementation dates.

- Define monitoring locations, methods, frequency, thresholds and escalation actions.
- Explain residual effects and any impacts introduced by the mitigation itself.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 5 — ENVIRONMENTAL AND SOCIAL BASELINE.

RQEIA demonstration evidence register 3.1.1 — Existing land uses and people using the land

described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue.

Evidence: DEMO-RQEIA-3.1.1. Status: demonstration evidence available.

3.1.6 — Water environment described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.6. Status: demonstration evidence available.

3.1.11 — Material assets (buildings, minerals, water resources) described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.11. Status: demonstration evidence available.

3.3.2 — All relevant agencies contacted? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.3.2. Status: demonstration evidence available.

5.2 Physical Environment

Assessment response Demonstration scope: This illustrative response addresses whether physical environment. It shows the expected structure and level of explanation; project-specific values require verification.

Mitigation should follow the hierarchy of avoidance, minimization, restoration and, where appropriate, compensation for significant residual effects. Each commitment should be specific, measurable and linked to an owner, implementation phase, completion date, performance indicator and corrective-action trigger.

Information to include in the controlled issue- Add a commitments register with accountable owners and implementation dates.

- Define monitoring locations, methods, frequency, thresholds and escalation actions.
- Explain residual effects and any impacts introduced by the mitigation itself.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 5 — ENVIRONMENTAL AND SOCIAL BASELINE.

RQEIA demonstration evidence register 3.1.2 — Topography, geology, and soils described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.2. Status: demonstration evidence available.

3.1.7 — Hydrology, water quality, and water uses described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.7. Status: demonstration evidence available.

3.2.1 — Archaeological, historic, architectural, or cultural features described (including protected sites)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.2.1. Status: demonstration evidence available.

3.3.3 — Sources of data adequately referenced? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-3.3.3. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

5.3 Biodiversity and Ecosystem Services

Assessment response Demonstration scope: This illustrative response addresses whether biodiversity and ecosystem services. It shows the expected structure and level of explanation; project-specific values require verification.

Mitigation should follow the hierarchy of avoidance, minimization, restoration and, where appropriate, compensation for significant residual effects. Each commitment should be specific, measurable and linked to an owner, implementation phase, completion date, performance indicator and corrective-action trigger.

Information to include in the controlled issue- Add a commitments register with accountable owners and implementation dates.

- Define monitoring locations, methods, frequency, thresholds and escalation actions.
- Explain residual effects and any impacts introduced by the mitigation itself.

Evidence and limitations Seasonally appropriate ecological surveys, habitat maps, species records and conservation-status sources. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 5 — ENVIRONMENTAL AND SOCIAL BASELINE.

RQEIA demonstration evidence register 3.1.3 — Significant topographic/geological features and soil conditions (quality, stability, erosion, contamination) described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.3. Status: demonstration evidence available.

3.1.8 — Local climate, meteorology, and air quality described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.8. Status: demonstration

evidence available.

3.2.2 — Demographic, social, and socio-economic conditions described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.2.2. Status: demonstration evidence available.

3.3.4 — Survey methods, difficulties, and uncertainties described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-3.3.4. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

5.4 Social, Health, Cultural Heritage and Land Use

Assessment response Demonstration scope: This illustrative response addresses whether social, health, cultural heritage and land use. It shows the expected structure and level of explanation; project-specific values require verification.

Mitigation should follow the hierarchy of avoidance, minimization, restoration and, where appropriate, compensation for significant residual effects. Each commitment should be specific, measurable and linked to an owner, implementation phase, completion date, performance indicator and corrective-action trigger.

Information to include in the controlled issue- Add a commitments register with accountable owners and implementation dates.

- Define monitoring locations, methods, frequency, thresholds and escalation actions.
- Explain residual effects and any impacts introduced by the mitigation itself.

Evidence and limitations Census and livelihood data, stakeholder records, workforce estimates and grievance-management records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 5 — ENVIRONMENTAL AND SOCIAL BASELINE.

RQEIA demonstration evidence register 3.1.4 — Fauna, flora, and habitats described and mapped? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.4. Status: demonstration evidence available.

3.1.9 — Existing noise climate described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.9. Status: demonstration evidence available.

3.2.3 — Future changes in the environment without the project (No Project / Moving Baseline) described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.2.3. Status: demonstration evidence available.

3.3.5 — Methods appropriate for the purpose? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-3.3.5. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

5.5 Sensitive Receptors and Future Baseline

Assessment responseDemonstration scope: This illustrative response addresses whether sensitive receptors and future baseline. It shows the expected structure and level of explanation; project-specific values require verification.

Mitigation should follow the hierarchy of avoidance, minimization, restoration and, where appropriate, compensation for significant residual effects. Each commitment should be specific, measurable and linked to an owner, implementation phase, completion date, performance indicator and corrective-action trigger.

Information to include in the controlled issue- Add a commitments register with accountable owners and implementation dates.

- Define monitoring locations, methods, frequency, thresholds and escalation actions.
- Explain residual effects and any impacts introduced by the mitigation itself.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 5 — ENVIRONMENTAL AND SOCIAL BASELINE.

RQEIA demonstration evidence register3.1.5 — Species populations and protected areas/species

defined?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue.

Evidence: DEMO-RQEIA-3.1.5. Status: demonstration evidence available.

3.1.10 — Existing light, heat, and electromagnetic radiation described?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.1.10. Status: demonstration evidence available.

3.3.1 — Study area defined widely enough?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-3.3.1. Status: demonstration evidence available.

3.3.6 — Important data gaps identified and how they were handled explained?**Demonstration assessment:** Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-3.3.6. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

6 IMPACT ASSESSMENT

Structured EIA chapter

6.1 Scoping and Assessment Methodology

Assessment responseDemonstration scope: This illustrative response addresses whether scoping and assessment methodology. It shows the expected structure and level of explanation; project-specific values require verification.

In plain language, Kuwait EIA End-to-End Demo is a proposed development at State of Kuwait / Kuwait. Its principal potential effects relate to land disturbance, construction traffic, resource use, emissions, waste, biodiversity and nearby communities. The preferred design and management measures should avoid sensitive areas, control pollution, monitor performance and provide a route for concerns to be raised and resolved.

Information to include in the controlled issue- Add a simple location figure and project layout.

- Summarize the most important effects, mitigation and residual effects without technical jargon.
- Explain the approval process and how readers can access the full assessment and submit comments.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 6 — IMPACT ASSESSMENT.

RQEIA demonstration evidence register 4.1.1 — Scoping process described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence:

DEMO-RQEIA-4.1.1. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.5.1 — Primary and secondary effects on human health and welfare described/quantified? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.5.1. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

6.2 Construction Impacts

Assessment response Demonstration scope: This illustrative response addresses whether construction impacts. It shows the expected structure and level of explanation; project-specific values require verification.

In plain language, Kuwait EIA End-to-End Demo is a proposed development at State of Kuwait / Kuwait. Its principal potential effects relate to land disturbance, construction traffic, resource use, emissions, waste, biodiversity and nearby communities. The preferred design and management measures should avoid sensitive areas, control pollution, monitor performance and provide a route for concerns to be raised and resolved.

Information to include in the controlled issue- Add a simple location figure and project layout.

- Summarize the most important effects, mitigation and residual effects without technical jargon.
- Explain the approval process and how readers can access the full assessment and submit comments.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 6 — IMPACT ASSESSMENT.

RQEIA demonstration evidence register 4.1.2 — Systematic approach to scoping evident? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence:

DEMO-RQEIA-4.1.2. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.5.2 — Impacts on biodiversity, climate change, and sustainable development discussed? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.5.2. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

6.3 Operational Impacts

Assessment response Demonstration scope: This illustrative response addresses whether operational impacts. It shows the expected structure and level of explanation; project-specific values require verification.

In plain language, Kuwait EIA End-to-End Demo is a proposed development at State of Kuwait / Kuwait. Its principal potential effects relate to land disturbance, construction traffic, resource use, emissions, waste, biodiversity and

nearby communities. The preferred design and management measures should avoid sensitive areas, control pollution, monitor performance and provide a route for concerns to be raised and resolved.

Information to include in the controlled issue- Add a simple location figure and project layout.

- Summarize the most important effects, mitigation and residual effects without technical jargon.
- Explain the approval process and how readers can access the full assessment and submit comments.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 6 — IMPACT ASSESSMENT.

RQEIA demonstration evidence register 4.1.3 — Full consultation carried out during scoping? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.1.3. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.6.1 — Significance discussed in terms of legal compliance and sensitivity of receptors? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.6.1. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

6.4 Decommissioning, Accidents and Unplanned Events

Assessment response Demonstration scope: This illustrative response addresses whether decommissioning, accidents and unplanned events. It shows the expected structure and level of explanation; project-specific values require verification.

In plain language, Kuwait EIA End-to-End Demo is a proposed development at State of Kuwait / Kuwait. Its principal potential effects relate to land disturbance, construction traffic, resource use, emissions, waste, biodiversity and nearby communities. The preferred design and management measures should avoid sensitive areas, control pollution, monitor performance and provide a route for concerns to be raised and resolved.

Information to include in the controlled issue- Add a simple location figure and project layout.

- Summarize the most important effects, mitigation and residual effects without technical jargon.
- Explain the approval process and how readers can access the full assessment and submit comments.

Evidence and limitations Waste inventories, emissions calculations, safety studies, monitoring plans and licensed contractor records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 6 — IMPACT ASSESSMENT.

RQEIA demonstration evidence register 4.1.4 — Comments and views of consultees presented? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.1.4. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.6.2 — Appropriate standards and guidance used? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.6.2. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

6.5 Impact Significance and Residual Effects

Assessment response Demonstration scope: This illustrative response addresses whether impact significance and residual effects. It shows the expected structure and level of explanation; project-specific values require verification.

In plain language, Kuwait EIA End-to-End Demo is a proposed development at State of Kuwait / Kuwait. Its principal potential effects relate to land disturbance, construction traffic, resource use, emissions, waste, biodiversity and nearby communities. The preferred design and management measures should avoid sensitive areas, control pollution, monitor performance and provide a route for concerns to be raised and resolved.

Information to include in the controlled issue- Add a simple location figure and project layout.

- Summarize the most important effects, mitigation and residual effects without technical jargon.
- Explain the approval process and how readers can access the full assessment and submit comments.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 6 — IMPACT ASSESSMENT.

RQEIA demonstration evidence register4.4.1 — Secondary effects described?Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence:

DEMO-RQEIA-4.4.1. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.6.3 — Positive effects described as well as negative?Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.6.3. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

7 MITIGATION AND ENVIRONMENTAL MANAGEMENT

Structured EIA chapter

7.1 Mitigation Hierarchy and Commitments

Assessment responseDemonstration scope: This illustrative response addresses whether mitigation hierarchy and commitments. It shows the expected structure and level of explanation; project-specific values require verification.

The project is being assessed for the State of Kuwait. The regulatory register is anchored to official Kuwait Environment Public Authority sources, including Environmental Protection Law No. 42 of 2014 as amended by Law No. 99 of 2015 and the applicable KEPA executive regulations. Each requirement must be screened for project applicability and linked to source evidence, an assessment, identified gaps, actions and the authorised reviewer's decision before issue. KOC requirements apply only where the project, client or contract makes them applicable.

Information to include in the controlled issue- Confirm the current KEPA approval pathway, permits and executive regulations with a qualified Kuwait practitioner.

- Record why each KEPA, ministry, municipal or KOC requirement applies to the project.
- Complete the legal register with requirement, official source, version, evidence, assessment, gap, action and reviewer decision.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. The Kuwait legal register is a decision-support aid and must be verified by the authorised local professional before controlled issue.

Section context: 7 — MITIGATION AND ENVIRONMENTAL MANAGEMENT.

RQEIA demonstration evidence register5.1 — Significant adverse effects and potential for mitigation discussed?Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

5.6 — Any negative effects of the proposed mitigation described?Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are

stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-5.6. Status: demonstration evidence available.

7.2 Environmental and Social Management Plan

Assessment responseDemonstration scope: This illustrative response addresses whether environmental and social management plan. It shows the expected structure and level of explanation; project-specific values require verification.

The project is being assessed for the State of Kuwait. The regulatory register is anchored to official Kuwait Environment Public Authority sources, including Environmental Protection Law No. 42 of 2014 as amended by Law No. 99 of 2015 and the applicable KEPA executive regulations. Each requirement must be screened for project applicability and linked to source evidence, an assessment, identified gaps, actions and the authorised reviewer's decision before issue. KOC requirements apply only where the project, client or contract makes them applicable.

Information to include in the controlled issue- Confirm the current KEPA approval pathway, permits and executive regulations with a qualified Kuwait practitioner.

- Record why each KEPA, ministry, municipal or KOC requirement applies to the project.
- Complete the legal register with requirement, official source, version, evidence, assessment, gap, action and reviewer decision.

Evidence and limitationsCensus and livelihood data, stakeholder records, workforce estimates and grievance-management records. The Kuwait legal register is a decision-support aid and must be verified by the authorised local professional before controlled issue.

Section context: 7 — MITIGATION AND ENVIRONMENTAL MANAGEMENT.

RQEIA demonstration evidence register5.2 — Effect of mitigation on magnitude and significance

explained?Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

7.3 Responsibilities, Resources and Corrective Action

Assessment responseDemonstration scope: This illustrative response addresses whether responsibilities, resources and corrective action. It shows the expected structure and level of explanation; project-specific values require verification.

The project is being assessed for the State of Kuwait. The regulatory register is anchored to official Kuwait Environment Public Authority sources, including Environmental Protection Law No. 42 of 2014 as amended by Law No. 99 of 2015 and the applicable KEPA executive regulations. Each requirement must be screened for project applicability and linked to source evidence, an assessment, identified gaps, actions and the authorised reviewer's decision before issue. KOC requirements apply only where the project, client or contract makes them applicable.

Information to include in the controlled issue- Confirm the current KEPA approval pathway, permits and executive regulations with a qualified Kuwait practitioner.

- Record why each KEPA, ministry, municipal or KOC requirement applies to the project.
- Complete the legal register with requirement, official source, version, evidence, assessment, gap, action and reviewer decision.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. The Kuwait legal register is a decision-support aid and must be verified by the authorised local professional before controlled issue.

Section context: 7 — MITIGATION AND ENVIRONMENTAL MANAGEMENT.

RQEIA demonstration evidence register5.3 — Reasons for choosing proposed mitigation explained?**Demonstration assessment:** Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

8 MONITORING PROGRAMME

Structured EIA chapter

8.1 Monitoring Indicators, Methods and Locations

Assessment responseDemonstration scope: This illustrative response addresses whether monitoring indicators, methods and locations. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 8 — MONITORING PROGRAMME.

RQEIA demonstration evidence register5.4 — Full range of mitigation approaches considered (avoid, reduce, remedy, compensate, etc.)?Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

8.2 Thresholds, Frequency, Reporting and Response

Assessment responseDemonstration scope: This illustrative response addresses whether thresholds, frequency, reporting and response. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 8 — MONITORING PROGRAMME.

RQEIA demonstration evidence register5.5 — Arrangements to monitor and manage residual impacts proposed?Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

9 CUMULATIVE IMPACTS

Structured EIA chapter

9.1 Other Developments and Valued Receptors

Assessment responseDemonstration scope: This illustrative response addresses whether other developments and valued receptors. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 9 — CUMULATIVE IMPACTS.

RQEIA demonstration evidence register1.1.6 — For tunneling and earthworks - are activities properly described?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. **Evidence:** DEMO-RQEIA-1.1.6. **Status:** demonstration evidence available.

1.3.2 — Is restoration and after-use of temporarily occupied land described?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. **Evidence:** DEMO-RQEIA-1.3.2. **Status:** demonstration evidence available.

1.4.4 — Are environmental implications of sourcing raw materials discussed?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. **Evidence:** DEMO-RQEIA-1.4.4. **Status:** demonstration evidence available.

1.6.2 — Methods for collecting, storing, treating, transporting, and disposing of solid wastes described?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. **Evidence:** DEMO-RQEIA-1.6.2. **Status:** demonstration evidence available.

1.6.11 — Locations and characteristics of air discharges identified (stack height, velocity, temperature)?**Demonstration assessment:** Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. **Evidence:** DEMO-RQEIA-1.6.11. **Status:** demonstration evidence available.

4.4.2 — Temporary/short-term effects described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.2. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.6.4 — Significance of each effect clearly explained? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.6.4. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

9.2 Cumulative Effects, Mitigation and Residual Risk

Assessment response Demonstration scope: This illustrative response addresses whether cumulative effects, mitigation and residual risk. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 9 — CUMULATIVE IMPACTS.

RQEIA demonstration evidence register 1.1.7 — Are all construction activities described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.7. Status: demonstration evidence available.

1.3.4 — Is the size of structures/works identified (floor area, height, excavations, embankments, stacks, water depth, etc.)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.3.4. Status: demonstration evidence available.

1.4.5 — Is efficiency in use of energy and raw materials discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.4.5. Status: demonstration evidence available.

1.6.3 — Locations for final disposal of solid wastes discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.3. Status: demonstration evidence available.

1.6.12 — Potential for resource recovery from wastes discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.12. Status: demonstration evidence available.

4.4.3 — Permanent effects described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.3. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.7.1 — Methods used to predict effects described and justified? Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

10 CLIMATE, CARBON AND RESILIENCE

Structured EIA chapter

10.1 Greenhouse Gas Emissions and Mitigation

Assessment response Demonstration scope: This illustrative response addresses whether greenhouse gas emissions and mitigation. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Waste inventories, emissions calculations, safety studies, monitoring plans and licensed contractor records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 10 — CLIMATE, CARBON AND RESILIENCE.

RQEIA demonstration evidence register 1.1.8 — Are all operation activities described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.8. Status: demonstration evidence available.

1.3.5 — Is the form and appearance of structures described (materials, colors, design, plant species, etc.)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.3.5. Status: demonstration evidence available.

1.5.1 — Are hazardous materials identified and quantified (construction, operation, commissioning)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities

and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.5.1. Status: demonstration evidence available.

1.6.4 — Types and quantities of liquid effluents identified (by phase)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.4. Status: demonstration evidence available.

1.6.13 — Sources of noise, heat, light, or electromagnetic radiation identified and quantified? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.13. Status: demonstration evidence available.

4.4.4 — Long-term effects described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.4. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.7.2 — Worst-case predictions used where uncertain? Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

10.2 Climate Risk, Adaptation and Resilience

Assessment response Demonstration scope: This illustrative response addresses whether climate risk, adaptation and resilience. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 10 — CLIMATE, CARBON AND RESILIENCE.

RQEIA demonstration evidence register 1.1.10 — Are additional services required described (transport, water, sewerage, waste, electricity, telecoms, roads, harbors, power-lines, etc.)? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.1.10. Status: demonstration evidence available.

1.3.6 — For urban projects - numbers and characteristics of new populations/businesses described? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and

closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.3.6. Status: demonstration evidence available.

1.5.2 — Is transport of raw materials and traffic movements discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.5.2. Status: demonstration evidence available.

1.6.5 — Composition and hazards of liquid effluents discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.5. Status: demonstration evidence available.

1.6.14 — Methods for estimating residues/emissions and difficulties discussed? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-1.6.14. Status: demonstration evidence available.

4.4.5 — Ancillary activities effects described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.5. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.7.3 — Difficulties in data compilation acknowledged? Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

11 STAKEHOLDER AND CONSULTATION RECORD

Structured EIA chapter

11.1 Stakeholder Identification and Engagement

Assessment response Demonstration scope: This illustrative response addresses whether stakeholder identification and engagement. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 11 — STAKEHOLDER AND CONSULTATION RECORD.

RQEIA demonstration evidence register 4.4.6 — Indirect/consequential development effects

described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.6. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.7.4 — Level of treatment appropriate to importance? Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

11.2 Issues Raised, Responses and Commitments

Assessment response Demonstration scope: This illustrative response addresses whether issues raised, responses and commitments. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 11 — STAKEHOLDER AND CONSULTATION RECORD.

RQEIA demonstration evidence register 4.4.7 — Cumulative effects with other developments described (including worst-case)? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.7. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

4.7.5 — Emphasis given to most severe effects? Demonstration assessment: Open finding. No verified project evidence is available for this requirement. Do not infer compliance or create substitute environmental data. Required action: obtain the relevant survey, study, modelling result, authority response or specialist input, then re-run the review.

11.3 Grievance and Ongoing Engagement

Assessment response Demonstration scope: This illustrative response addresses whether grievance and ongoing engagement. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and

applicable authority requirements.

Section context: 11 — STAKEHOLDER AND CONSULTATION RECORD.

RQEIA demonstration evidence register4.4.8 — Geographic extent, duration, frequency, reversibility, probability described? Demonstration assessment: Partially addressed. Existing project material establishes the assessment approach and preliminary conclusion, but a final quantified value, authority confirmation or specialist sign-off remains outstanding. Available evidence: DEMO-RQEIA-4.4.8. Required action: confirm the open item and record the authorised reviewer's decision before controlled issue.

12 COMPLIANCE MATRIX

Structured EIA chapter

12.1 Requirement-to-Evidence Compliance Matrix

Assessment response Demonstration scope: This illustrative response addresses whether requirement-to-evidence compliance matrix. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 12 — COMPLIANCE MATRIX.

RQEIA demonstration evidence register7.4 — Applicable features of KOC EIA Procedure implemented? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-7.4. Status: demonstration evidence available.

12.2 Outstanding Obligations and Actions

Assessment response Demonstration scope: This illustrative response addresses whether outstanding obligations and actions. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and

applicable authority requirements.

Section context: 12 — COMPLIANCE MATRIX.

RQEIA demonstration evidence register7.5 — Relevant HSE MS Procedures utilized or referenced? Demonstration assessment: Addressed for the product-review scenario. The project team recorded the relevant scope, method, receptors, assumptions and management response in the controlled design and assessment register. Quantities and spatial boundaries are stated in the referenced record, impacts are considered for construction, operation and closure where applicable, and the reviewer must validate the record before issue. Evidence: DEMO-RQEIA-7.5. Status: demonstration evidence available.

13 ENVIRONMENTAL INTELLIGENCE AND QA

Structured EIA chapter

13.1 Evidence Traceability and Quality Assurance

Assessment response Demonstration scope: This illustrative response addresses whether evidence traceability and quality assurance. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 13 — ENVIRONMENTAL INTELLIGENCE AND QA.

13.2 Data Gaps, Uncertainty and AI Transparency

Assessment response Demonstration scope: This illustrative response addresses whether data gaps, uncertainty and ai transparency. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitations Project design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 13 — ENVIRONMENTAL INTELLIGENCE AND QA.

13.3 Professional Review and Reviewer Decisions

Assessment responseDemonstration scope: This illustrative response addresses whether professional review and reviewer decisions. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 13 — ENVIRONMENTAL INTELLIGENCE AND QA.

14 CONCLUSIONS AND DECISION READINESS

Structured EIA chapter

14.1 Overall Conclusions and Residual Effects

Assessment responseDemonstration scope: This illustrative response addresses whether overall conclusions and residual effects. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 14 — CONCLUSIONS AND DECISION READINESS.

14.2 Conditions, Priority Actions and Decision Readiness

Assessment responseDemonstration scope: This illustrative response addresses whether conditions, priority actions and decision readiness. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.

- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: 14 — CONCLUSIONS AND DECISION READINESS.

A APPENDICES AND EVIDENCE REGISTER

Structured EIA chapter

A.1 Appendix Schedule

Assessment responseDemonstration scope: This illustrative response addresses whether appendix schedule. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: A — APPENDICES AND EVIDENCE REGISTER.

A.2 Evidence Register

Assessment responseDemonstration scope: This illustrative response addresses whether evidence register. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: A — APPENDICES AND EVIDENCE REGISTER.

A.3 Figures, Tables and Supporting Records

Assessment responseDemonstration scope: This illustrative response addresses whether figures, tables and supporting records. It shows the expected structure and level of explanation; project-specific values require verification.

The final report should read as one controlled document with consistent terminology, numbering and cross-references. Conclusions must trace to evidence, while detailed data, drawings, calculations and consultation records should be placed in clearly referenced appendices. Tables and figures should include titles, sources, dates, units, legends and accessible explanatory text.

Information to include in the controlled issue- Generate and verify the table of contents, lists of figures and tables, and appendix references.

- Run a final terminology, unit, citation and cross-reference consistency check.
- Complete technical, legal and editorial quality assurance before controlled issue.

Evidence and limitationsProject design drawings, field survey records, permits, specialist studies and consultation records. Final quantities, coordinates and thresholds must be confirmed against approved design data and applicable authority requirements.

Section context: A — APPENDICES AND EVIDENCE REGISTER.

EVIDENCE TRACEABILITY & COMPLIANCE

Requirement → Evidence → Assessment → Finding → Gap → Recommendation

Requirement	Source	Finding	Gap	Action	Decision
3.3.3 Sources of data adequately referenced?	3.3.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
3.3.4 Survey methods, difficulties, and uncertainties described?	3.3.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
3.3.5 Methods appropriate for the purpose?	3.3.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
3.3.6 Important data gaps identified and how they were handled explained?	3.3.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
1.1.1 Are the need and objectives of the project explained?	1.1.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.2 Is the programme for implementation described (timeline, start/finish dates for construction, operation, commissioning, including phases)?	1.1.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.3 Are all main components of the project described?	1.1.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.4 Is the location of each project component identified (maps, plans, diagrams)?	1.1.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.5 Is the layout of the site(s) described (ground levels, buildings, structures, underground works, storage, water features, planting, access, boundaries)?	1.1.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.6 For tunneling and earthworks - are activities properly described?	1.1.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
1.1.7 Are all construction activities described?	1.1.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.1.8 Are all operation activities described?	1.1.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.1.10 Are additional services required described (transport, water, sewerage, waste, electricity, telecoms, roads, harbors, power-lines, etc.)?	1.1.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.1.11 Are any developments likely to occur as a consequence of the project identified?	1.1.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.12 Are existing activities which will alter or cease identified?	1.1.12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.1.13 Are other existing or planned developments with potential cumulative effects identified?	1.1.13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.2.1 Is the area of land occupied by permanent components quantified and shown on scaled maps?	1.2.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.3.1 Is the area of land required temporarily for construction quantified and mapped?	1.3.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.3.2 Is restoration and after-use of temporarily occupied land described?	1.3.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.3.4 Is the size of structures/works identified (floor area, height, excavations, embankments, stacks, water depth, etc.)?	1.3.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.3.5 Is the form and appearance of structures described (materials, colors, design, plant species, etc.)?	1.3.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending

Requirement	Source	Finding	Gap	Action	Decision
1.3.6 For urban projects - numbers and characteristics of new populations/businesses described?	1.3.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.3.7 For displacement projects - numbers and characteristics of displaced people/businesses described?	1.3.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.3.8 For transport projects - type, volume, temporal pattern, and distribution of traffic described?	1.3.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.4.1 Are all operating processes described (manufacturing, extraction, etc.)?	1.4.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.4.2 Are types and quantities of outputs described?	1.4.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.4.3 Are types and quantities of raw materials and energy needed discussed?	1.4.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.4.4 Are environmental implications of sourcing raw materials discussed?	1.4.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.4.5 Is efficiency in use of energy and raw materials discussed?	1.4.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.5.1 Are hazardous materials identified and quantified (construction, operation, commissioning)?	1.5.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.5.2 Is transport of raw materials and traffic movements discussed?	1.5.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.5.3 Is employment created or lost discussed (by phase)?	1.5.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
1.5.4 Are access arrangements and worker/visitor traffic movements estimated?	1.5.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.5.5 Is housing and services for employees discussed (if relevant)?	1.5.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.5.6 Are types and quantities of solid waste identified (by phase)?	1.5.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.6.1 Composition and hazards of solid wastes discussed?	1.6.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.6.2 Methods for collecting, storing, treating, transporting, and disposing of solid wastes described?	1.6.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.3 Locations for final disposal of solid wastes discussed?	1.6.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.4 Types and quantities of liquid effluents identified (by phase)?	1.6.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.5 Composition and hazards of liquid effluents discussed?	1.6.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.6 Methods for collecting, storing, treating, transporting, and disposing of liquid effluents described?	1.6.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.6.7 Locations for final disposal of liquid effluents discussed?	1.6.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.6.8 Types and quantities of gaseous and particulate emissions identified (by phase)?	1.6.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.6.9 Composition and hazards of air emissions discussed?	1.6.9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
1.6.10 Methods for collecting, treating, and discharging air emissions described?	1.6.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.6.11 Locations and characteristics of air discharges identified (stack height, velocity, temperature)?	1.6.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.12 Potential for resource recovery from wastes discussed?	1.6.12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.13 Sources of noise, heat, light, or electromagnetic radiation identified and quantified?	1.6.13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.14 Methods for estimating residues/emissions and difficulties discussed?	1.6.14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
1.6.15 Uncertainty attached to estimates discussed?	1.6.15; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.7.1 Are risks associated with the project discussed (hazardous materials, spills, fire, explosion, traffic, process failure, natural disasters)?	1.7.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
1.7.2 Are measures to prevent and respond to accidents described (prevention, training, contingency, emergency plans)?	1.7.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
2.1 Is the process by which the project was developed described, and are alternatives considered?	2.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
2.2 Are the alternatives realistic and genuine?	2.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
2.3 Are the main reasons for choice of the proposed project explained (including environmental reasons)?	2.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
2.4 Are the main environmental effects of the alternatives compared with the proposed project?	2.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.1 Existing land uses and people using the land described?	3.1.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.2 Topography, geology, and soils described?	3.1.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.3 Significant topographic/geological features and soil conditions (quality, stability, erosion, contamination) described?	3.1.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.4 Fauna, flora, and habitats described and mapped?	3.1.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.5 Species populations and protected areas/species defined?	3.1.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.6 Water environment described?	3.1.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.7 Hydrology, water quality, and water uses described?	3.1.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.8 Local climate, meteorology, and air quality described?	3.1.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.9 Existing noise climate described?	3.1.9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.1.10 Existing light, heat, and electromagnetic radiation described?	3.1.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
3.1.11 Material assets (buildings, minerals, water resources) described?	3.1.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.2.1 Archaeological, historic, architectural, or cultural features described (including protected sites)?	3.2.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.2.2 Demographic, social, and socio-economic conditions described?	3.2.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.2.3 Future changes in the environment without the project (No Project / Moving Baseline) described?	3.2.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.3.1 Study area defined widely enough?	3.3.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
3.3.2 All relevant agencies contacted?	3.3.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
4.1.1 Scoping process described?	4.1.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.1.2 Systematic approach to scoping evident?	4.1.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.1.3 Full consultation carried out during scoping?	4.1.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.1.4 Comments and views of consultees presented?	4.1.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.4.1 Secondary effects described?	4.4.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.4.2 Temporary/short-term effects described?	4.4.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.4.3 Permanent effects described?	4.4.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending

Requirement	Source	Finding	Gap	Action	Decision
4.4.4 Long-term effects described?	4.4.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.4.5 Ancillary activities effects described?	4.4.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
4.4.6 Indirect/consequential development effects described?	4.4.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
4.4.7 Cumulative effects with other developments described (including worst-case)?	4.4.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
4.4.8 Geographic extent, duration, frequency, reversibility, probability described?	4.4.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
4.5.1 Primary and secondary effects on human health and welfare described/quantified?	4.5.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.5.2 Impacts on biodiversity, climate change, and sustainable development discussed?	4.5.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.6.1 Significance discussed in terms of legal compliance and sensitivity of receptors?	4.6.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.6.2 Appropriate standards and guidance used?	4.6.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.6.3 Positive effects described as well as negative?	4.6.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.6.4 Significance of each effect clearly explained?	4.6.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Partially Compliant	Resolve the open quantified value, authority confirmation, or specialist sign-off.	Complete the stated action and record the authorised reviewer's decision.	Pending
4.7.1 Methods used to predict effects described and justified?	4.7.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending
4.7.2 Worst-case predictions used where uncertain?	4.7.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending

Requirement	Source	Finding	Gap	Action	Decision
4.7.3 Difficulties in data compilation acknowledged?	4.7.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
4.7.4 Level of treatment appropriate to importance?	4.7.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
4.7.5 Emphasis given to most severe effects?	4.7.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
5.1 Significant adverse effects and potential for mitigation discussed?	5.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending
5.2 Effect of mitigation on magnitude and significance explained?	5.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending
5.3 Reasons for choosing proposed mitigation explained?	5.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending
5.4 Full range of mitigation approaches considered (avoid, reduce, remedy, compensate, etc.)?	5.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending
5.5 Arrangements to monitor and manage residual impacts proposed?	5.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Missing	Obtain the identified survey, study, authority response, modelling result, or specialist input.	Add verified evidence and rerun the assessment before reviewer sign-off.	Pending
5.6 Any negative effects of the proposed mitigation described?	5.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
6.1 Does the EIA include a Non-Technical Summary?	6.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
6.2 Is it concise but comprehensive (project, environment, effects, mitigation)?	6.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
6.3 Does it explain the development consent process and role of EIA?	6.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
6.4 Does it provide an overview of the assessment approach?	6.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
6.5 Is it written in non-technical language?	6.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
7.1 Relevant Kuwait regulations (KEPA, Ministry of Oil, etc.) provided?	7.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
7.2 Applicable environmental standards discussed (Noise, Air, Effluent, Waste, Soil, Biodiversity, etc.)?	7.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
7.3 KOC HSE MS Policy, Vision & Mission clearly described?	7.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
7.4 Applicable features of KOC EIA Procedure implemented?	7.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
7.5 Relevant HSE MS Procedures utilized or referenced?	7.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
8.1 Information available in clearly defined document(s)?	8.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
8.2 Logically organized and clearly structured?	8.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
8.3 Table of contents present?	8.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
8.4 Clear description of process followed?	8.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
8.5 Comprehensive but concise?	8.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending

Requirement	Source	Finding	Gap	Action	Decision
8.6 Effective use of tables, figures, maps, photos?	8.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate the demonstration record against real project evidence before controlled issue.	Pending
8.7 Effective use of annexes/appendices?	8.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
8.8 All analyses and conclusions supported by evidence?	8.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
8.9 Consistent terminology used?	8.9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
8.10 Reads as a single document with good cross-referencing?	8.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
8.11 Presentation fair, impartial, and objective?	8.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
REG-KW-001-ART-100 Kuwait Environmental Protection Law No. 42 of 2014: Protect threatened terrestrial and marine wildlife	REG-KW-001-ART-100; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
REG-KW-002-ART-101 Kuwait Environmental Protection Law No. 42 of 2014: Prevent trade in threatened wildlife	REG-KW-002-ART-101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
REG-KW-003-ART-149 Kuwait Environmental Protection Law No. 42 of 2014: Recognise enforcement consequences for wildlife offences	REG-KW-003-ART-149; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending
REG-KW-004-SAMPLE-PE Executive Regulation on Biodiversity, Decision No. 3 of 2017: Obtain authorisation before scientific environmental sampling where required	REG-KW-004-SAMPLE-PE; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending

Requirement	Source	Finding	Gap	Action	Decision
REG-KW-005-SAMPL E-TR Executive Regulation on Biodiversity, Decision No. 3 of 2017: Maintain traceability for authorised environmental sampling	REG-KW-005-SAMPLE-TR; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt	Compliant	No recorded gap	Validate that cited evidence remains current and complete before final submission.	Pending

CONCLUSIONS & DECISION READINESS

Professional determination and controlled issue status

Overall score 8.5/10. Multiple checklist items remain missing, so the document is not yet review-ready.

Role	Decision / signature	Date
EIA Lead	Pending	
Independent Reviewer	Pending	
Project Director	Pending	