

AI-Powered Environmental Impact Assessment

Review & Compliance Report

Kuwait EIA End-to-End Demonstration Report

RQEIA assessment against Kuwait environmental requirements
Evidence-led findings • professional reviewer decision required

OVERALL QUALITY 85% RQEIA index	EVIDENCE COVERAGE 94% Requirements addressed	RISK LEVEL Low Decision readiness	MISSING ITEMS 7 Require attention	AI CONFIDENCE 83% Average confidence
--	---	--	--	---

EXECUTIVE SUMMARY

Overall score 8.5/10. Multiple checklist items remain missing, so the document is not yet review-ready.

STRENGTHS - Sources of data adequately referenced? - Survey methods, difficulties, and uncertainties described? - Methods appropriate for the purpose?	GAPS - Methods used to predict effects described and justified? - Worst-case predictions used where uncertain? - Significant adverse effects and potential for mitigation discussed?	RECOMMENDATIONS 4.7.1: Add verified evidence and rerun the assessment before reviewer sign-off. 4.7.2: Add verified evidence and rerun the assessment before reviewer sign-off.	CONCLUSION Overall score 8.5/10. Multiple checklist items remain missing, so the document is not yet
---	---	--	---

REGULATORY ALIGNMENT

Kuwait Environmental Protection Law No. 42 of 2014	100%
Executive Regulation on Biodiversity, Decision No. 3 of	100%

AI FINDINGS OVERVIEW

102 COMPLIANT	18 PARTIAL
7 MISSING	127 TOTAL

RECENT KEY FINDINGS

FINDING	REGULATION / AREA	STATUS	AI CONFIDENCE
Methods used to predict effects described and justified?	4.7.1	Missing	96%
Worst-case predictions used where uncertain?	4.7.2	Missing	96%
Significant adverse effects and potential for mitigation	5.1	Missing	96%
Effect of mitigation on magnitude and significance explained?	5.2	Missing	96%

EXECUTIVE REVIEW SUMMARY

RQEIA quality, evidence and decision-readiness position

QUALITY INDEX	COMPLIANT	PARTIAL	NEEDS WORK	MISSING
85%	102	18	0	7

Overall score 8.5/10. Multiple checklist items remain missing, so the document is not yet review-ready.

RQEIA AREA ASSESSMENT

Detailed assessment across all eight methodology areas

1 DESCRIPTION OF THE PROJECT

Coverage	Questions	Compliant	Partial	Needs work	Missing
100%	48	48	0	0	0

DESCRIPTION OF THE PROJECT is broadly ready for reviewer validation.

2 CONSIDERATION OF ALTERNATIVES

Coverage	Questions	Compliant	Partial	Needs work	Missing
100%	4	4	0	0	0

CONSIDERATION OF ALTERNATIVES is broadly ready for reviewer validation.

3 DESCRIPTION OF THE ENVIRONMENT LIKELY TO BE AFFECTED

Coverage	Questions	Compliant	Partial	Needs work	Missing
93%	20	16	4	0	0

DESCRIPTION OF THE ENVIRONMENT LIKELY TO BE AFFECTED is broadly ready for reviewer validation.

4 DESCRIPTION OF THE LIKELY SIGNIFICANT EFFECTS

Coverage	Questions	Compliant	Partial	Needs work	Missing
70%	23	7	14	0	2

DESCRIPTION OF THE LIKELY SIGNIFICANT EFFECTS has missing checklist coverage and requires substantive drafting before review sign-off.

5 DESCRIPTION OF MITIGATION

Coverage	Questions	Compliant	Partial	Needs work	Missing
17%	6	1	0	0	5

DESCRIPTION OF MITIGATION has missing checklist coverage and requires substantive drafting before review sign-off.

6 NON-TECHNICAL SUMMARY

Coverage	Questions	Compliant	Partial	Needs work	Missing
100%	5	5	0	0	0

NON-TECHNICAL SUMMARY is broadly ready for reviewer validation.

7 REGULATORY FRAMEWORK

Coverage	Questions	Compliant	Partial	Needs work	Missing
100%	5	5	0	0	0

REGULATORY FRAMEWORK is broadly ready for reviewer validation.

8 QUALITY OF PRESENTATION

Coverage	Questions	Compliant	Partial	Needs work	Missing
100%	11	11	0	0	0

QUALITY OF PRESENTATION is broadly ready for reviewer validation.

DETAILED FINDINGS & EVIDENCE TRACEABILITY

Requirement → Evidence → Assessment → Finding → Recommended action → Reviewer decision

3.3.3 Sources of data adequately referenced?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 3.3.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 69; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 72; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 67; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 68

3.3.4 Survey methods, difficulties, and uncertainties described?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 3.3.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65

3.3.5 Methods appropriate for the purpose?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 3.3.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 71; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 57

3.3.6 Important data gaps identified and how they were handled explained?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 3.3.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 72; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 69; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 57; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66

1.1.1 Are the need and objectives of the project explained?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 6

1.1.2 Is the programme for implementation described (timeline, start/finish dates for construction, operation, commissioning, including phases)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 26; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 48; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14

1.1.3 Are all main components of the project described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1

1.1.4 Is the location of each project component identified (maps, plans, diagrams)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 39; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 42

1.1.5 Is the layout of the site(s) described (ground levels, buildings, structures, underground works, storage, water features, planting, access, boundaries)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 16; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 48; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 2

1.1.6 For tunneling and earthworks - are activities properly described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 18

1.1.7 Are all construction activities described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.1.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 6

1.1.8 Are all operation activities described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.1.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 6

1.1.10 Are additional services required described (transport, water, sewerage, waste, electricity, telecoms, roads, harbors, power-lines, etc.)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.1.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 20; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 5

1.1.11 Are any developments likely to occur as a consequence of the project identified?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 11

1.1.12 Are existing activities which will alter or cease identified?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35

1.1.13 Are other existing or planned developments with potential cumulative effects identified?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.1.13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 44

1.2.1 Is the area of land occupied by permanent components quantified and shown on scaled maps?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.2.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 44; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 26

1.3.1 Is the area of land required temporarily for construction quantified and mapped?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.3.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 26; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 2

1.3.2 Is restoration and after-use of temporarily occupied land described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.3.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 19; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 13

1.3.4 Is the size of structures/works identified (floor area, height, excavations, embankments, stacks, water depth, etc.)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.3.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 16; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 42; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14

1.3.5 Is the form and appearance of structures described (materials, colors, design, plant species, etc.)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.3.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 16; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 9

1.3.6 For urban projects - numbers and characteristics of new populations/businesses described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.3.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 18; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 19; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 20; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15

1.3.7 For displacement projects - numbers and characteristics of displaced people/businesses described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.3.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 19; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 18; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 20; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15

1.3.8 For transport projects - type, volume, temporal pattern, and distribution of traffic described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.3.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 20; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 18; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 19; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15

1.4.1 Are all operating processes described (manufacturing, extraction, etc.)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.4.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 9

1.4.2 Are types and quantities of outputs described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.4.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 6

1.4.3 Are types and quantities of raw materials and energy needed discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.4.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22

1.4.4 Are environmental implications of sourcing raw materials discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.4.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 43

1.4.5 Is efficiency in use of energy and raw materials discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.4.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 46; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17

1.5.1 Are hazardous materials identified and quantified (construction, operation, commissioning)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.5.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 26; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 44; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22

1.5.2 Is transport of raw materials and traffic movements discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.5.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 47; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 20

1.5.3 Is employment created or lost discussed (by phase)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.5.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 28; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 30; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 43; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35

1.5.4 Are access arrangements and worker/visitor traffic movements estimated?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.5.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 29; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 20; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 47; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22

1.5.5 Is housing and services for employees discussed (if relevant)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.5.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 30; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 28

1.5.6 Are types and quantities of solid waste identified (by phase)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.5.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 39; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 11

1.6.1 Composition and hazards of solid wastes discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 34; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 33; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24

1.6.2 Methods for collecting, storing, treating, transporting, and disposing of solid wastes described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 33; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 34; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 45

1.6.3 Locations for final disposal of solid wastes discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 34; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 38; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 33; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 43; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,

page 25

1.6.4 Types and quantities of liquid effluents identified (by phase)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 39; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 38

1.6.5 Composition and hazards of liquid effluents discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 38; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37

1.6.6 Methods for collecting, storing, treating, transporting, and disposing of liquid effluents described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 33; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 38; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35

1.6.7 Locations for final disposal of liquid effluents discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 38; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 34; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,

page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 27

1.6.8 Types and quantities of gaseous and particulate emissions identified (by phase)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 39;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 44

1.6.9 Composition and hazards of air emissions discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 36; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 45; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 30

1.6.10 Methods for collecting, treating, and discharging air emissions described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 33; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 45;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 18

1.6.11 Locations and characteristics of air discharges identified (stack height, velocity, temperature)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 42; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 16; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 18; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 19; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 31; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35

1.6.12 Potential for resource recovery from wastes discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 43; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 34; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 46; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 28

1.6.13 Sources of noise, heat, light, or electromagnetic radiation identified and quantified?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 44; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 26; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 13; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 39; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 35

1.6.14 Methods for estimating residues/emissions and difficulties discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 1.6.14; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 45; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 33; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 37; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27

1.6.15 Uncertainty attached to estimates discussed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.6.15; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 46; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 28; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 32; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 34; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24

1.7.1 Are risks associated with the project discussed (hazardous materials, spills, fire, explosion, traffic, process failure, natural disasters)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.7.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 47; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 27; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 23; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 26; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17

1.7.2 Are measures to prevent and respond to accidents described (prevention, training, contingency, emergency plans)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 1.7.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 48; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 17; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 22

2.1 Is the process by which the project was developed described, and are alternatives considered?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 2.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 49; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 50; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 11

2.2 Are the alternatives realistic and genuine?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 2.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 50; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 49; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 8

2.3 Are the main reasons for choice of the proposed project explained (including environmental reasons)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 2.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 49; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 50; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 3

2.4 Are the main environmental effects of the alternatives compared with the proposed project?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 2.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 50; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 49; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 12

3.1.1 Existing land uses and people using the land described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 61; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,

page 62; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 65

3.1.2 Topography, geology, and soils described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 53

3.1.3 Significant topographic/geological features and soil conditions (quality, stability, erosion, contamination) described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 55;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 62

3.1.4 Fauna, flora, and habitats described and mapped?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 56;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70;
 EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,
 page 58

3.1.5 Species populations and protected areas/species defined?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 57; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 67; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 64; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70

3.1.6 Water environment described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 63; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 62

3.1.7 Hydrology, water quality, and water uses described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 63; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54

3.1.8 Local climate, meteorology, and air quality described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 61; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 55; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58

3.1.9 Existing noise climate described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 61; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 62; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58

3.1.10 Existing light, heat, and electromagnetic radiation described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 62; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 61; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58

3.1.11 Material assets (buildings, minerals, water resources) described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.1.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 63; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 55

3.2.1 Archaeological, historic, architectural, or cultural features described (including protected sites)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.2.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 64; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 55; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 63; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 56; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65

3.2.2 Demographic, social, and socio-economic conditions described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.2.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 55; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 62; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 59

3.2.3 Future changes in the environment without the project (No Project / Moving Baseline) described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.2.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 53; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 61; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 70; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 63

3.3.1 Study area defined widely enough?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.3.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 67; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 57; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 69; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 61; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 56

3.3.2 All relevant agencies contacted?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 3.3.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 68; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 60; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 65; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 54; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt,

page 56

4.1.1 Scoping process described?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.1.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 73; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82

4.1.2 Systematic approach to scoping evident?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.1.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 74; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 75; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 73; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 90; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 83

4.1.3 Full consultation carried out during scoping?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.1.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 75; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 74; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 83; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 73

4.1.4 Comments and views of consultees presented?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.1.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 76; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 88

4.4.1 Secondary effects described?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.4.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81

4.4.2 Temporary/short-term effects described?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.4.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89

4.4.3 Permanent effects described?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.4.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82

4.4.4 Long-term effects described?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.4.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89

4.4.5 Ancillary activities effects described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.4.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82

4.4.6 Indirect/consequential development effects described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.4.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78

4.4.7 Cumulative effects with other developments described (including worst-case)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.4.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 83; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85

4.4.8 Geographic extent, duration, frequency, reversibility, probability described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.4.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 84; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80

4.5.1 Primary and secondary effects on human health and welfare described/quantified?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.5.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81

4.5.2 Impacts on biodiversity, climate change, and sustainable development discussed?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.5.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 86; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 83; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 88; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 84

4.6.1 Significance discussed in terms of legal compliance and sensitivity of receptors?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.6.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 87; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 90; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 76; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80

4.6.2 Appropriate standards and guidance used?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.6.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 88; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 86; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 74; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 76

4.6.3 Positive effects described as well as negative?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.6.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77

4.6.4 Significance of each effect clearly explained?

Status	Adequacy	Confidence	Reviewer decision
Partially Compliant	Partially Addressed	88%	Pending

Evidence: The demonstration register contains relevant material but records a specific unresolved item.

Assessment: The requirement is partially covered and remains subject to quantified confirmation or professional sign-off.

Recommended action: Complete the stated action and record the authorised reviewer's decision.

Sources: 4.6.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 90; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 87; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80

4.7.1 Methods used to predict effects described and justified?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 4.7.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89

4.7.2 Worst-case predictions used where uncertain?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 4.7.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 83; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 88; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 87; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81

4.7.3 Difficulties in data compilation acknowledged?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.7.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 87; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 85

4.7.4 Level of treatment appropriate to importance?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.7.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 88; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 83; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 74; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79

4.7.5 Emphasis given to most severe effects?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 4.7.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 78; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 77

5.1 Significant adverse effects and potential for mitigation discussed?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 5.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 43; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 12; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 55; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 40

5.2 Effect of mitigation on magnitude and significance explained?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 5.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 90; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 72; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1

5.3 Reasons for choosing proposed mitigation explained?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 5.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52

5.4 Full range of mitigation approaches considered (avoid, reduce, remedy, compensate, etc.)?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 5.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 75; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 21

5.5 Arrangements to monitor and manage residual impacts proposed?

Status	Adequacy	Confidence	Reviewer decision
Missing	Missing	96%	Pending

Evidence: The demonstration register explicitly records this requirement as an open evidence gap.

Assessment: No verified evidence is available, so the review does not infer coverage or compliance.

Recommended action: Add verified evidence and rerun the assessment before reviewer sign-off.

Sources: 5.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 29; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103

5.6 Any negative effects of the proposed mitigation described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 5.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 81; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 89; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 79; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 80

6.1 Does the EIA include a Non-Technical Summary?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 6.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 102; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 106; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 104; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 105; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110

6.2 Is it concise but comprehensive (project, environment, effects, mitigation)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 6.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 102; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 106; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 104; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 105; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 116

6.3 Does it explain the development consent process and role of EIA?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 6.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 104; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 102; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 106; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 105; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 82

6.4 Does it provide an overview of the assessment approach?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 6.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 105; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 102; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 104; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 106; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 76

6.5 Is it written in non-technical language?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 6.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 106; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 102; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 104; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 105; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 103; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25

7.1 Relevant Kuwait regulations (KEPA, Ministry of Oil, etc.) provided?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 7.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 107; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 111; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 109; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 10

7.2 Applicable environmental standards discussed (Noise, Air, Effluent, Waste, Soil, Biodiversity, etc.)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 7.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 107; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 111; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 109; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24

7.3 KOC HSE MS Policy, Vision & Mission clearly described?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 7.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 109; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 111; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 107; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 41

7.4 Applicable features of KOC EIA Procedure implemented?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 7.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 111; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 107; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 109; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 64

7.5 Relevant HSE MS Procedures utilized or referenced?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 7.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 111; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 109; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 107; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 110; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121

8.1 Information available in clearly defined document(s)?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 8.1; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 113; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 117

8.2 Logically organized and clearly structured?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 8.2; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 113; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 119; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 118

8.3 Table of contents present?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 8.3; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 120; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 119; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 118

8.4 Clear description of process followed?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 8.4; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 117; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 120

8.5 Comprehensive but concise?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 8.5; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 116; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 120; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 118

8.6 Effective use of tables, figures, maps, photos?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	86%	Pending

Evidence: The requirement is addressed by a question-specific demonstration record with a routed evidence reference.

Assessment: The product-review fixture demonstrates complete traceability; human validation is still required before issue.

Recommended action: Validate the demonstration record against real project evidence before controlled issue.

Sources: 8.6; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 117; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 118; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112

8.7 Effective use of annexes/appendices?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 8.7; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 118; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 117; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 119

8.8 All analyses and conclusions supported by evidence?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 8.8; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 119; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 113; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115

8.9 Consistent terminology used?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 8.9; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 120; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 119; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121

8.10 Reads as a single document with good cross-referencing?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 8.10; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 114; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 119; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 116

8.11 Presentation fair, impartial, and objective?

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: 8.11; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 122; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 115; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 121; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 113; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 120

REG-KW-001-ART-100 Kuwait Environmental Protection Law No. 42 of 2014: Protect threatened terrestrial and marine wildlife

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: REG-KW-001-ART-100; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 49; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 25

REG-KW-002-ART-101 Kuwait Environmental Protection Law No. 42 of 2014: Prevent trade in threatened wildlife

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: REG-KW-002-ART-101; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 58; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 107

REG-KW-003-ART-149 Kuwait Environmental Protection Law No. 42 of 2014: Recognise enforcement consequences for wildlife offences

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: REG-KW-003-ART-149; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 66; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 104; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 10

REG-KW-004-SAMPLE-PE Executive Regulation on Biodiversity, Decision No. 3 of 2017: Obtain authorisation before scientific environmental sampling where required

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: REG-KW-004-SAMPLE-PE; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 86; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 42; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 24; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 16

REG-KW-005-SAMPLE-TR Executive Regulation on Biodiversity, Decision No. 3 of 2017: Maintain traceability for authorised environmental sampling

Status	Adequacy	Confidence	Reviewer decision
Compliant	Fully Addressed	70%	Pending

Evidence: The subsection draft is supported by routed source chunks and includes multiple checklist-relevant signals.

Assessment: The available draft and routed evidence together suggest that this checklist item is materially covered.

Recommended action: Validate that cited evidence remains current and complete before final submission.

Sources: REG-KW-005-SAMPLE-TR; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 51; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 15; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 105; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 108; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 112; EnviroQuant-Kuwait-RQEIA-Demonstration-Evidence-Register.txt, page 52

REVIEWER DETERMINATION

Final approval remains with the authorised human reviewer

This AI-assisted review does not constitute regulatory approval. Findings may only be closed or retained by an authorised reviewer after examining the revised content and supporting evidence.

Role	Name	Decision / signature	Date
EIA Lead			
Independent Reviewer			
Project Director			