Date: _____

★★★

GHAZI University

Submitted By

Muhammad Shahbaz

Roll No : 06

Section : (C)

Class : BSCS

Date: _____

★★★

Date: _____

★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★

```
#include <iostream>
using namespace std;
    int main()
{
    int letter;
    letter = 'A';
cout << letter << '\n';
    letter = 'B';
cout << letter << '\n';
    cin >> letter;
        return 0;
    }
```

output → 65
66

Task #2

```
#include <iostream
using namespace std;
    int main() {
int num1, num2;
cout << "Enter two integers:";
cin >> num1 >> num2;
cout << "Addition = " << num1+num2 << endl;
cout << "Subtraction = " << num1-num2 << endl;
cout << "Multiplication = " << num1*num2 << endl;
cout << "Division = " << num1/num2 << endl;
        return 0; }
```

output: Enter two integers.

Date:_____

★★★

Date:_____

★★★

Date:_____

★★★★★★★★★★★★★★★★★★★★★★★★★★★★★

```
#include< iostream>
using namespace std;
    int main() {
double length, width, area;
Cout << "Enter length : ";
 Cin >> Length;
Cout<< "Enter width : ";
 Cin >> width;
 Cout << "Area of Rectangle
  =" << area << endl;
    return 0; }
      out Put:


#include <iostream>
using namespace std;
    int main() {
double base, height, area
Cout<< "Enter base : ";
    Cin >> base;
Cout << "Enter Height : ";
    Cin >> Height
area = base * Height * 0.5;
Cout << "Area of Triangle =" << area << endl;
    return 0; }
    output:
```

Date:

★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★

Task # 6

```
#include <iostream>
#include <iomanip>
using namespace std;
int main()
{
    double item1 = 12.95;
    double item2 = 24.95;
    double item3 = 6.95;
    double item4 = 14.95;
    double item5 = 3.95;
double subtotal = item1+item2+item3+item4+item5;
double salesTax = subtotal * 0.06
double total = subtotal + salesTax;
cout << fixed << setPrecision(2);
Out << "item1 Price = $" << item1 << endl;
cout << item2 Price = " << item2 << endl;
cout << item3 Price = $" << item3 << endl;
Cout << item4 Price = $" << item4 << endl;
cout << item5 Price = $" << item5 << endl;
cout << "Subtotal = $" << subtotal << endl;
cout << salesTax(6%) = $" << salesTax << endl;
cout << total = $" << total << endl;
    return 0;
}
```

Date: _____

★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★

Output:

Item 1 Price = ₦12.95
Item 2 Price = ₦24.95
Item 3 Price = ₦6.95
Item 4 Price = ₦14.95
Item 5 Price = ₦3.95
Subtotal = ₦63.75
Sales Tax (6%) = ₦3.82
Total = ₦67.58

Date:_____

★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★★

Bonus Task

```
#include <iostream>
    int main()
    {
        int num;
Cout << "Enter the five digit number;"
        cin >> num
int digit 1 = (num/10000;)
int digit 2 = (num/1000) % 10;
int digit 3 = (num/100) % 10;
int digit 4 = (num/10) % 10;
 int digit 5 = num % 10;
Cout << digital, << "
 << digit2 << "
<< digit 3 << "
<< digit 4 << "
<< digit 5 << "
    return 0;
     }
```

out put ⇒ Enter the five digit number

Date:_____

★★★


7:09
Coding C++
Auto saved at 19:09:13
RUN
MENU
1 #include <iostream>
2 using namespace std;
3
4 int main()
5 {
6 char letter;
7 letter = 'A';
8 cout << letter << '\n';
9 letter = 'B';
10 cout << letter << '\n';
11 cin >> letter;
12
13 return 0;
14 }
Tab
{}
“”
;
=
\
&
,
Undo
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
?123
English
.

7:09 ···

Compile Result

A
B


7:10
Coding C++
Auto saved at 19:10:22
RUN
MENU
#include <iostream>
using namespace std;
int main()
{
char letter;
letter = 65;
cout << letter << '\n';
letter = 66;
cout << letter << '\n';
cin >> letter;
return 0;
}
Tab
{}
“”
;
=
\
&
,
Undo
English
?123

Compile Result

A
B

7:20 ⋯

Coding C++

RUN MENU

Auto saved at 19:19:55

```cpp
#include <iostream>
using namespace std;

int main()
{
    int letter;
    letter = 'A';
    cout << letter << '\n';
    letter = 'B';
    cout << letter << '\n';
    cin >> letter;

    return 0;
}
```

Tab {} “” ; = \ & ,

7:20 ···

Compile Result

```
65
66
```

7:35 ☁ ···
37

Coding C++

RUN MENU

Auto saved at 19:34:37

```cpp
#include <iostream>
using namespace std;

int main()
{
    int a, b;


    cout << "Enter first number: ";
    cin >> a;
    cout << "Enter second number: ";
    cin >> b;

    cout << "Sum = " << a + b << endl;
    cout << "Difference = " << a - b << endl;
    cout << "Product = " << a * b << endl;

    if (b != 0)
        cout << "Division = " << (float)a / b << endl;
    else
        cout << "Cannot divide by 0" << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,


7:35
Compile Result
Enter first number:

7:36 ··· 37

Coding C++

RUN MENU

Auto saved at 19:36:21

```cpp
#include <iostream>
using namespace std;

int main()
{
    int num1, num2;

    cout << "Enter two integers: ";
    cin >> num1 >> num2;

    cout << "Addition = " << num1 + num2 << endl;
    cout << "Subtraction = " << num1 - num2 << endl;
    cout << "Multiplication = " << num1 * num2 << endl;
    cout << "Division = " << num1 / num2 << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,


7:36
Compile Result
Enter two integers:

7:44 ··· 36

Coding C++

RUN MENU

Auto saved at 19:43:31

```cpp
#include <iostream>
using namespace std;

int main()
{
    int num1, num2;

    cout << "Enter two integers: ";
    cin >> num1 >> num2;

    cout << "Addition = " << num1 + num2 << endl;
    cout << "Subtraction = " << num1 - num2 << endl;
    cout << "Multiplication = " << num1 * num2 << endl;
    cout << "Division = " << num1 / num2 << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,


7:44
Compile Result
Enter two integers:

7:50 ···

Coding C++

RUN MENU

Auto saved at 19:50:27

```cpp
#include <iostream>
#include <cmath>
using namespace std;

int main()
{
    double x1, y1, x2, y2, distance;

    cout << "Enter x1 and y1: ";
    cin >> x1 >> y1;


    cout << "Enter x2 and y2: ";
    cin >> x2 >> y2;

    distance = sqrt(pow(x2 - x1, 2) + pow(y2 - y1, 2));

    cout << "Distance = " << distance << endl;

    return 0;
}
```

Tab {} “” ; \ & ,


7:50
Compile Result
Enter x1 and y1:

8:00 ▷ ···

Coding C++

Auto saved at 20:00:41

RUN MENU

```cpp
#include <iostream>
using namespace std;

int main()
{
    double r, area;
    const double PI = 3.14159;

    cout << "Enter radius: ";
    cin >> r;

    area = PI * r * r;

    cout << "Area of Circle = " << area << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,

8:57 ▷ ···

Coding C++

Auto saved at 20:00:55

RUN MENU

```cpp
#include <iostream>
using namespace std;

int main()
{
    double r, area;
    const double PI = 3.14159;


    cout << "Enter radius: ";
    cin >> r;

    area = PI * r * r;

    cout << "Area of Circle = " << area << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,


8:57
Compile Result
Enter radius:

Coding C++

RUN MENU

Auto saved at 20:57:36

```cpp
#include <iostream>
using namespace std;

int main()
{
    double length, width, area;

    cout << "Enter length: ";
    cin >> length;


    cout << "Enter width: ";
    cin >> width;

    area = length * width;

    cout << "Area of Rectangle = " << area << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,


8:57
Compile Result
Enter length:

8:58

Coding C++

RUN MENU

Auto saved at 20:58:14

```cpp
#include <iostream>
using namespace std;

int main()
{
    double base, height, area;

    cout << "Enter base: ";
    cin >> base;


    cout << "Enter height: ";
    cin >> height;


    area = base * height * 0.5;


    cout << "Area of Triangle = " << area << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,


8:58
Compile Result
Enter base:


8:59
Coding C++
Auto saved at 20:58:24
RUN
MENU
#include "stdafx.h"
#include <iostream>
using namespace std;
int main()
{
int val1;
int val2;
int val3;
cout << "Please enter your 3 numbers:";
cin >> val1 >> val2 >> val3;
cout << val1 << "\n" << val2 << "\n" << val3 <<
cout << val3 << "\n" << val2 << "\n" << val1 <<
system("PAUSE");
return 0;
}
Tab
{}
“”
;
=
\
&
,
Undo
English


8:59
Coding C++
Auto saved at 20:58:24
RUN
MENU
#include "stdafx.h"
#include <iostream>
using namespace std;
int main()
{
int val1;
int val2;
int val3;
cout << "Please enter your 3 numbers:";
cin >> val1 >> val2 >> val3;
cout << val1 << "\n" << val2 << "\n" << val3 << "\n";
cout << val3 << "\n" << val2 << "\n" << val1 << "\n";
system("PAUSE");
return 0;
}
Tab
{}
“”
;
=
\
&
,
Undo
English

9:02

Coding C++

RUN MENU

Auto saved at 21:02:30

```cpp
#include <iostream>
#include <iomanip>
using namespace std;

int main()
{
    double item1 = 12.95;
    double item2 = 24.95;
    double item3 = 6.95;
    double item4 = 14.95;
    double item5 = 3.95;

    double subtotal = item1 + item2 + item3 + item4 + item5;
    double salesTax = subtotal * 0.06;
    double total = subtotal + salesTax;

    cout << fixed << setprecision(2);

    cout << "Item 1 price = $" << item1 << endl;
    cout << "Item 2 price = $" << item2 << endl;
    cout << "Item 3 price = $" << item3 << endl;
    cout << "Item 4 price = $" << item4 << endl;
    cout << "Item 5 price = $" << item5 << endl;

    cout << "Subtotal = $" << subtotal << endl;
    cout << "Sales Tax (6%) = $" << salesTax << endl;
    cout << "Total = $" << total << endl;

    return 0;
}
```

9:02

Compile Result

```
Item 1 price = $12.95
Item 2 price = $24.95
Item 3 price = $6.95
Item 4 price = $14.95
Item 5 price = $3.95
Subtotal = $63.75
Sales Tax (6%) = $3.82
Total = $67.58

[Process completed - press Enter]
```

```cpp
#include <iostream>
using namespace std;

int main()
{
    int var1, var2, temp;

    cout << "Enter value of var1: ";
    cin >> var1;

    cout << "Enter value of var2: ";
    cin >> var2;

    temp = var1;
    var1 = var2;
    var2 = temp;

    cout << "After swapping:" << endl;
    cout << "var1 = " << var1 << endl;
    cout << "var2 = " << var2 << endl;

    return 0;
}
```


6:57
0.00 KB/S
4.5G
4.5G
91
Compile Result
Enter value of var1:

```cpp
#include <iostream>
using namespace std;

int main()
{
    int num;

    cout << "Enter the five digit number: ";
    cin >> num;

    int digit1 = num / 10000;
    int digit2 = (num / 1000) % 10;
    int digit3 = (num / 100) % 10;
    int digit4 = (num / 10) % 10;
    int digit5 = num % 10;

    cout << digit1 << "    "
         << digit2 << "    "
         << digit3 << "    "
         << digit4 << "    "
         << digit5 << endl;

    return 0;
}
```