## **Relational Schema**

Team 92: Seekers

- 1. Client(<u>ssn</u>, name, username, password, email, date of birth)
- Phones(<u>phoneID</u>, <u>ssn</u>, phoneNo)

Phones.ssn references Client

Addresses(<u>addressID</u>, <u>ssn</u>, address)

Addresses.ssn references Client

- MakeReq(<u>makeID</u>, <u>ssn</u>, <u>reqID</u>)

MakeReq.ssn references Client
MakeReq.reqID references Requests/Complaints

2. Account(accNo, ssn, open date, close date, balance, status, type)

Account.ssn references Client

- Beneficiary(benAccNo, name, bank name, email)
- BenPhones(phoneID, benAccNo, phoneNo)

BenPhones.benAccNo references Beneficiary

- Transactions(transID)
- Transfer(<u>transID</u>, currency, amount)

-----

Transfer.transID references Transactions

Internal(<u>transID</u>, <u>currency</u>, <u>amount</u>)

\_\_\_\_\_

Internal.transID references Transactions
Internal.currency references Transfer
Internal.amount references Transfer

Domestic(<u>BankID</u>, <u>transID</u>, <u>currency</u>, <u>amount</u>)

-----

Domestic.transID references Transactions
Domestic.currency references Transfer
Domestic.amount references Transfer

- International(<u>BankID</u>, <u>transID</u>, <u>currency</u>, <u>amount</u>)

International.transID references Transactions

International.currency references Transfer International.amount references Transfer

- Bill Payments(<u>transID</u>, <u>accNo</u>, date, amount, method used, status)

-----

Bill Payments.transID references Transactions Bill Payments.accNo references Account

Credit Card Payments(<u>transID</u>, <u>accNo</u>, amount, date)

-----

Credit Card Payments.transID references Transactions Credit Card Payments.accNo references Account

- initiateInternal(accNo1, accNo2, transID)

\_\_\_\_\_

initiateInternal.accNo1 references Account initiateInternal.accNo2 references Account initiateInternal.transID references Transactions

- initiateDom(<u>BankID</u>, <u>transID</u>, <u>accNo</u>, <u>benAccNo</u>)

-----

initiateDom.BankID references Domestic initiateDom.transID references Transactions initiateDom.accNo references Account initiateDom.benAccNo references Beneficiary

- initiateInter(<u>BankID</u>, <u>transID</u>, <u>accNo</u>, <u>benAccNo</u>)

-----

initiateInter.BankID references Domestic initiateInter.transID references Transactions initiateInter.accNo references Account initiateInter.benAccNo references Beneficiary

- 3. Banker/Admin(BAssn)
  - BAname(<u>BAssn</u>, firstname, lastname)

BAname.BAssn references Banker/Admin

Phones(<u>phoneID</u>, <u>BAssn</u>, phoneNo)

Phones.BAssn references Banker/Admin

- Addresses(addressID, BAssn, address)

4. Credit Card(<u>ccv</u>, <u>ssn</u>, wifi, limit, due date, type, number, points, holder name, interest rate)

Credit Card.ssn references Client

5. Points(id, ssn, accNo, transferability, type, totalNo, expire date, rate)

Points.ssn references Client Points.accNo references Account

6. Loans(<u>id</u>, <u>accNo</u>, <u>ssn</u>, amount, due date, duration, date issued, collateral, installment, status)

Loans.accNo references Account Loans.ssn references Client

- 8. Requests/Complaints(<u>reqID</u>, status, priority, type, completion date, assigned date, requestor contact info)
  - Accept/Reject(<u>stateID</u>, <u>reqID</u>, <u>BAssn</u>)

Accept/Reject.reqID references Requests/Complaints Accept/Reject.BAssn references Banker/Admin

9. Notifications/Reminders(<u>id</u>, <u>ssn</u>, type, date/time, message, frequency, status, recipient, sender, trigger)

Notifications/Reminders.ssn references Client