PROJECT REPORT ON

To Your Door

SUBMITTED BY:

(Arpit Tyagi 201500141)

(Shahid Khan 201500638)

(Anurag Sharma 201500126)

(Muhd Aasim Waseem 201500417)



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

INSITUTE OF ENGINNERING & TECHNOLOGY

GLA UNIVERSITY, MATHURA



DECLARATION

I would like to express my special thanks of gratitude to my project guide Ms.

Gurpreet Kaur mam who gave me the golden opportunity to do this wonderful project on the topic To Your Door, which also helped us in doing a lot of research and we came to know about so many new things we are really thankful to them.

Secondly, we would also like to thank my parents and friends who helped me a lotin finalizing this project within the limited time frame.

Candidate's Names:

Arpit Tyagi 201500141

Shahid Khan 201500638

Anurag Sharma 201500126

Muhd Aasim Waseem 201500417

CERTIFICATE

This is to certify that the above statements made by the candidates are correct to the best of my/our knowledge and belief.

Project Supervisor

Mr. Gurpreet Kaur

Assistant Professor

Date: 20-Nov-2022

Table of Content

1. Introduction	
1.1	Overview
1.2	Objective
2. Technology Used	
2.1	JAVA
2.2	CSS
2.3	BOOTSTRAP
2.4	PHP
3. System	n Requirements
3.1	Software Required
3.2	Hardware Required
4. Impler	nentation
4.1	Explanation of Source Code
4.2	Final Code
4.3	Output
5. Conclusion	

INTRODUCTION

The trend of Food Ordering is increasing rapidly and is have several advantages also like Customers can order from their homes, workplaces as per their comfort, it is easy to cancel the transactions in online food ordering, online food ordering made ordering easy as there are no lines to wait so that we can have food in minutes and during lockdown, people were obligated to stay indoors. During that time, consumers get the essential supplies at their doorsteps because of food ordering websites. Our university campus also have some food shops in complex but it is found that there is no online system for food ordering. Considering all these things the idea of this project came into picture. The idea is to create a website that act as a platform for sellers (complex stores owner) and customer in GLA campus to place food orders online from complex and get is delivered to their hostel rooms.

web:

Web development refers to the process of creating websites on the Internet.

The term "web development" is relatively broad in its application. You could create a single website page from a wix template, or you could painstakingly develop a massive website with thousands of original pages — and technically, both of those would count as web development.

Now a day's web development is the thing which is in boost.

TECHNOLOGY USED

HTML:

HTML is an acronym which stands for **Hyper Text Markup Language** which is used for creating web pages and web applications. Let's see what is meant by Hypertext Markup Language, and Web page.

Hyper Text: Hyper Text simply means "Text within Text." A text has a link within it, is a hypertext. Whenever you click on a link which brings you to a new webpage, you have clicked on a hypertext. Hyper Text is a way to link two or more web pages (HTML documents) with each other.

Markup language: A markup language is a computer language that is used to apply layout and formatting conventions to a text document. Markup language makes text more interactive and dynamic. It can turn text into images, tables, links, etc.

Web Page: A web page is a document which is commonly written in HTML and translated by a web browser. A web page can be identified by entering an URL. A Web page can be of the static or dynamic type. With the help of HTML only, we can create static web pages.

CSS:

CSS stands for Cascading Style Sheets. It is a style sheet language which is used to describe the look and formatting of a document written in markup language. It provides an additional feature to HTML. It is generally used with HTML to change the style of web pages and user interfaces. It can also be used with any kind of XML documents including plain XML, SVG and XUL.

CSS is used along with HTML and JavaScript in most websites to create user interfaces for web applications and user interfaces for many mobile applications.

BOOTSTRAP:

- Bootstrap is the most popular HTML, CSS and JavaScript framework for developing a responsive and mobile friendly website.
- It is absolutely free to download and use.
- It is a front-end framework used for easier and faster web development.
- It includes HTML and CSS based design templates for typography, forms, buttons, tables, navigation, modals, image carousels and many others.
- It can also use JavaScript plug-ins.
- It facilitates you to create responsive designs

PHP: (HYPERTEXT PREPROCESSOR)

PHP is an open-source, interpreted, and object-oriented scripting language that can be executed at the server-side. PHP is well suited for web development. Therefore, it is used to develop web applications (an application that executes on the server and generates the dynamic page.).

PHP was created by **Rasmus Lerdorf in 1994** but appeared in the market in 1995. **PHP 7.4.0** is the latest version of PHP, which was released on **28 November**. Some important points need to be noticed about PHP are as followed:

- PHP stands for Hypertext Pre-processor.
- PHP is an interpreted language, i.e., there is no need for compilation.
- PHP is faster than other scripting languages, for example, ASP and JSP.
- PHP is a server-side scripting language, which is used to manage the dynamic content of the website.
- o PHP can be embedded into HTML.
- PHP is an object-oriented language.
- PHP is an open-source scripting language.
- PHP is simple and easy to learn language.

SYSTEM REQUIREMENTS

Software Requirement-

To build application -

- 64-bit Windows 8/10/11
- Libraries
- Visual Studio code (latest version).

To Run Website -

- Web Browsers (chrome, Mozilla)

Hardware Requirement -

- x86_64 CPU architecture; 2nd generation Intel Core or newer
- 8 GB RAM or more
- 8 GB of available disk space minimum

IMPLEMENTATION

Final Code:

• page 1:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>ToYourDoor</title>
  <link rel="stylesheet" href="./index.css">
  link rel="shortcut icon" href="./favicon-32x32.png" type="image/x-icon">
</head>
<body>
  <section class="main">
    <img src="./favicon-32x32.png" alt="icon" class="delivery">
    <h1 class="logo">ToYourDoor</h1>
   <img src="./back.png" alt="image" class="side-image">
  <div class="text">
    <h1 class="maintext">
       You <span class="spann">Want</span> It <br/>br> We <span class="spann"> Deliver
</span> It
    </h1>
    <h3 class="para">Order Your Product at any time we deliver it to your hostel </h3>
    <div class="buttons">
       <Button onclick="window.location.href='signin.html';" >Log In/Button>
```

```
<button class="sup" onclick="window.location.href='signup.html';"> Sign Up</button>
    </div>
 </div>
  </section>
</body>
</html>
Page 1: CSS -
  margin: 0px;
  padding: 0px;
/* .image {
  float: right;
  width: 40vw;
  height: 60vh;
} */
.delivery{
  float: left;
  position: relative;
  width: 65px;
.side-image{
  display: inline;
  float: right;
  position: relative;
```

right: 0px;

```
}
.logo\{
  display: inline;
  border: 8px solid #497174;
  border-left: 0px;
  border-right: 0px;
  color: #497174;
.spann\{\\
  color: #497174;
  font-size: larger;
  font-weight: bolder;
  display: inline;
.text{
font-size: 50px;
position: relative;
top: 10vw;
.para\,\{
  font-family:sans-serif;
  font-size: 15px;
  margin-left: 82px;
  display: inline;
  border: solid #497174 3px;
  border-left: 0;
  border-right: 0;
```

```
padding: 5px;
}
button:hover{
  background-color: white;
  color: #497174;
  border-radius:50px;
  padding: 20px 50px;
  border: 1px solid #497174;
button{
  margin-left: 100px;
  margin-top: 2vw;
  background-color: #497174;
  color: white;
  border-radius:50px;
  padding: 20px 50px;
  border: 1px solid white;
}
h1{
  display: inline-block;
  margin: 1px;
.logo\{
  position: relative;
  top: 20px;
  left: 10px;
@media screen and (max-width:425px){
  .side-image {
    width: 420px;
```

```
position: relative;
  bottom: 65px;
}
.text{
  font-size: 28px;
  position: absolute;
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  top:55%;
  left: 30px;
.logo{
  display: inline;
  font-size: 15px;
. delivery \{
  width: 60px;
button\{
  margin: 10px 20px;
  padding: 10px 30px;
.sup\{
  margin: 0 20px;
```

```
padding: 10px 26px;
}
.para{
  margin-left: 0px;
  margin-right: 40px;
.buttons \{\\
  margin-right: 10%;
.maintext\{\\
  margin-right: 10%;
button:hover{
  background-color: white;
  color: #497174;
  border-radius:50px;
  border: 1px solid #497174;
  margin: 10px 20px;
  padding: 10px 26px;
.sup\{
```

Sign up page:

<!DOCTYPE html>

```
<!-- Created By CodingLab - www.codinglabweb.com -->
<html lang="en" dir="ltr">
 <head>
  <meta charset="UTF-8">
  <!---<title> Responsive Registration Form | CodingLab </title>--->
  <link rel="stylesheet" href="style.css">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./signup.css">
 </head>
<body>
 <div class="container">
  <div class="title">Registration</div>
  <div class="content">
   <form action="#">
    <div class="user-details">
     <div class="input-box">
       <span class="details">First Name</span>
       <input type="text" placeholder="Enter your name" required>
     </div>
     <div class="input-box">
       <span class="details">Last Name</span>
       <input type="text" placeholder="Enter your username" required>
     </div>
     <div class="input-box">
       <span class="details">Username</span>
       <input type="text" placeholder="Enter your number" required>
     </div>
     <div class="input-box">
       <span class="details">Email</span>
       <input type="text" placeholder="Enter your email" required>
```

```
</div>
     <div class="input-box">
       <span class="details">University Roll No.</span>
       <input type="number" placeholder="Enter your number" required>
     </div>
     <div class="input-box">
       <span class="details">Password</span>
       <input type="text" placeholder="Enter your password" required>
     </div>
     <div class="input-box">
       <span class="details">Confirm Password</span>
       <input type="text" placeholder="Confirm your password" required>
     </div>
    </div>
    <div class="button">
     <input type="submit" value="Register">
    </div>
   </form>
  </div>
 </div>
</body>
</html>
```

SIGN UP PAGE: CSS-

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&dis
play=swap');

*{

margin: 0;

padding: 0;
```

```
box-sizing: border-box;
 font-family: 'Poppins', sans-serif;
body{
 height: 100vh;
 display: flex;
justify-content: center;
 align-items: center;
 padding: 10px;
 background: linear-gradient(135deg, #497174, white);
.container{
 max-width: 700px;
 width: 100%;
 background-color: #fff;
 padding: 25px 30px;
 border-radius: 5px;
 box-shadow: 0 5px 10px rgba(0,0,0,0.15);
.container .title {
 font-size: 25px;
 font-weight: 500;
 position: relative;
.container .title::before{
 content: "";
 position: absolute;
 left: 0;
 bottom: 0;
 height: 3px;
```

```
width: 30px;
 border-radius: 5px;
 background: linear-gradient(135deg, #497174, white);
.content form .user-details{
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
 margin: 20px 0 12px 0;
form .user-details .input-box{
 margin-bottom: 15px;
 width: calc(100\% / 2 - 20px);
form .input-box span.details {
 display: block;
 font-weight: 500;
 margin-bottom: 5px;
.user-details .input-box input{
 height: 45px;
 width: 100%;
 outline: none;
 font-size: 16px;
 border-radius: 5px;
 padding-left: 15px;
 border: 1px solid #ccc;
 border-bottom-width: 2px;
 transition: all 0.3s ease;
```

```
.user-details .input-box input:focus,
.user-details .input-box input:valid{
 border-color: white;
form .gender-details .gender-title{
 font-size: 20px;
 font-weight: 500;
form .category {
  display: flex;
 width: 80%;
 margin: 14px 0;
 justify-content: space-between;
form .category label{
 display: flex;
 align-items: center;
 cursor: pointer;
form .category label .dot{
 height: 18px;
 width: 18px;
 border-radius: 50%;
 margin-right: 10px;
 background: #d9d9d9;
 border: 5px solid transparent;
 transition: all 0.3s ease;
#dot-1:checked ~ .category label .one,
#dot-2:checked ~ .category label .two,
```

```
#dot-3:checked ~ .category label .three{
 background: white;
 border-color: #d9d9d9;
form input[type="radio"]{
 display: none;
form .button{
 height: 45px;
 margin: 35px 0
form .button input {
 height: 100%;
 width: 100%;
 border-radius: 5px;
 border: none;
 color: #fff;
 font-size: 18px;
 font-weight: 500;
 letter-spacing: 1px;
 cursor: pointer;
 transition: all 0.3s ease;
 background: linear-gradient(135deg, red, white);
form .button input:hover{
/* transform: scale(0.99); */
background: linear-gradient(-135deg, red, white);
@media(max-width: 584px){
.container{
```

```
max-width: 100%;
form .user-details .input-box{
  margin-bottom: 15px;
  width: 100%;
 form .category {
  width: 100%;
 .content form .user-details{
  max-height: 300px;
  overflow-y: scroll;
 .user-details::-webkit-scrollbar{
  width: 5px;
 @media(max-width: 459px){
 .container .content .category {
  flex-direction: column;
```

SIGN IN PAGE:-

```
<link rel="stylesheet" href="style.css">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./signin.css">
 </head>
<body>
 <div class="container">
  <div class="title">Log In</div>
  <div class="content">
   <form action="#">
    <div class="user-details">
     <div class="input-box">
         <span class="details">Email</span>
         <input type="email" placeholder="Roll Number" required>
        </div>
     <div class="input-box">
       <span class="details">Password</span>
       <input type="password" placeholder="Enter your password" required>
     </div>
     <div class="input-box">
       <span class="details">Roll Number</span>
       <input type="number" placeholder="Roll Number" required>
     </div>
    </div>
    <div class="button">
     <input type="submit" value="Log In" onclick="window.location.href='page2.html';">
    </div>
   </form>
```

```
</div>
</div>
</body>
</html>
```

SIGN IN PAGE: CSS-

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&dis
play=swap');
*{
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: 'Poppins', sans-serif;
body{
 height: 100vh;
 display: flex;
 justify-content: center;
 align-items: center;
 padding: 10px;
 background: linear-gradient(135deg, #497174, white);
.container{
 max-width: 700px;
 width: 100%;
 background-color: #fff;
 padding: 25px 30px;
 border-radius: 5px;
```

```
box-shadow: 0 5px 10px rgba(0,0,0,0.15);
}
.container .title {
 font-size: 25px;
 font-weight: 500;
 position: relative;
.container .title::before{
 content: "";
 position: absolute;
 left: 0;
 bottom: 0;
 height: 3px;
 width: 30px;
 border-radius: 5px;
 background: linear-gradient(135deg, #497174, white);
.content form .user-details{
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
 margin: 20px 0 12px 0;
form .user-details .input-box{
 margin-bottom: 15px;
 width: calc(100\% / 2 - 20px);
form .input-box span.details {
 display: block;
 font-weight: 500;
```

```
margin-bottom: 5px;
}
.user-details .input-box input{
 height: 45px;
 width: 100%;
 outline: none;
 font-size: 16px;
 border-radius: 5px;
 padding-left: 15px;
 border: 1px solid #ccc;
 border-bottom-width: 2px;
 transition: all 0.3s ease;
.user-details .input-box input:focus,
. user-details\ . input-box\ input: valid \{
 border-color: white;
form .gender-details .gender-title{
 font-size: 20px;
 font-weight: 500;
form .category {
 display: flex;
 width: 80%;
 margin: 14px 0;
 justify-content: space-between;
form .category label {
 display: flex;
 align-items: center;
```

```
cursor: pointer;
form .category label .dot{
height: 18px;
width: 18px;
border-radius: 50%;
margin-right: 10px;
background: #d9d9d9;
border: 5px solid transparent;
transition: all 0.3s ease;
#dot-1:checked ~ .category label .one,
#dot-2:checked ~ .category label .two,
#dot-3:checked ~ .category label .three {
 background: white;
 border-color: #d9d9d9;
form input[type="radio"]{
 display: none;
form \ .button \{
 height: 45px;
 margin: 35px 0
form .button input{
 height: 100%;
 width: 100%;
 border-radius: 5px;
 border: none;
 color: #fff;
```

```
font-size: 18px;
 font-weight: 500;
 letter-spacing: 1px;
 cursor: pointer;
 transition: all 0.3s ease;
 background: linear-gradient(135deg, red, white);
form .button input:hover{
 /* transform: scale(0.99); */
 background: linear-gradient(-135deg, red, white);
@media(max-width: 584px){
.container{
 max-width: 100%;
form .user-details .input-box {
  margin-bottom: 15px;
  width: 100%;
 form .category {
  width: 100%;
 .content form .user-details {
  max-height: 300px;
  overflow-y: scroll;
 .user-details::-webkit-scrollbar{
  width: 5px;
```

```
@media(max-width: 459px){
    .container .content .category{
    flex-direction: column;
    }
}
```

• **PAGE 2:**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
    link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
    link href='https://fonts.googleapis.com/css?family=Amarante' rel='stylesheet'>
  <script
    src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
    integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
    crossorigin="anonymous"
   ></script>
   <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft + 2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"\\
```

```
crossorigin="anonymous"
   ></script>
   <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
    integrity="sha384-
wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
    crossorigin="anonymous"
   ></script>
  <link rel="stylesheet" href="./page2.css">
  <title>ToYourDoor</title>
  link rel="shortcut icon" href="/favicon-32x32.png" type="image/x-icon">
</head>
<body>
  <!-- NAVBAR -->
  <div class=" container container1 stnav">
    <nav class="navbar navbar-expand-lg">
      <img src="./favicon-32x321.png" class="favicon" alt="">
      <a class="navbar-brand" href="#">
         <h1 class="navtext gr">ToYourDoor</h1>
      </a>>
```

```
<button class="navbar-toggler toggle toggl" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
       </button>
       <div class="ms-auto">
       <div class="collapse navbar-collapse gr" id="navbarSupportedContent">
          <a class="nav-link active" aria-current="page" href="#">About</a>
          <a class="nav-link" href="#">Today's Special</a>
         </div>
       </div>
    </nav>
    <hr class="headhr">
  </div>
  <div class="container">
   <form class="d-flex">
    <input class="form-control me-2 searchbar" type="search" placeholder=" Search"</pre>
aria-label="Search">
    <button class="searchbtn" type="submit">Search</button>
   </form>
  </div>
<!-- CARDS AND MENUS -->
 <div class="container lower section">
       <div class="row c cards">
         <div class="col-md-3 card">
           <img src="./tft.jpeg" alt="logo" class="logo">
           <button class="btn"> Menu</button>
         </div>
```

```
<div class="col-md-3 card">
           <img src="./greenerside.jpeg" alt="" class="logo">
           <button class="btn"> Menu</button>
        </div>
        <div class="col-md-3 card">
           <img src="./tsid.jpeg" alt="" class="logo">
           <button class="btn"> Menu</button>
        </div>
       </div>
       <div class="row c cards">
         <div class="col-md-3 card">
           <img src="./tb.png" alt="logo" class="logo">
           <button class="btn"> Menu</button>
         </div>
         <div class="col-md-3 card">
           <img src="./brijwasi.png" alt="" class="logo">
           <button class="btn"> Menu</button>
         </div>
         <div class="col-md-3 card">
           <img src="./tsid.jpeg" alt="" class="logo">
           <button class="btn"> Menu</button>
         </div>
       </div>
    </div>
  </div>
  </div>
<section id="testimonials">
   <div
```

```
id="carouselExampleControls"
class="carousel slide"
data-ride="carousel"
<div class="carousel-inner">
 <div class="carousel-item active">
  <h2>
   Let's have some special.... eh!!
  </h2>
  <img class="dog2" src="Juice.png" alt="dog-profile" />
  <em>fruit shop</em>
 </div>
 <div class="carousel-item">
  <h2>
   A moment on the lips, a lifetime on the hips.
  </h2>
  <img
   class="testimonial-image"
   src="chef.png"
   alt="lady-profile"
  />
  <em>Beverly, Illinois</em>
 </div>
</div>
<a
 class="carousel-control-prev"
 href="#carouselExampleControls"
 role="button"
 data-slide="prev"
```

```
<span class="carousel-control-prev-icon"></span>
    </a>>
    <a
     class="carousel-control-next"
     href="#carouselExampleControls"
     role="button"
     data-slide="next"
     <span class="carousel-control-next-icon"></span>
    </a>>
   </div>
  </section>
 <section id="footer">
   <i class="fa-brands fa-twitter lasticons"></i>
   <i class="fa-brands fa-facebook lasticons"></i>
   <i class="fa-brands fa-instagram lasticons"></i>
   <i class="fa-solid fa-envelope lasticons"></i>
   © Copyright 2022 ToYourDoor
   Shahid khan | Arpit Tyagi | Anurag sharma | Muhd. Aasim
Waseem
  </section>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
```

```
</body>
```

PAGE 2: CSS-

```
margin: 0px;
  /* margin-top: 10px; */
/* MENU */
. favicon \{\\
  width: 3vw;
  float: left;
.container 1\,\{
  margin-top: 10px;
.container1 hr{
  color: #EFF5F5;
  height: 3px;
.container1 a{
  color: #EFF5F5;
.container1 ul a:hover{
  color: white;
  background-color: #EFF5F5;
.container1 a:hover{
```

```
color: #EFF5F5;
}
.img\{
  /* For nav image */
  position: relative;
  display: inline;
  float: left;
}
.cart{
  width: 35px;
  height: 35px;
.navbar-toggler-icon #navbarSupportedContent .navbar-toggler .toggle {
  color: #EFF5F5;
}
div.stnav\{
  position: sticky;
  top: 0;
  background-color: white;
}
.stnav {
  z-index: 9999;
}
nav\{
  background: linear-gradient(to bottom, #5f8b8e, rgb(41, 37, 37));
```

```
border-radius: 10px;
  padding: 0 50px;
.navtext{
  border: solid 3px #EFF5F5;
  border-left: 0;
  border-right: 0;
  border-top: 0;
  font-family:'Amarante';
. search bar \{\\
  border-radius: 100px;
  border:solid 1px #497174;
.searchbtn {
  width: 10%;
  border-radius: 10px;
  background-color: #5f8b8e;
  color: white;
  border: none;
.gr\ a\{
  border-radius: 10px;
  text-decoration: none;
.gr a:hover{
  background-color: #D6E4E5;
  color: #497174;
```

```
/* nav {
  display: block;
  padding: 20px;
  position: fixed;
  margin:0vh 10vw;
  background-color: white;
  width: 80%;
  line-height: 2vw;
  border:#EFF5F5 1px solid;
  border-left: 0px;
  border-right: 0px;
  border-top: 0px;
} */
/* .navtext{
  color: #EFF5F5;
  display: inline;
  border: solid #EFF5F5 2px;
  border-left: 0px;
  border-right: 0px;
  line-height: 2vw;
} */
/* .logo{
  display: inline;
  line-height: 2vw;
.menu li:hover{
  background-color: #EFF5F5;
  color: white;
```

```
padding: 10px 30px;
  transition: all 0.5s ease-out;
} */
/* nav ul{
  display: inline-block;
} */
/* .menu li{
  transition-duration:0.5s;
  padding: 10px 30px;
  text-decoration: none;
  display: inline;
}
.menu\{\\
  display: inline;
  margin-left: 50%;
  line-height: 2vw;
a.menu1:hover{
  color: white;
.menu1{
  text-decoration: none;
  color: #EFF5F5;
} */
/* .quickMeal{
  text-align: center;
  border-radius: 10px;
```

```
border: none 2px solid;
  width: 30%;
  height: 40vh;
  display: inline-block;
  box-shadow: none 5px 20px 50px;
  margin-top: 10vw;
.quickMeal ul{
display: inline;
.quickMeal li{
  list-style: none;
  margin:5px 40px;
  padding: 10px 0px;
  color:white;
  background-color: #EFF5F5;
  border:solid 2px white;
  transition: all 0.5s ease-out;
.quickMeal li:hover{
  list-style: none;
  margin:5px 40px;
  padding: 10px 0px;
  color:#EFF5F5;
  background-color: white;
  border: 2px #EFF5F5 solid;
  transform: scale(1.1);
  transition: all 0.5s ease-out;
  transition-timing-function: linear;
```

```
}
.quickMeal h1 {
  color: #EFF5F5;
}
.sect1{
  display: flex;
  margin: 10vh 10vw;
. shops \{ \\
  display: inline;
  background-color:;
  border-radius: 10px;
  margin: 0vw 3vw;
  width:70%;
}
.div1{
  display: flex;
  justify-content:space-evenly;
  border-radius: 10px;
}
.card\{
  display: flex;
  width: 18vw;
  height: 40vh;
  border:2px white solid;
  background-color: white;
  margin:10px;
```

```
border-radius: 10px;
  justify-content: center;
  align-items: center;
  flex-direction: column;
  box-shadow: #EFF5F5 10px 20px 50px;
  transition: all 0.5s ease-out;
.card:hover{
  transform: scale(1.1);
  transition: all 0.5s ease-out;
}
.logo\{
  width: 10vw;
  height: 10vw;
}
.btn{
  background-color: #EFF5F5;
  color: white;
  margin:1vw;
  border: #EFF5F5;
. btn: hover \{\\
  background-color: white;
  color: #EFF5F5;
  border: #EFF5F5 2px solid;
} */
```

```
/* CARD AND MENU */
.lower_section{
  margin-top: 30px;
  background-color: #EFF5F5;
  border-radius: 10px;
}
.logo{
  width: 10vw;
/* .quickmeal li {
  list-style: none;
  margin:5px 40px;
  margin-right: 25px;
  padding: 10px 0px;
  border-radius: 10px;
  color:white;
  background-color: #EFF5F5;
  border:solid 2px white;
  transition: all 0.5s ease-out;
.quickmeal li:hover{
  list-style: none;
  margin:5px 40px;
  padding: 10px 0px;
  color:#EFF5F5;
  background-color: white;
  border: 2px #EFF5F5 solid;
  transform: scale(1.1);
  transition: all 0.5s ease-out;
  transition-timing-function: linear;
```

```
} */
.btn{
  background-color: #497174 ;
  color: white;
  margin:1vw;
  border: #EFF5F5 2px solid;
. btn: hover \{\\
  background-color: #D6E4E5;
  color: #497174;
  border: #497174 solid 2px;
.card\{\\
  height: 40vh;
  border:2px white solid;
  background-color: white;
  margin:10px;
  border-radius: 10px;
  justify-content: center;
  align-items: center;
  flex-direction: column;
```

```
box-shadow: #497174 5px 10px 25px;
  transition: all 0.5s ease-out;
}
.card:hover{
  transform: scale(1.1);
  transition: all 0.5s ease-out;
  box-shadow: black 10px 20px 50px;
.cards{
  justify-content: center;
  align-items: center;
  padding-top: 3vw;
\# testimonials \{
  background: linear-gradient(to bottom, #5f8b8e, rgb(41, 37, 37));
  text-align: center;
  color: #fff;
. carousel-item \{\\
  padding: 7% 15%;
}
.dog2{
  width: 12%;
  border-radius: 100%;
  margin-top: 2%;
```

```
margin-right: 2%;
}
. testimonial\text{-}image \{
  width: 15%;
  border-radius: 100%;
#footer{
  text-align: center;
  padding: 6%;
}
. lasticons \{
  margin: 12px 12px;
  padding-bottom: 6px;
#footer_para{
  font-size: larger;
}
@media screen and (max-width: 450px){
  .c{
     display: flex;
     flex-direction: column;
    justify-content: center;
     align-items: center;
     width: 100%;
```

```
}
.logo {
    width: 50%;
}
.lower_section {
    width: 90%;
}
.favicon {
    width: 10vw;
}
}
@media screen and (max-width: 767px) and (min-width: 451px) {
    .card {
        height: 25vh;
        width: 30%;
    }
}
```

BACKEND CODE: (DATABASE, SIGNUP, LOGIN)-

• SIGN UP:

```
<?php
session_start();
$con = mysqli_connect('localhost','root','');
mysqli_select_db($con,'pro_regi');
$fname = $_POST['fname'];
$lname = $_POST['lname'];
$username = $_POST['username'];
$mail = $_POST['mail'];
$roll = $_POST['roll'];
$pass = $_POST['pass'];</pre>
```

```
$pass_sec = $_POST['pass_sec'];
$s = "select * from regi where username = '$username'";
$t = "select * from regi where rollnumber = '$roll'";
$u = "select * from regi where email ='$mail'";
$result = mysqli query($con, $s);
$result2 = mysqli query($con,$t);
$result3 = mysqli_query($con,$u);
$num = mysqli num rows($result);
$num2 = mysqli_num_rows($result2);
$num3 = mysqli_num_rows($result3);
if(\sum_{i=1}^{n} 1)
  echo "username taken already";
  header("refresh:3,url=signin.html");
elseif(\sum_{i=1}^{n} 1)
echo "Re-enter your rollnumber";
header("refresh:3,url=signin.html");
elseif(\sum_{i=1}^{n} 1)
  echo "Enter your correct email-id";
  header("refresh:3,url=signin.html");
elseif($pass==$pass sec){
  $reg = " insert into regi(firstname,lastname,username, email,
rollnumber,passwords)values('$fname','$lname','$username','$mail','$roll','$pass')";
  mysqli query($con,$reg);
  echo "Registration sucessful";
  header("refresh:3,url=signin.html");
}
else{
  echo "password mismatched";
```

```
header("refresh:3,url=signin.html");
}
?>
```


• LOGIN:


```
<?php
session start();
$con = mysqli connect('localhost','root',");
mysqli select db($con,'pro regi');
$mail = $ POST['mail'];
$roll = $_POST['roll'];
$pass = $_POST['pass'];
$s = "select * from regi where email = '$mail' && passwords = '$pass' && rollnumber =
'$roll'";
$result = mysqli query($con, $s);
$num = mysqli num rows($result);
if($num==1){
  $ SESSION['fname']=$fname;
 header('location:wlcm.php');
} else{
  echo "invalid data entry";
  header ('refresh:3,url=login.php');
?>
```


WORKING


- 1. Customer will open the site and will see the home page.
- 2. On home page we have two options signup and login.
- 3. Here a new customer can sign up and can create an account, Existed customer can login by entering the desired details.
- 4. After login, the customer will be directed to the second page of the website, where we have all the shops.
- 5. On click the 'menu' button under the shop, customer will get a menu of particular shop and order.













OUR WEBSITE IS FULLY RESPONSIVE:-











© Copyright 2022 ToYourDoor

Shahid khan | Arpit Tyagi | Anurag sharma | Muhd. Aasim Waseem



© Copyright 2022 ToYourDoor

Shahid khan | Arpit Tyagi | Anurag sharma | Muhd. Aasim Waseem



CONCLUSION AND FUTURE WORK

Conclusion:

As per the goal of this project an attempt is made to show how we can take a

business online and also enable users to Order food online from there hostel

rooms.

To your Door website acts as a platform between user (student or faculties) and

sellers of Shopping complex of GLA university to provide tasty and delicious

food online. Also, it provides support to sellers to take their business online and

grow it.

Future work: -

The scope of food ordering in India bloomed during the pandemic. This success

can also be the result of increased internet use among our generation.

Many different adaptations, tests, and experiments have been left for the future

due to lack of time. The present system is just an interactive UI with user database

but Future work concerns with developing an Admin panel and a data base to

store products detail with user information.

Github Link:

https://shahid0301.github.io/ToYourDoor/