

Presentation layer: apps/web (React, TypeScript)
Pages
Home · NewRun · RunDetail · FindingDetail
Components
Graph · Verify · Outcome · Filters · ui
API client
api.ts: typed requests, readable errors
runs
Analyst's browser
loads the built UI
HTTP + JSON on /api/*
Application layer: apps/api (granite_api, FastAPI)
HTTP boundary
main.py middleware · routes.py
schemas.py · errors.py
Services
runs · analysis · experiments
reviews · report · views
Background jobs
jobs.py: thread pool, progress,
recovery after a restart
Language model
Ollama (local) or a hosted
OpenAI-compatible endpoint
HTTP chat API
Configuration
config.py: environment variables
registry.py: workflows offered
Model adapters
providers.py: Ollama, OpenAI-compatible
llm_factory.py: live or recorded
Persistence
models.py: 12 tables (SQLAlchemy)
db.py: engine and sessions
SQL
Database
SQLite file (default)
or PostgreSQL URL
builds WorkflowDef
calls pure functions
implements LLMProvider
Domain: system under test
workflows/refund_desk
definition.py: 5 steps, 7 checks,
repair rules
steps.py · faults.py · store.py
prompts/ (versioned)
imports
Domain: packages/granite_core (pure Python)
Run and trace
runner.py · trace.py
Checks
dsl.py · checks.py
Model port
llm.py: LLMProvider, Cassette
JSON
Cassette file
recorded model answers (JSON)
Verify
verification.py · experiment.py
Lifecycle and evidence
lifecycle.py · evidence.py
Trace back
lineage.py · attribution.py
reads
Retail data snapshot
data/seed/taubench_retail_v1
Dependency rule
granite_core imports only the
standard library and pydantic.
Checked on every push by
scripts/check_architecture.py