



Postman + Pokemon


1) <https://pokeapi.co/api/v2/pokemon/>



2) <https://pokeapi.co/api/v2/pokemon/25>



3) <https://pokeapi.co/api/v2/pokemon/1/>



4) <https://pokeapi.co/api/v2/pokemon/bulbasaur>

The screenshot shows the Postman interface with a GET request to `https://pokeapi.co/api/v2/pokemon/bulbasaur`. The response is a JSON object with the following structure:

```
1 {
2   "abilities": [
3     {
4       "ability": {
5         "name": "overgrow",
6         "url": "https://pokeapi.co/api/v2/ability/65/"
7       },
8       "is_hidden": false,
9       "slot": 1
10    },
11    {
12      "ability": {
13        "name": "chlorophyll",
14        "url": "https://pokeapi.co/api/v2/ability/34/"
15      },
16      "is_hidden": true,
17      "slot": 2
18    }
19  ]
20 }
```

The status is 200 OK, Time: 127 ms, Size: 239.71 KB. The response is saved.

5) <https://pokeapi.co/api/v2/pokemon/charmander/>

The screenshot shows the Postman interface with a GET request to `https://pokeapi.co/api/v2/pokemon/charmander/`. The response is a JSON object with the following structure:

```
1 {
2   "abilities": [
3     {
4       "ability": {
5         "name": "blaze",
6         "url": "https://pokeapi.co/api/v2/ability/66/"
7       },
8       "is_hidden": false,
9       "slot": 1
10    },
11    {
12      "ability": {
13        "name": "solar-power",
14        "url": "https://pokeapi.co/api/v2/ability/94/"
15      },
16      "is_hidden": true,
17      "slot": 2
18    }
19  ]
20 }
```

The status is 200 OK, Time: 629 ms, Size: 264.46 KB. The response is saved.