OrderLoop

One loop. Every order.

Order, stock, courier and cash management for sellers who sell in chat.

Product overview and feature guide: what OrderLoop does, how a business uses it day to day, every module in detail, how each person on a team benefits, and an honest account of what is ready and what is not.

Status of this document (22 October 2026): OrderLoop is a pilot-candidate release. It is built and tested locally; it has not been run in production, and its live connections to couriers, Facebook/Instagram, email providers and phone push services are not yet exercised with real accounts. Section 11 lists exactly what works, what is simulated, and what is waiting on outside approval.

Prepared from the OrderLoop repository (version 1.0.0 pilot candidate). Screenshots are taken from the real application with sample data.

CONTENTS

What is in this guide

1 OrderLoop at a glance

2 The problem it solves

3 How the loop works

4 A day with OrderLoop (demo walkthrough)

5 Feature guide, module by module
Overview dashboard · Orders and customers · Social orders (Facebook and Instagram) · Products and inventory · Couriers and shipments · COD reconciliation and finance · Analytics and profit · Automation and notifications · Team and permissions · Businesses and settings · Mobile apps · Language, themes and accessibility · Privacy and data control

6 Roles and permissions

7 How each person benefits

8 Safety, security and reliability

9 Under the hood

10 Running it: deployment, backups, monitoring

11 Honest status: working, simulated, waiting

12 Known limitations and what comes next

13 Run the demo yourself

14 Glossary

How to read this guide. Sections 1 to 4 are for anyone: they explain what the product is for and show it in use. Section 5 is the complete feature reference. Sections 6 to 8 explain who can do what and why the data is safe. Sections 9 to 13 are for the people who will run, pilot or extend it.

SECTION 1

OrderLoop at a glance

OrderLoop is a business management system for small and medium sellers in Bangladesh who take orders through Facebook, Instagram and phone chats and deliver by courier with cash on delivery (COD). It replaces the notebook, the spreadsheet and the memory of whoever was on shift with one shared place where an order is captured, checked against stock, sent to a courier, tracked, and finally matched to the cash that comes back.

It works in a web browser and as native iPhone and Android apps, in English and in Bangla, and shares one back end, so the owner at a desk and the packer with a phone always see the same truth.

Web + iOS + Android
one account, one set of data

English + বাংলা
screens, alerts and dates, with Bengali digits

5 roles
Owner, Admin, Manager, Staff, Accountant

৳ in whole paisa
money never uses floating point

The main things it does

Takes orders from anywhere

Type an order in seconds, import a CSV, or let a customer's Facebook or Instagram message become a *draft* that a person checks and confirms. Repeat customers and possible duplicates are flagged.

Protects your stock

Products with sizes and colours, stock by location, reservations when an order is confirmed, damage and return handling, low-stock alerts, and a ledger that explains every change.

Books and tracks couriers

Book a parcel from the order, follow its status as the courier reports it, and handle failed or uncertain bookings safely (Pathao and Steadfast adapters, plus a simulated courier for demos).

Reconciles cash on delivery

Import the courier's payment statement, match each line to an order, and see what is paid, short, over, or still outstanding, with every manual decision recorded.

Shows real profit

One consistent definition of revenue and profit across every screen: delivered orders, minus product cost, courier charges and recorded costs. Unsettled COD is never counted as profit.

Tells you what needs attention

Configurable alerts for low stock, new orders, unconfirmed orders, late orders, COD discrepancies, and daily and weekly reports, delivered in the app and by email, without duplicates.

Who it is for. A business with one to a few dozen people: an owner, perhaps a manager, a few people who take orders and pack parcels, and someone who looks after the money. OrderLoop is multi-business: one person can run or belong to several businesses and switch between them, and each business's data is kept completely apart.

SECTION 2

The problem it solves

Selling through chat is easy to start and hard to run. The same few failures show up in almost every small online shop.

What goes wrong without a system	What OrderLoop does about it
Orders live in chats. Details are copied by hand into a notebook or sheet; some are missed, some entered twice.	Facebook and Instagram messages can arrive as draft orders with the customer's words shown next to the form; a person confirms. A duplicate warning appears when the same phone number or items were ordered moments ago.

Overselling. Two people promise the last item to two customers.	Confirming an order reserves its stock in a single safe step. When two people confirm the last unit at the same instant, exactly one succeeds and the other is told which item is short.
Courier booking is manual and repetitive. Copying names, phones and amounts into a courier portal invites typos and double bookings.	Booking is one action from the order. A retry can never create a second parcel, and a booking that may or may not have reached the courier is shown as "uncertain" for a person to settle rather than guessed.
Cash leaks. Couriers collect COD but pay weeks later in lump sums. Nobody knows what is owed, what is short, or which parcel a payment was for.	Statements are imported and matched line by line to orders; shortfalls, overpayments and unmatched lines become tracked discrepancies that someone resolves, waives, or investigates, each decision recorded.
Profit is a guess. Revenue is counted when orders are placed, costs are scattered, returns are forgotten.	Revenue counts delivered orders only, profit subtracts product cost, courier charges and recorded costs, and the screens say what is and is not included.
Everything depends on one person. The owner is the only one who knows the stock or the cash position.	Five roles with clear limits let each person do their job: staff take orders and pack, managers see money, accountants reconcile, and every change is in an audit trail.
The phone and the desk disagree.	Web and mobile apps share one back end and one set of screens, so the numbers always match.

> *"I sell on Facebook and Instagram, my couriers collect cash, and I lose track of who still owes me what." This is the seller OrderLoop is built around.*

SECTION 3

How the loop works

The name describes the product: every order goes round the same loop, and each step feeds the next. When a step is missing, the loop leaks money or trust.

1	2	3	4	5	6	7
Capture typed, imported, or from a chat message	**Confirm** check customer, items, address; stock is reserved	**Ship** book the courier; the parcel is handed over	**Track** status follows the courier automatically	**Collect** delivered, or failed and returned	**Reconcile** statement matched to orders; cash confirmed	**Learn** profit, returns and stock tell you what to reorder

The order's life

An order moves through a small, strict set of states. Every move is recorded with who did it and why, and OrderLoop refuses moves that make no sense (for example, cancelling a parcel that is already on its way).

Pending confirmation	Confirmed	Ready to ship	Shipped	Delivered
received, not yet checked	stock reserved	packed, waiting for the courier	in transit; stock leaves the shelf	counted as revenue

Side exits: **Cancelled** (from before shipping; releases the reserved stock) and **Return requested → Returned** (units go back on the shelf as resaleable or damaged, per item and quantity).

Three principles behind every screen

A person decides

Nothing important happens by itself. Chat messages become *drafts*, imports are *checked first*, and money decisions are explicit and recorded.

Retries are safe

Pressing a button twice, a flaky connection, or a repeated message cannot create two orders, two parcels or two alerts.

Say what you do not know

Where OrderLoop cannot be sure (an uncertain courier booking, a weakly matched product), it shows that, instead of guessing.


SECTION 4

A day with OrderLoop: demo walkthrough

This is the story a live demo tells, using a sample fashion and accessories shop. Every screenshot in this guide comes from the real application with this sample data.

08:30. Start with the overview


Rina, the owner, opens OrderLoop. The overview shows the week: orders created, how many were delivered, delivery success, revenue (delivered orders only), cash the couriers still owe, and net profit, with a note explaining each. Items that need attention are listed below.



The overview: six headline numbers, sales and profit over time, order status mix, and a "needs attention" list. The sidebar groups the product into Operations, Logistics & finance, and Workspace.


09:10. A customer messages the shop's Facebook page

A customer writes in Bangla: "আমি ২টা Cotton T-Shirt (M) নিব, নাম রিনা আক্তার, ০১৮৫৫৫৫০১২৩, বাসা ১২ রোড ৫ মিরপুর ঢাকা" ("I'll take two Cotton T-Shirts (M), name Rina Akter, phone number, house 12 road 5 Mirpur Dhaka"). OrderLoop receives the message, finds the phone number, the product and the quantity, and creates a **draft order**. It does not create an order. A badge appears next to *Social orders*.



The Social orders inbox: each draft shows its source (Facebook, Instagram), a masked phone number and a short preview, so it is safe to glance at over a shoulder.

The seller opens the draft. The customer's words are shown **word for word** beside a form that has been pre-filled from them, with warnings where the reading is uncertain: a weak product match, no address found, or a possible duplicate.




Reviewing a draft: what the customer wrote, the form made from it, and a warning that the same phone number already has an order. Prices always come from the catalogue, never from what the chat says.


> **Mock mode.** In this guide's screenshots and in the default setup, Facebook and Instagram are *simulated* and clearly labelled "Mock integration: not connected to Meta". The real connection is built but has not yet been run against real Meta accounts (see Section 11).

09:20. Confirm the order and check stock

The seller fixes anything flagged, adds the thana (area) that chat never contains, and presses **Confirm order**. The order is created through exactly the same path as a typed order: stock is reserved, the duplicate rules run, and the action is added to the audit trail. Pressing the button twice, or losing connection and retrying, cannot create a second order.




The orders list: filter by status, source and date, search by number, name, phone or SKU, select many orders and act on them together, import or export CSV.



An order: customer, items with catalogue prices, totals, the cash to collect, the courier shipment and its events, the cost breakdown, and the full status history.

10:00. Book the courier and follow the parcel


From the order, the packer books a courier. The shipment shows the courier's consignment number, tracking link and every status event. As the courier reports progress, the order moves on its own along the delivery path; it never confirms, cancels or restocks anything without a person.



Couriers and shipments: connected courier accounts (credentials stored encrypted), and every parcel with its current state. The sample business uses the simulated courier, which behaves like a real one for demonstration.

Weeks later. Match the courier's payment


The courier pays COD in lump sums with a statement. The accountant imports the statement; OrderLoop matches each line to an order, shows what is settled, short or over, and lists anything unmatched as a discrepancy to resolve or waive with a note.




COD reconciliation: settlements imported from courier statements, cash still outstanding, and discrepancies waiting for a decision.

20:00. The evening report

A daily report arrives in the app (and by email if the owner turned that on). Low-stock alerts have already told the team what to reorder, and unconfirmed orders were nudged during the day. Analytics shows how the week turned into profit.



Analytics & profit: a profit waterfall from gross sales down to net profit, courier performance, and trends. The wording states what each figure includes.



The notification inbox: alerts like "Low stock" carry product names and counts but never customer details. Tapping one opens the right screen.

SECTION 5

Feature guide, module by module


The complete reference. Each module lists what it does and the capabilities that matter. Items marked simulated or needs credentials are explained in Section 11.

5.1 Overview dashboard

- **Headline numbers** for Today, 7 days or 30 days: total orders, delivered orders, delivery success rate, revenue (delivered), COD outstanding, net profit. Each is explained on screen, so nobody mistakes "delivered" for "paid".
- **Charts**: sales and profit over time (a gap in the profit line means a delivered item had no cost price), and the order-status mix.
- **Needs attention**: orders waiting too long, failed deliveries, low stock, unmatched cash.
- **Quick create** menu and a global search (⌘K) across orders, customers and tracking numbers.
- Profit figures are hidden from people who are not allowed to see money (for example, Staff).

5.2 Orders and customers

- **Create orders** with a customer search (name or phone), delivery address with area, one or more items from the catalogue, discount, delivery charge, advance payment and a note. Totals and the cash to collect are worked out by the server, so the screen and the record always agree.
- **Customers are identified by phone number.** Returning customers are recognised, with their order history and delivered value; saved addresses can be reused.
- **Duplicate warning**: the same phone or items ordered moments ago raises a visible warning before you confirm.
- **Strict status flow** with required reasons where they matter (cancel, return), a full history, and protection against two people changing the same order at once.
- **Edit rules**: contact details and notes can change after confirmation; items and money are frozen once stock is held, so records cannot drift.
- **Bulk actions**: select many orders to confirm or cancel together; failures are reported per order.
- **CSV import and export**: orders import is checked first (problems listed row by row, nothing applied until you agree) and importing the same file twice creates nothing the second time. Orders export with the figures the server computed.
- **Safe retries**: pressing Create twice, or retrying after a timeout, makes exactly one order.
- **Returns**: mark which items came back, how many, and whether each is resaleable or damaged; only those units go back to stock. Manually marking an order *delivered* or *returned* needs a manager-level role.
- **Whole-taka COD with real couriers**: couriers accept whole-taka COD amounts; an order whose cash to collect has paisa is flagged and cannot be booked with a real courier (a clear message explains what to do).




The order form: customer, delivery address, items, and a live summary with the COD amount. Sections are numbered, errors appear next to the field, and the summary stays visible.


5.3 Social orders: Facebook and Instagram messages

Many sellers take orders in chat. This module turns permitted customer messages into **draft orders for human review**.

- **Receive-only.** OrderLoop reads messages sent *to* the business's Page or Instagram professional account and never replies, posts or scrapes anything, and never asks for a social-media password. Replies stay in Meta's own inbox.
- **Connect with Meta's official sign-in.** The owner connects Pages through Facebook Login; access tokens are stored encrypted; connections can be reconnected or disconnected, and permission errors are shown plainly.
- **Reading a message**: a deterministic reader (no AI service, no network) finds Bangladeshi phone numbers (English or Bangla digits), quantities, names (including "নাম রিনা" and "my name is …"), address clues, and matches products against the catalogue by SKU or name. It never guesses below a confidence threshold, and never trusts prices typed in chat.
- **Drafts, not orders.** Each draft shows the original message, the pre-filled form, confidence hints ("Check this"), warnings and possible duplicates. Only a person with permission can confirm, edit or dismiss it.
- **One conversation, one open draft.** Follow-up messages from the same customer join the same draft. Meta's repeated deliveries and retries create nothing new.
- **Privacy by design.** Chit-chat that does not look like an order creates no draft; media is never downloaded; unconfirmed drafts and events are purged after 30 days; list views mask phone numbers.
- **Mock mode** simulated lets you try the whole flow with made-up messages, clearly labelled, with no Meta account.



Integrations: connected accounts and their status, and, in mock mode, a clearly labelled test tool for sending a made-up customer message.




Draft review on a phone: the same screen, laid out for a narrow display.


5.4 Products and inventory

- **Catalogue**: products with variants (size, colour, SKU), selling price, cost price, categories, suppliers, descriptions and picture links (https only).

- **Stock**: per location. Receive stock, adjust after a count, move damaged units to a damaged bucket, write them off, and handle customer returns. Every change needs a reason where it matters and is written to an append-only ledger.
- **Reservations**: confirming an order holds its units so they cannot be promised twice; cancelling releases them; shipping removes them from the shelf.
- **No overselling, no negative stock**: enforced both in the application and in the database itself.
- **Low-stock and out-of-stock** views with a reorder point per product; inventory value at cost and at retail.
- **CSV import and export**: products import with a check-first step that lists problems row by row; catalogue and stock export as CSV.
- **Ledger check**: an operational command replays every stock movement and compares the result with the stock levels, so silent drift would be detected.
- **One location recommended for the pilot.** Multiple locations exist, but there is no transfer between them yet (see Section 12).



Products & inventory: inventory value at cost and retail, low-stock and out-of-stock counts, and tabs for products, stock movements and low stock.



The stock view: on-hand, reserved, available and damaged quantities per product, with actions to receive, adjust, damage or return.


5.5 Couriers and shipments

- **Courier accounts**: connect Pathao and Steadfast (and a simulated courier). Credentials are stored encrypted and can be tested; the screens never show them again.
- **Book from the order.** Booking sends the receiver, address, items and COD amount in the courier's format. Booking uses an idempotency key, so a retry or double click cannot create two parcels.
- **Uncertain bookings.** If the courier may have received a request but the answer was lost, the shipment is marked *booking uncertain* and a person settles it, rather than the system guessing and risking a duplicate parcel.
- **Live tracking.** Couriers' webhooks update the shipment; each event is applied once, out-of-order events are handled, and the order follows the delivery path without ever confirming, cancelling or restocking by itself.
- **Shipment views**: a list with filters and statistics, per-shipment event history, and cancel or refresh where the courier supports it (for real couriers, cancellation is a manual "cancelled at courier" decision by an authorised person).
- **Webhook safety.** Courier callbacks are checked against a per-connection secret and give the same response for every failure, so nothing can be probed.

5.6 COD reconciliation and finance

- **Settlement import**: upload the courier's CSV statement (checked first, then applied). The same file cannot be imported twice; lines are never counted twice; a shared payout reference covering many parcels is handled correctly.
- **Matching**: lines are matched to orders by consignment, tracking or reference, never by amount or phone alone; ambiguous lines are left for a person. Simulated shipments are never auto-matched.

- **Discrepancies** become tracked items: *short paid*, *over paid*, *unmatched line*, *delivered without a statement*. Each can be resolved or waived with a note; a closed item reopens if the figures change.
- **Outstanding COD**: the cash couriers still owe, per courier and per order.
- **Costs**: record packaging, advertising and other costs, or void one with who, when and why.
- **Audit trail**: every financial decision records who, what, when and, for edits, the before and after values (money and item lines only; no personal details).
- **Roles**: accountants can import and reconcile; only owners and admins adjust and resolve.



Business settings: the business profile, regional settings (currency, time zone, language), data export and the account and business deletion controls.

5.7 Analytics and profit

- **One definition of profit** everywhere: delivered orders are revenue; profit is revenue minus product cost, courier charges, COD fees and recorded costs. Returns and cancellations are never revenue.
- **Profit waterfall** from gross sales down to net profit, so the reason a margin shrank is visible.
- **Trends and breakdowns** by period, by courier, and by product; delivery success and return rates.
- **Honest caveats.** If a delivered item has no cost price, profit is withheld for that period and the screen says why; partly returned orders are counted in a visible caveat.
- Dates and day boundaries follow the business's time zone (Asia/Dhaka by default).


5.8 Automation and notifications

Rules watch the business and tell the right people, once.

Rule	What it tells you	Who receives it
Low stock	"Low stock: 3 items": products at or below their reorder point (or out of stock). Quiet until stock recovers, then re-arms.	People who can see stock

New order	"New order #1042" as soon as one arrives.	People who can see orders
Unconfirmed order	"2 orders waiting for confirmation" after a delay you choose (up to three reminders).	People who can see orders
Late order	Orders taking longer than your threshold to ship or deliver.	People who can see orders
COD discrepancy	Open settlement discrepancies above an amount you set.	People who can see finance
Daily and weekly report	Business totals at a local time you choose, correct across daylight-saving changes.	People who can see finance

- **Where alerts go**: the in-app bell and inbox (with an unread badge and a deep link to the right screen), email, and phone push prepared, dev provider . SMS and WhatsApp exist only behind configuration and recorded consent, with a log-only provider.
- **Every person controls their own channels** (preferences per alert type), and admins switch each rule on or off, set thresholds, and press *Run now* to test.
- **No duplicates, safe retries.** Each alert has a unique key per person; a retry or a crash cannot send it twice; failed deliveries are retried with back-off, permanent failures are not retried, and failed runs and deliveries are listed with a Retry button.
- **Privacy:** alert text and push payloads carry only order numbers, counts and product names, never a customer's name, phone or address.




Automation settings: each rule has a switch, thresholds, channels, a "Run now" test and its last run. A banner explains that push is in test mode until the server is set up for real delivery.

5.9 Team and permissions

- **Invite people by email** with a role; the invitation link works once and the inviter's authority is rechecked when it is accepted. Inviting requires a verified email.


- **Five roles** with fixed, tested permissions (see Section 6). Role changes and removals take effect on the very next request, not when a session expires.
- **Guard rails**: an Admin cannot create or change Owners or Admins; a business always keeps at least one Owner, even under simultaneous requests.
- **Audit log**: invitations, role changes, courier setup, financial decisions, exports, deletions and more are recorded in the same step as the change, and cannot be edited or deleted by the application.



Team & staff: members with their roles, pending invitations, and the activity log.

5.10 Businesses and settings

- **Multiple businesses.** One person can own or belong to several and switch between them; each switch starts a fresh session, and data never mixes.
- **Business profile and regional settings**: name, logo link, contact, address, currency (BDT), time zone (Asia/Dhaka by default) and default language.
- **Personal preferences**: language, theme, alert channels.
- **Customers export** as CSV, alongside the orders, products and stock exports.




Customers: each phone number is one customer, with order counts and delivered value.


5.11 Mobile apps (iPhone and Android)

The same screens as the web, built as native apps with the same back end and the same permissions.


- **Native feel**: tab bar, native navigation, touch targets of at least 44 points, keyboard-aware forms, safe areas, light and dark themes.
- **Secure sign-in**: the long-lived token lives in the phone's secure storage (Keychain or Keystore), is limited to that device, and is cleared on sign-out; the short-lived access token is held in memory only.
- **Honest about connection.** If the network drops, the app says so and shows what it has. It **refuses to submit orders, bookings or money actions while offline** rather than queue them silently, because a queued courier booking or payment could be applied later in a surprising way.
- **Session safety**: if a session expires or is ended on another device, the app returns to sign-in with a clear message.
- **Push notifications** are wired up (permission is requested only when the person turns it on) but delivery needs real push credentials (Section 11).
- **Account deletion** is available inside the app, as app stores require.




Overview



Orders



Order detail



Notifications

These phone-width images are taken from the application at a 390-pixel width. The native iPhone and Android apps share the same screens and were also checked by hand on an iOS simulator and an Android emulator (Section 11).

5.12 Language, themes and accessibility

- **English and Bangla** everywhere: screens, buttons, errors, alerts and the text of notifications, with Bengali digits and dates when Bangla is chosen. The choice is remembered on web and mobile.
- **Light, dark and automatic** themes, with a language and theme selector on the sign-in screens.
- **Accessible by design**: every control has a name a screen reader can announce (and a test fails if one is missing in the shared components), labels are translated, errors are tied to their fields, keyboard navigation works, and automated accessibility scans pass on the main web screens. A person using a screen reader has not yet tested it by hand.
- **Responsive**: desktop, tablet and phone layouts share the same components; tables become cards on small screens.

5.13 Privacy and data control

- **Customer erasure** (owner or admin): irreversibly anonymises a customer's personal details, including the name, phone and address copies on their orders, shipments and statement lines, while keeping totals, statuses and dates so finance stays correct. Refused while the customer has orders in progress.
- **Delete my account**: any person can delete their own account (password required). It is refused with an explanation if they are the only owner of a business that still has other members.
- **Delete this business** (owner): the business is blocked immediately, courier and Meta credentials are removed, and after a grace period (14 days by default) in which the owner can cancel, a purge removes it entirely. Members see a clear "scheduled for deletion" screen.
- **Exports first**: orders, products, stock and customers can be exported as CSV before anything is deleted.
- **Public data-deletion page** explaining how to request deletion (also required by Meta).
- These are technical capabilities. Backups keep deleted data until they expire, and couriers and Meta hold their own copies; none of this is a statement of legal compliance.

5.14 Everyday conveniences

- Global search (⌘K) across orders, customers and tracking numbers; Quick create menu; breadcrumbs and deep links.
- Sticky action bars on forms, clear loading, empty, offline and error states, and a "try again" on every failed load.
- Friendly, specific error messages (for example, "only 2 available" and which item), in both languages.

SECTION 6

Roles and permissions

Every person has one role *in each business* they belong to (a role is never global). The rules are defined in one place, enforced by the server on every request, and covered by tests; the screens also hide what a role cannot use.

Capability	Owner	Admin	Manager	Staff	Accountant
View business, orders, customers, products, stock, couriers	✓	✓	✓	✓	✓
Create and change orders and customers; book and refresh shipments	✓	✓	✓	✓	–
Mark an order delivered or returned by hand	✓	✓	✓	–	–
Receive, adjust, damage and return stock	✓	✓	✓	✓	–
Edit products, categories, suppliers, locations; import products	✓	✓	✓	–	–
See finance: profit, settlements, costs, COD	✓	✓	✓	–	✓
Import and reconcile courier statements	✓	✓	–	–	✓
Resolve or waive discrepancies; record or void costs	✓	✓	–	–	–
Connect, test and remove courier accounts	✓	✓	–	–	–
View the team	✓	✓	✓	–	✓
Invite, change and remove members (admins only below Admin)	✓	✓	–	–	–
Edit business settings; view the audit log	✓	✓	–	–	–
View automation rules	✓	✓	✓	–	–
Change automation rules; connect Facebook/Instagram	✓	✓	–	–	–
Erase a customer's personal data	✓	✓	–	–	–
Delete the business	✓	–	–	–	–
Own notifications, preferences, devices; delete own account	✓	✓	✓	✓	✓

Who can grant what. An Owner can invite, change and remove anyone. An Admin can only manage Managers, Staff and Accountants, never Owners or other Admins. A business always keeps at least one Owner. **Note:** cost prices are visible to anyone who can see products or stock, including Staff, because the people who receive and price stock need them; profit and finance figures need the finance permission.

There is no platform-wide "super administrator" inside the application: nobody can see across businesses through it. A role cannot be customised per business; the five roles are fixed.

SECTION 7

How each person benefits

The owner

- See the real position at a glance: orders, delivered revenue, cash still owed, profit, with each figure explained.
- Stop being the single point of knowledge: staff can work without asking, within limits you set.
- Find money that was lost: short and unmatched courier payments are listed, not forgotten.
- Know what to reorder before stock runs out, and what returned and why.
- Control and audit: who changed what is always recorded; deleting a business or a customer's data is a deliberate, recorded step.

The manager

- Review and confirm incoming orders quickly, with duplicates and stock problems already flagged.
- Follow parcels in one list instead of several courier portals.
- Handle returns precisely: which items, how many, resaleable or damaged.
- See finance figures without being able to alter money decisions.

Order-taking and packing staff

- Create an order in a minute: find a returning customer by phone, pick items, see the cash to collect.
- Never promise the last item twice: shortages are explained on the spot.
- Work from the phone, in Bangla if they prefer.
- Cannot see profit or alter money records, so mistakes stay small.

The accountant

- Import a courier statement and see matches, shortfalls and unmatched lines instead of ticking a spreadsheet.
- Every manual decision (waive, resolve, void) needs a note and is recorded with who and when.
- Read-only access to operations; can reconcile without being able to change orders.

What a business gains overall

Fewer mistakes

Duplicate orders, double bookings, oversold stock and mis-typed amounts are blocked or flagged by design.

Faster, calmer days

Less copying between chat, notebook and courier portal; alerts tell you what needs attention instead of you hunting.

Cash under control

COD is tracked from parcel to payment; profit counts only what is delivered and costed.

No claims about results. OrderLoop has not yet been run with real customers, so this guide makes no promise about time saved or money recovered. Those benefits describe what the product is designed to make possible; the controlled pilot is how they will be measured.

Note: the seller's own customers do not use OrderLoop. There is no customer-facing shop or tracking page in this release; customers keep ordering through chat or phone.

SECTION 8

Safety, security and reliability

Money and customer data call for care. This is what protects them, in plain language. It is a description of engineering practices, not a security certification, and an independent penetration test has not been done.

Businesses cannot see each other

Every business-owned record carries its business, and the database itself refuses cross-business reads and writes, even if the application had a bug. Another business's record, asked for by id, answers as if it did not exist. Dozens of tests check this on every feature.

Sign-in and sessions

Passwords are stored with Argon2id. Short-lived access tokens are re-checked against the database on every request; refresh tokens rotate and a stolen, reused token ends the session. Login attempts and sensitive actions are rate limited, and sign-up can be restricted to an allow-list.

Roles checked on the server

Permissions are decided by the server on every request, from the person's current role. Changing a role or removing someone applies on their next action.

Secrets stay secret

Courier and Meta credentials are stored encrypted and never shown again; logs and error messages are scrubbed of tokens and personal details; no secrets are in the code repository.

One action, one effect

Creating orders, booking couriers, receiving stock and many other actions carry an idempotency key: repeating the same request returns the same result instead of repeating the action.

Stock and money cannot silently drift

Stock changes and levels are written together, negative stock is impossible, money is whole paisa with database checks, and financial and audit records are append-only for the application.

Webhooks are verified

Courier and Meta callbacks are checked (secret or signature) before anything is read; repeats are recognised; unknown senders are ignored.

Browser and app hardening

A strict content-security policy with per-request tokens, secure cookies, HTTPS enforced in production, secure device storage on mobile, and release builds that refuse non-HTTPS servers.

How it was checked

- **Automated tests on every change**: more than 2,000 checks (about 1,300 unit tests, 642 integration tests against a real database, 92 browser tests that drive the real app, and 22 script tests), plus code-quality, type and build checks, run by continuous integration on GitHub.
- **Two independent reviews** before the pilot (security, and orders/inventory/finance correctness) found real problems, all of which were fixed with tests; the findings and their status are published.
- **Recovery rehearsed**: encrypted backups and an automated restore drill that checks row counts, security rules and tenant isolation after a restore were run locally.

SECTION 9

Under the hood

For technical readers. OrderLoop is one code repository (a pnpm and Turborepo monorepo) with four applications and shared packages.

Part	Technology and role
API	NestJS (TypeScript) REST API with generated OpenAPI documentation; validation on every route with Zod; row-level security in PostgreSQL; permissions declared once per route.
Worker	BullMQ on Redis: imports, automation scheduler and deliveries, Meta event processing, tenant purge, retention and heartbeat jobs; everything idempotent and retry-safe.
Web app	Next.js with React Native Web: the same components as the mobile apps, with a per-request security nonce.
Mobile apps	Expo (React Native) for iOS and Android, native stack navigation, secure token storage, Bangla and English.
Database	PostgreSQL 16 with forced row-level security on every business table, a restricted runtime role, append-only audit and financial history, and narrowly scoped SECURITY DEFINER functions for the few cross-business jobs.
Shared packages	`contracts` (schemas, routes, errors, permissions), `domain` (order, stock, settlement and extraction rules as pure code), `db`, `catalog`, `courier-sdk` (Pathao, Steadfast, simulated), `automation`, `api-client`, `ui` (design system), `features` (shared screens), `observability`.
Integrations	Courier APIs (Pathao, Steadfast), Meta (Facebook Login for Business and webhooks), SMTP email, Expo push (prepared), optional SMS and WhatsApp gateways (log-only providers today).

Design choices worth knowing

- **Shared UI first.** A component or screen is written once and used by web and mobile, so behaviour never differs between them.
- **English text is the translation key.** A catalogue supplies Bangla; a test reports any English left untranslated.
- **Rules as pure code.** Order transitions, stock arithmetic, settlement keys, report time slots (including daylight-saving) and the chat reader are plain functions with exhaustive tests.
- **Mock by default.** Meta, push and SMS default to clearly labelled simulated providers so everything can be developed and demonstrated without paid accounts.
- **Documentation lives with the code**: architecture, API, permissions, database, finance, couriers, automation, Meta, privacy, operations and release notes.

SECTION 10

Running it: deployment, backups, monitoring

Operational tooling exists and has been exercised **on a developer laptop only**; nothing has run on a real server, domain or provider yet.

Deployment

Docker images for the API, worker, web app and a migration job; a single-host compose file with a Caddy reverse proxy that obtains HTTPS certificates; a secret generator; a smoke test that deploys the whole stack under a throwaway name and checks health, sign-up, a product, and isolation between two businesses.

Backups and restore

An encrypted backup job (taken by a role that really sees all data), with retention and a manifest; an automated *restore drill* that restores into a scratch database and checks checksums, migrations, row counts, security rules and tenant isolation, then reports PASS or FAIL. Wrong keys and corrupted files fail loudly.

Monitoring

A protected metrics endpoint on the API and worker, a worker health server, 16 alert rules (errors, readiness, latency, queue age, failed automation, worker heartbeat, backup age and more) with tests, Alertmanager and Grafana in an optional profile. Alerts do not reach a person until a real receiver is configured.

Incident response and migrations

Runbooks for outages, leaked credentials, suspected data exposure, bad deploys and deletion requests; a migrations guide with the project's rules; a command to revoke sessions in an incident; email and courier verification commands for use with real credentials.

Not yet done: deployment on a real host with a real domain; a restore drill from a pilot-environment backup; off-site backup upload; a real alert receiver; image vulnerability scanning; an upgrade-and-rollback rehearsal with data.

SECTION 11

Honest status: working, simulated, waiting

This table is the most important one for anyone planning a pilot. It separates what has been demonstrated from what is built but unproven, and from what needs something outside the repository.

Area	Status	Detail
Orders, customers, stock, imports and exports	Works, tested	Covered by integration and browser tests with a real database.
Roles, permissions, tenant isolation, audit	Works, tested	Permission matrix and isolation tests across every feature.
COD reconciliation, finance, analytics	Works, tested	Verified by review and tests; one defect class found and fixed. Real courier statement formats are unverified.
Alerts and notifications (in-app, email)	Works, tested	Including retries and no-duplicate behaviour. Real email delivery untested.
Deletion and erasure tools	Works, tested	Tested locally; legal sufficiency not assessed.
Simulated courier	Simulated	Behaves like a courier for demonstration; used in all tests.
Pathao and Steadfast	Needs credentials	Adapters are built and tested against recorded and mocked responses only. **Never run against the real services.** Some endpoints come from community documentation. A read-only `courier:verify` command is ready for when credentials exist.
Facebook and Instagram (Meta)	Mock by default Awaiting approval	The whole flow works in mock mode. The live connection is built from Meta's documentation and tested with a fake Meta, but **never run against Meta**. Real use needs a Meta developer app, App Review for advanced access, and probably business verification.
Phone push notifications	Dev provider Needs credentials	Registration and handling are built; delivery needs an Expo project, Firebase (Android) and an Apple key (iOS), and a physical device. Not possible in Expo Go or on simulators.
SMS and WhatsApp	Log only	Gated by configuration and recorded consent; no real gateway is integrated.
Email delivery	Untested with a real provider	Tested with a local mail catcher and a local STARTTLS server. A `mail:test` command and an SPF/DKIM/DMARC checklist are ready.
Web app	Tested	92 browser tests; accessibility scans on main screens.
iPhone and Android apps	Checked on simulator and emulator	Key flows checked by hand on an iOS simulator and an Android emulator. Not run on a physical device or as a store release build; not published .
Production hosting, off-site backups, alert receiver	Not set up	Tooling exists (Section 10); nothing runs on a real host yet.

SECTION 12

Known limitations and what comes next

Limitations are published, not hidden. The full prioritised list, with impact, workaround and size, is in the repository (`docs/release/known-limitations.md`). The ones a pilot should know:

Before a pilot with real customers

- Deploy on a real host and rehearse a restore from a real backup; set up a real alert receiver and name two custodians for the backup key.
- Run the courier and email verification commands with real credentials; decide whether live Meta and push are in scope (each needs outside approval or credentials).
- Choose the sign-up policy (an allow-list of pilot emails is the safe choice) and agree a data-deletion procedure and a backup retention policy with advice appropriate to your market.
- Run the mobile apps on physical devices and, if they are in scope, produce store builds.

Known product limits

- **One stock location in practice.** Confirming reserves at the default location only; there are no transfers between locations.
- **Whole-taka COD with real couriers.** Orders whose COD has paisa cannot be booked with a real courier and cannot be edited after confirmation (cancel and re-enter).
- **Partly delivered parcels.** A person decides how to record them; revenue and cost for units the customer keeps are not yet split automatically.
- **No customer-facing storefront or tracking page,** and no replying to customers from OrderLoop (replies stay in Meta's inbox; Meta's 24-hour reply window applies there).
- **Exports:** orders, products, stock and customers export as CSV; settlements, costs and the audit log do not yet.
- **Real courier cancellation** is a manual "cancelled at courier" decision, because the supported courier APIs do not offer cancel.
- **Authentication tables** (users, sessions) rely on application discipline rather than row-level security; documented with a planned fix.
- **Four known dependency advisories** exist, all in mobile and build tooling, none in the server or web runtime.

Natural next steps (not promises)

- Real courier and email verification; a first controlled pilot with one or two businesses.
- Stock transfers between locations; automatic handling of partly delivered parcels.
- Live Meta connection and App Review; replies to customers within Meta's rules.
- Real push delivery; production monitoring with a real alert receiver; store release.

SECTION 13

Run the demo yourself

Everything below works on a laptop with no paid services. Mock Meta, the simulated courier, and the log-only push provider stand in for the real ones.

Start the system

1. Start the supporting services (database, Redis, mail catcher): `pnpm services:up` and `pnpm services:mail`.
2. Prepare the database: `pnpm db:init`, then add sample data: `pnpm db:seed` (the script prints the demo logins; it refuses to run in production).
3. Start the API, the worker and the web app (for example `pnpm --filter @orderloop/api dev`, `pnpm --filter @orderloop/worker dev`, `pnpm --filter @orderloop/web dev`), and open the web address. The mobile apps run through Expo.

A five-minute demo script

#	Do this	What it shows
1	Sign in and open the overview	The headline numbers and what each one means (delivered is not paid).
2	Integrations → add a mock account → send the sample Bangla message	A chat message becomes a draft; the mock banner is always visible. Send the same text again: no second draft.
3	Open the draft, review the warnings, pick or fix the product, add the area, **Confirm**	Human review before an order exists; the order has the right customer, items and catalogue price.
4	Open the order → book the simulated courier	A shipment with a consignment number; booking twice makes one parcel.
5	Products & inventory → receive stock, then adjust to a low number	Reservations, the ledger, low-stock indicators.
6	Automation → switch on Low stock → **Run now** (twice)	One notification, not two; the bell shows a badge; tapping opens low stock.
7	COD reconciliation → import a statement	Matches, short and unmatched lines, discrepancies to resolve.
8	Team → invite an Accountant; sign in as them	The same screens with fewer actions: read-only operations, finance access.
9	Switch the language to বাংলা	Screens, alerts and dates in Bangla with Bengali digits.
10	Settings → data export; open the delete controls (do not confirm)	Exports first, typed confirmations, grace period.

One-command checks

- `pnpm meta:demo` : injects a synthetic message, shows the draft, confirms it, replays the same event and proves no duplicate order.
- `pnpm automation:demo` : configures a low-stock rule, triggers it, and shows the notification and that a second trigger adds none.
- `./deploy/smoke-test.sh` : builds the Docker images and deploys the whole stack under a throwaway name, then checks it.

SECTION 14

Glossary

Term	Meaning
COD	Cash on delivery: the courier collects the order's price from the customer and pays the seller later.
Settlement / statement	The courier's record of cash it collected and paid out, usually a CSV listing parcels.
Reconciliation	Matching each line of a statement to an order and confirming the cash.
Discrepancy	A difference found in reconciliation: short paid, over paid, unmatched, or delivered without a statement line.
Draft order	An order proposal made from a chat message. It is not an order until a person confirms it.
Reservation	Stock held for a confirmed order so it cannot be promised twice.
Reorder point	The stock level at or below which a product counts as low.
Paisa	One hundredth of a taka. OrderLoop stores all money as whole paisa to avoid rounding errors.
Business / tenant / workspace	One seller's separate space, with its own people, data and settings.
Idempotent	Safe to repeat: doing it twice has the same effect as once.
Row-level security	A database feature that makes each query see only one business's rows, regardless of application code.
Webhook	A message a courier or Meta sends to OrderLoop when something happens.
Mock mode	Clearly labelled simulated mode used when real credentials or approvals are not available.
Grace period	The time (14 days by default) after a business deletion request in which the owner can still cancel.
Pilot	A controlled first use with a few real businesses, with monitoring, support and clear exit criteria.

Where to read more. The repository's `docs/` folder holds the detailed references: architecture, API and permissions, database, finance, couriers, automation, Meta integration, privacy and deletion, operations

(deployment, backups, monitoring, incident response, migrations) and the release documents (pilot checklist, dependency and status table, known limitations and the pre-pilot report).

OrderLoop product overview · 22 October 2026 · Screenshots show sample data from the real application. This document makes no claim of security certification, legal compliance, store publication, or a working live integration.