

SMART AMBULANCE DISPATCHER SYSTEM WITH REAL TIME GPS TRACKING

A PROJECT REPORT

Submitted by,

**Shahul Hameed- 20211CIT0125
Fatimathul Shahana – 20211CIT0131
Simran Kumari – 20211CIT0157**

Under the guidance of,

**Mr. Tanveer Ahmed
Assistant Professor**


in partial fulfillment for the award of the degree of

BACHELOR OF TECHNOLOGY

IN

**COMPUTER SCIENCE AND ENGINEERING,
INTERNET OF THINGS**

At



PRESIDENCY UNIVERSITY


BENGALURU

DECEMBER 2024

SCHOOL OF COMPUTER SCIENCE ENGINEERING

CERTIFICATE

This is to certify that the Project report **"SMART AMBULANCE DISPATCH SYSTEM WITH REAL TIME GPS INTEGRATION"** being submitted by **"SHAHUL HAMEED"**(20211CIT0125), **"FATIMATHUL SHAHANA"** (20211CIT0131), **"SIMRAN KUMARI"**(20211CIT0157) in partial fulfillment of the requirement for the award of the degree of Bachelor of Technology in Computer Science and Engineering is a bonafide work carried out under my supervision.



Mr. Tanveer Ahmed
Assistant Professor
School of CSE
Presidency University



Dr. Anandraj SP
Head of Department
School of CSE
Presidency University



Dr. L. SHAKKEERA
Associate Dean
School of CSE
Presidency University



Dr. MYDHILI NAIR
Associate Dean
School of CSE
Presidency University



Dr. SAMEERUDDIN KHAN
Pro-VC School of Engineering
Dean -School of CSE&IS
Presidency University

PRESIDENCY UNIVERSITY

SCHOOL OF COMPUTER SCIENCE ENGINEERING

DECLARATION

We hereby declare that the work, which is being presented in the project report entitled **SMART AMBULANCE DISPATCHER SYSTEM WITH REAL TIME GPS TRACKING** in partial fulfillment for the award of degree of **Bachelor of Technology** in Computer Science and Engineering, is a record of our own investigations carried under the guidance of **Mr. Tanveer Ahmed, Assistant Professor, School of Computer Science Engineering & Information Science, Presidency University, Bengaluru.**

We have not submitted the matter presented in this report anywhere for the award of any other degree.

SHAHUL HAMEED- 20211CIT0125

FATIMATHUL SHAHANA - 20211CIT0131

SIMRAN KUMARI - 20211CIT0157

ABSTRACT

The Smart Ambulance Dispatcher System is the innovative solution to the major problems presented by traditional ambulance dispatch systems. It uses the advance technologies like real-time GPS (Global Positioning System) tracking, cloud-based data management using Firebase, and friendly user web interface to enhance efficiency, accessibility, and responsiveness of emergency medical services. The primary goal is to reduce the response time and make easy communication between users and drivers. After a request is submitted, the system uses GPS technology to identify the user's location and automatically sends the nearest available ambulance. The driver will receive the booking information together with the best routing directions that avoid delay due to bad navigation. Additionally, the web-based application provides the user with the real-time tracking of the ambulance's location so that he can track the vehicle's journey and its estimated time of arrival. The smart Ambulance Dispatch System is a practical means to modernize emergency medical services. Optimization in allocating ambulances helps minimize response time, facilitate clear communication between the stakeholders involved, and ultimately make it significantly improve the health system efficiency.

Besides its core functionalities, the Smart Ambulance Dispatcher System gives a great importance on scalability and robustness in order to be prepared for any kind of demand variations in demand for both urban and rural areas. It is designed to work efficiently with high user loads, with good database management and optimized algorithms to provide real-time resource allocation. This system is on a broader scale to bridge gaps in emergency healthcare access, especially in underserved regions, with a cost-effective and adaptable solution. It is aligned with smart city initiatives because it enables data sharing with healthcare providers and municipal authorities, thus paving the way for a connected, technology-driven public health ecosystem.

ACKNOWLEDGEMENT

First of all, we indebted to the **GOD ALMIGHTY** for giving us an opportunity to excel in our efforts to complete this project on time.

We express our sincere thanks to our respected dean **Dr. Md. Sameeruddin Khan**, Pro-VC, School of Engineering and Dean, School of Computer Science Engineering & Information Science, Presidency University for getting us permission to undergo the project.

We express our heartfelt gratitude to our beloved Associate Deans **Dr. Shakkeera L and Dr. Mydhili Nair**, School of Computer Science and Engineering, Presidency University, and Dr. “ANANDRAJ S.P”, Head of the Department, School of Computer Science Engineering & Information Science, Presidency University, for rendering timely help in completing this project successfully.

We are greatly indebted to our guide **Mr. Tanveer Ahmed, Assistant Professor** and Reviewer **Ms. Amreen Khanum, Assistant Professor** School of Computer Science Engineering & Information Science, Presidency University for his/her inspirational guidance, and valuable suggestions and for providing us a chance to express our technical capabilities in every respect for the completion of the project work.

We would like to convey our gratitude and heartfelt thanks to the PIP2001 Capstone Project Coordinators **Dr. Sampath A K, Dr. Abdul Khadar A and Mr. Md Zia Ur Rahman**, department Project Coordinators **Dr.Sharmasth Vali** and Git hub coordinator **Mr. Muthuraj**.

We thank our family and friends for the strong support and inspiration they have provided us in bringing out this project.

SHAHUL HAMEED - 20211CIT0125

FATIMATHUL SHAHANA - 20211CIT0131

SIMRAN KUMARI - 20211CIT0157

LIST OF FIGURES

Sl. No.	Figure Name	Caption	Page No.
1	Figure 1	System Architecture	30
2	Figure 2	Ambulances Record	38
3	Figure 3	Users Record	38
4	Figure 4	FastAPI-based backend	40
5	Figure 5	Workflow diagram	41
6	Figure 6	Driver Status	42
7	Figure 7	Gantt chart	45
8	Figure 8	Website	48
9	Figure 9	Ambulance Tracking	50
10	Figure 10	Working with Android studio	70
11	Figure 11	Testing the app in virtual device	70

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	i
	ACKNOWLEDGMENT	ii
1.	INTRODUCTION	1
	1.1 Overview of the Smart Ambulance Dispatch system concept	12
	1.2 Related Works	12
	1.3 Problem Identification	13
	1.4 Problem Solution	13
	1.5 Scope of the project	13
	1.5.1 Streamlined Booking Platform	14
	1.5.2 Real-Time GPS Monitoring	14
	1.5.3 Driver Mobile Application	14
	1.5.4 Integrated Communication System	14
	1.5.5 Robust and Scalable Infrastructure	14
	1.6 Goals of the project	14
	1.6.1 Minimizing Response Times	15
	1.6.2 Increasing Transparency	15
	1.6.3 Enhancing Coordination	15
	1.6.4 Guaranteeing Accessibility	15
	1.6.5 Maximizing Resource Utilization:	15
	1.6.6 Data as Enablers of Informed Decisions	15
2.	LITERATURE SURVEY	16
	2.1.Traffic Control System for Smart Ambulance	16
	2.2 Intelligent Ambulance Management System in Smart Cities	17

	2.3 RFID and GPS Based Automatic Lane Clearance System for Ambulance.	17
	2.4 Intelligent Traffic Control System for Smart	18
	2.5 Ambulance Hub	19
	2.6 Accident Detection and Smart Rescue System	19
	2.7 Smart Band Ambulance System	20
3.	REASEARCH GAPS OF EXISITING METHODS	21
	3.1 General Limitations in existing methods	21
	3.1.1 Integration of Software in Healthcare	21
	3.1.2 Dependence on Network Connectivity	21
	3.1.3 Substantial Implementation Costs	21
	3.1.4 Absence of Standardization	21
	3.1.5 Limited Scalability	22
	3.1.6 Concerns Regarding Privacy and Data Security	22
	3.1.7. GPS and Location Service Inaccuracies	22
	3.1.8 Insufficient Integration with Traffic Management	22
	3.1.9 Technology Overload for Drivers	22
	3.1.10 Ineffective Resource Allocation	22
	3.2 Notable Challenges and deficiencies in existing systems	23
	3.2.1 Inadequate Real-Time Optimization	23
	3.2.2 Absence of Predictive Analytics	23
	3.2.3 Insufficient Integration with Smart City Frameworks	23
	3.2.4 Inadequate Monitoring of Drivers and Ambulances	23
	3.2.5 Fragmented Communication Systems	23
	3.2.6 Accessibility and Inclusion Issues	24
4.	PROPOSED MOTHODOLOGY	25
	4.1 Hardwares and Softwares used	25
	4.1.1 Frontend (Client-Side)	25
	4.1.2 Backend (Server-Side)	25
	4.1.3 Database	25
	4.1.4 GPS and Mapping Services	25

	4.2 The proposed methodology	26
	4.2.1 Requirements Gathering	26
	4.2.2 System Design	26
	4.2.3. Architecture Design	27
	4.2.4. Database Design	27
	4.2.5. UI/UX Design	28
	4.2.6. Development Process	28
	4.2.7. Mobile Application Development	29
	4.2.8. Backend Development	29
	4.2.9. Deployment and Monitoring	29
5.	OBJECTIVES	31
	5.1 Primary Objectives:	31
	5.1.1 Emergency Response Time	31
	5.1.2 Booking Ambulances	31
	5.1.3 Real-Time Tracking Enabled	31
	5.1.4 Improve Resource Allocation	31
	5.1.5 Enhance Communication	31
	5.2 Secondary Objectives	32
	5.2.1 Deploy Cloud Infrastructure	32
	5.2.2 Improve Driver Interface	32
	5.2.3 Automate Dispatching	32
	5.2.4 Contribute to Decongestion of Traffic	32
	5.2.5 Emergency Decision-Making Improvement	32
	5.3 Long-Term Objectives	32
	5.3.1 Improve Accessibility	32
	5.3.2 Reduce Operational Costs	33
	5.3.3 Public Awareness	33
6.	SYSTEM DESIGN & IMPLEMENTATION	34
	6.1 System Design	34
	6.1.1 System Overview	34
	6.1.2. Functional Requirements	35
	6.1.3. Non-Functional Requirements	36
	6.1.4. Architectural Components	35
	6.1.5. System Components	37
	6.1.6 Workflow Design	40

	6.2 System Implementation	42
	6.2.1 Frontend Development	42
	6.2.2 Backend Development	43
	6.2.3 Database Implementation	43
	6.2.4 GPS and Real-Time Tracking	43
	6.2.5 Deployment	44
	6.2.6 Monitoring and Maintenance	43
7.	TIMELINE FOR EXECUTION OF PROJECT	45
	7.1 Title Selection & Objectives	45
	7.2 Literature Review	45
	7.3 Proposed Methodology Time	46
	7.4 Data Gathering and Training	46
	7.5 Testing and Debugging	46
	7.6 Final Output and Documentation	47
8.	OUTCOMES	48
	8.1 Improved Emergency Response Time	48
	8.2 Seamless User Experience	49
	8.3 Reliable Real -Time Data Synchronization	49
	8.4 Enhanced Transparency and Trust	50
	8.5 Scalable and Flexible System Architecture	50
	8.6 Operational Efficiency for Ambulance Services	51
	8.7 Secure and Verified Access	51
	8.8 Real-World Feasibility Demonstrated	51
	8.9 Foundation for Future Enhancements	52
	8.10 Societal Impact	52
9	RESULTS AND DISCUSSIONS	53
	9.1.1 Real-Time GPS Tracking Performance	53
	9.1.2 System Usability	53
	9.1.3 Turn Around Time	54
	9.1.4 Backend Performance and Scalability	54
	9.1.5 Route Optimization	54

	9.1.6 Secure Data Handling	55
	9.2 Discussions	55
	9.2.1 Key Strengths	55
	9.2.2 Limitations	55
	9.2.3 Challenges Encountered	56
	9.2.4 Comparative Advanatges	56
	9.2.5 Insights for Future Enhancements	57
10	CONCLUSION	58
	10.1 Summary of the Proposed System	58
	10.2 Key Achievements	59
	10.3 Effects and Advantages	60
	10.4 Challenge Overcame	61
	10.5 Future Work Scope	61
11	REFERENCES	62

CHAPTER-1

INTRODUCTION

1.1 OVERVIEW OF THE SMART AMBULANCE DISPATCH SYSTEM

In today's modern technological era where most services can be acquired with just a tap away on smartphones and applications, speedy and efficient solutions are necessary in healthcare. Patients typically face problems with finding an ambulance and knowing the availability thereof during emergencies primarily because options are limited. It raises the question of how users can quickly confirm the availability of ambulances and even determine their exact location. Because of this, the ambulances must be accurate in the information and coordinates for both the user and driver to connect seamlessly. Thus, the main aim of this is to reduce false calls and help the ambulance drivers more easily locate victims with GPS technology. The SMART Ambulance Dispatch System is an innovative, technology-based approach to enhance the responsiveness, reliability, and efficiency of emergency medical services. Traditional methods of ambulance dispatch have been beset with problems of delay, inefficient resource allocation, and no real-time communication. The Smart ambulance dispatch system uses advanced technologies such as GPS tracking, storage, and real-time data synchronizing to give way to a new framework in more effective emergencies.

1.2 RELATED WORKS

An automated ambulance rescue system using a shortest path finding algorithm. Volume: 07 Issue:04 |Oct.-Dec.| 2018. A very challenging traffic congestion management problem in the urban environment, which delays the passage of ambulances at times seriously, and even more frequent accidents in this city are stopping the possibility of preventing any loss of life. This is called an AARS, or Automated Ambulance Rescue System. It is basically an effort to ensure the ambulance reaches the hospital very quickly, thereby minimizing its implementation challenges. The overall project focuses on creating a type of Intelligent Transportation System (ITS) that auto-controls traffic signals along its route. The ambulance is therefore managed by a microcontroller unit (MCU), and it determines the fastest way to the hospital and adjusts traffic lights based on the location of the ambulance to ensure proper arrival. Besides this, the

system identifies the accident location through sensors in the involved vehicle, which guides the ambulance to the exact site. This automated method pinpoints the accident location, manages traffic signals, and helps in reaching the hospital efficiently.

1.3 PROBLEM IDENTIFICATION

Presently, the booking of the ambulance is not done properly in the current system. Drivers are unable to reach accident spots on time because of the congestion due to traffic, which results in delays in reaching the hospital. Due to this, a number of people may die or encounter problems. This system cannot help ambulances in reaching the hospital in time.

1.4 PROBLEM SOLUTION

The proposed scheme to counter wasteful parts of current emergency vehicle alacrity systems is a Keen Rescue vehicle Celerity Framework that looks forward to facilitate coordination, shorten reaction times, and enhance transparency. This framework provides an easy-to-use platform where users can quickly reserve a rescue vehicle using a dedicated site. Once a booking is confirmed, clients will monitor the actual GPS area of the relegated rescue vehicle to ensure constant awareness of its actual location and estimated entry time. Another feature is the provision of a secured communication channel to enable smooth interaction among clients and emergency vehicle drivers towards better coordination. This arrangement leverages today's innovations and joins highpoints like computerized dispatching and real-time following to make sure that crisis administrations are more dependable, adaptable, and effective and will, in the end, spare lives and enhance client fulfillment.

1.5 SCOPE OF THE PROJECT

This Smart Ambulance dispatch is meant to revolutionize how emergency health care operates to include booking and ambulances management through advancing the means of technology. For more information, the primary objectives of the project as derived are:

1.5.1 Streamlined Booking Platform:

An end-user-based website that provides clients the ability to rapidly book an ambulance in a time of emergency without undergoing much procedure will be developed for both city and rural inhabitants.

1.5.2 Real-Time GPS Monitoring:

The implementation of GPS technology allows the client to track the ambulance exactly where it is being assigned, which provides the client with information about its movement and arrival time. This encourages transparency and reduces anxiety in emergencies.

1.5.3 Driver Mobile Application:

A specific mobile application for registered and licensed drivers of ambulances so that they may receive ride requests, efficient navigation to clients, and consistent communication using GPS.

1.5.4 Integrated Communication System:

The platform has tools for communication that ensure effective communication between the clients and the ambulance drivers, so that they get accurate directions, timely status updates, and effective coordination.

1.5.5 Robust and Scalable Infrastructure:

A robust backend system for handling multiple concurrent requests so that the platform remains responsive and reliable during peak demand.

1.6 GOALS OF THE PROJECT

The overall goal is for an ambulance dispatch system that must be reliable, scalable and user-friendly and should reduce the delay in emergency services. Therefore, this makes the quality of services rendered in health care.

The specified objectives are:

1.6.1 Minimize Response Times:

The system will help in reducing drastically the time it takes for an ambulance to reach a client by automating the dispatching process and offering live tracking updates.

1.6.2 Increased Transparency:

It enables clients to clearly see where the ambulance is and to estimate when it would arrive in order to address their fear during the moment of panic.

1.6.3 Improved Coordination:

Improved Communication with Patients, Ambulance Operators and Dispatchers: Reduced possibility of miscommunication and delayed emergency services.

1.6.4 Access Guaranteeing:

Designing to use by the general masses despite their technical knowledge level without any kind of inhibition against all the clients coming from any part of the globe.

1.6.5 Maximizing Resource Utilization:

The fleet management tools are offered that can make the better use of the ambulance resources by tracking usage patterns and identifying areas of demand.

1.6.6 Data as Enablers of Informed Decisions

The system attempts to improve insights into usage patterns and response durations by gathering and analyzing data associated with trends in the utilization of the ambulances and the demand for the services, to thereby optimize the better resource allocation and improve on strategies related to emergency responses.

CHAPTER-2

LITERATURE SURVEY

2.1 Title : "Traffic Control System for Smart Ambulance"

Authors: Bhakti Prabhu, Ruta Deshpande, Shraddha Bhavsar, Shailja Jha

This paper reports an integrated approach that merges two systems: Traffic Control and Health Monitoring. Both run parallel to each other, so health metrics of a patient could be continuously monitored while permitting the ambulance driver to request signal modifications from the control room. It starts with an ambulance sending a request to traffic control, which has information regarding its current GPS location and the address of the destination hospital as provided by the driver. This request is forwarded to the AWS server, which gathers all requests for traffic control sent from various ambulances. The server then forwards this information to the control room, where all requests are shown according to proximity to the central point. The control room operator can choose an ambulance to prioritize. A map is shown, showing the current position of the ambulance and the location of the hospital. This map shows the route between the two points and includes real-time traffic information, which is green for light traffic, orange for moderate traffic, and red for heavy traffic.

Moreover, Google Maps navigation is available to navigate towards the hospital. The shortest route to the hospital along with information regarding traffic conditions at various intersections is shown. This information will help the control center manage the traffic signals appropriately at various junctions.

2.2 Title: "Intelligent Ambulance Management System in Smart Cities"

Authors : T. Akca, O. K. Sahingoz, E. Kocyigit, and M. Tozal

Developed an "Intelligent Ambulance Management System in Smart Cities." In this system, whenever a patient requests an ambulance, the operator identifies and dispatches the nearest available unit.

The system continuously monitors the location of the ambulance and uses Google Maps as a third-party service to determine the most efficient route to the patient. When the medical practitioner contacts the patient, the medical practitioner, who may be a doctor or a nurse, determines the situation and, using the system established, determines the best hospital to meet the needs of the patient. The system has three different interfaces. The first interface is administrative in nature. It allows the administrator to view the location of the patients who have called in addition to any other information input into the system. The second interface is for smart cities ambulances, which are provided with an access map to the hospitals around them and can manage resource allocation to different hospitals. The third interface is for the user, by which he provides necessary information to the system through check boxes and text fields in the patient interface.

In order to improve the smoothness of procedures once an ambulance has reached the patient's location, the system also contains a database of hospitals and what type of intervention can be carried out by these hospitals. This information is categorized to rank hospitals on how close they are to the ambulance and how fast they could reach in order to ensure a speedy response.

2.3 Title: "RFID and GPS Based Automatic Lane Clearance System for Ambulance." Authors: Hegde, Rashmi & Sali, Rohith & M S, Indira

The paper contains two main modules: the Ambulance Unit and the Junction Unit. In the Ambulance Unit that is to be installed within the ambulance, an RFID reader, a GPS receiver, and a transceiver are connected to a microcontroller. The ambulance's location is continuously determined through processing of timing signals by the GPS receiver from the GPS satellites. When an emergency call triggers the departure of the ambulance from the hospital, the driver

swipes their RFID card on the RFID reader to facilitate the transference of GPS coordinates after verification by the transceiver.

The Junction Unit is a transceiver attached to a microcontroller and mounted on the traffic signal post. It receives the GPS coordinates sent by the Ambulance Unit. The software in the Junction Unit's microcontroller is programmed to recognize specific coordinates at a predetermined distance. Upon crossing that designated point, the traffic light is switched to green.

Besides, an LED sign displays a message that tells the other road users that there is an approaching ambulance and advises them to give way. The distance between the point and the traffic signal can be adjusted according to each intersection's traffic conditions. The traffic light stays long enough to allow the ambulance to cross the intersection. This system presumes a four-lane intersection and, in case several ambulances are present within different lanes, gives first priority to the first arriving ambulance.

2.4 Title:"Intelligent Traffic Control System for Smart Ambulance".

Authors: Prof. Deepali Ahir, Saurabh Bharade, Pradnya Botre, Sayali Nagane, Mihir Shah

This study explores a way to clear up traffic congestion by having all the traffic lights along the path of the ambulance turned green to allow for the free and quick passage of the ambulance to its destination.

Registration of the ambulance within the network is done using an Android application. If the ambulance stops on its route due to an emergency, then the application sends an emergency signal to the traffic signal server along with the direction of movement and the location, obtained from the Global Positioning System. During emergency conditions, the direction of the ambulance's movement is identified through a compass, where the angle of the ambulance is used for this purpose.

The server receives this address and direction through the Retrofit API, which sends a POST request. The necessary information about the patient is also gathered, such as whether the

patient is critical or non-critical. This is then sent to the hospital. The driver then informs the direction in which the vehicle should travel based on the type of emergency. Then, based on the location of the ambulance, the nearest traffic light is detected. This particular signal, there after is switched into a green one until when it has passed the ambulance that has gone by to an original state. This way there can be an assured route for the ambulance to enable quick arrival at the destination.

2.5 Research by Pratik Mohapatra and Anjan Koundinya

The focus of the research is on Ambulance Hub, a cloud-based solution for the improvement of ambulance services. Ambulance Hub addresses many challenges in a very simple manner: through a cloud-connected application. This application has a dedicated SOS button, with which the user can request an ambulance in one click.

The request is forwarded through Microsoft Azure cloud services to the server-side application of Ambulance Hub. After the request is received, the nearest ambulance is informed and is offered the best route to the location. In addition to this, the Ambulance Hub has an intelligent bot which can detect keywords. Therefore, users can ask about general first aid.

This bot quickly identifies the important keywords and provides the appropriate first aid without any delay. Besides, the application is synchronized with users' medical records, including emergency contact numbers for cases involving injury. It also provides exercises and health measures depending on the user's BMI and heart rate.

2.6 Title : Accident Detection and Smart Rescue System

Authors : Arsalan Khan and his team

Focuses on the development of an Accident Detection and Smart Rescue System using Android smartphones with real-time location tracking capabilities. The study emphasizes the need for advanced traffic technologies to reduce response times, which may lead to a reduction in fatalities due to vehicular accidents.

The main aim of this research is to design and deploy an automated system that uses smartphones to detect vehicle accidents and alert the nearest available emergency responders immediately. This project aims to solve the increasingly complex challenges of accident response and significantly reduce casualty rates. The detection system aims to improve the effectiveness of emergency services by reducing the time taken to respond to vehicle accidents.

Additionally, the system will enable easy access to other emergency services such as Fire Brigade, Police Department, and Medical Emergency Services. The application makes use of Android smart phones that identify accidents and report the information to the nearest emergency responders including location in life-threatening cases. The system will alert the emergency responder with information on incidents occurring close to them and even real-time tracking of location from victims using Google Maps for the emergency responders. This functionality will allow responders to track the whereabouts of the victims and conduct timely rescue operations.

2.7 Title:” Smart Band Ambulance System”

Authors: Shubhanshu singh patwal, Rohit kumar, Rishabh Mishra

The paper presented by Shubhanshu singh patwal, Rohit kumar, Rishabh Mishra is all about the Smart Band Ambulance System. It can be used seamlessly to strengthen the emergency medical response via smart band ambulance system, as IoT can also be used widely in large number of end system where large amounts of data can be accessed and processed easily and powerfully.

IoT and smart devices helps in building a platform that will serve all smart devices' users. In it, a smart band will consistently focus on monitoring heartbeats of a person wearing this band. This information will be gathered through an application and will be forwarded to the central database where it will be filtered for any anomalies and if found then that user will be notified and if there is a requirement then the ambulance will be sent over to their location. User is able to track the sent ambulance location with the help of GPS and Google maps API on their mobiles.

CHAPTER-3

RESEARCH GAPS OF EXISTING METHODS

By analyzing gaps in the current methods of ambulance dispatch systems, one can highlight the areas of improvement and innovation.

3.1 General Limitations in existing methods

3.1.1 Integration of software into healthcare

Even though it focuses on the highway accidents, there still exists an area of exploration toward IoT technology integration into

Healthcare for the improvement of emergency response and medical care after accidents.

3.1.2 Dependence on Network Connectivity

Current systems are heavily dependent on constant internet and GPS connectivity. In rural or distant locations, where network coverage is weak, the ability to track in real-time and communicate may be impeded.

3.1.3. High Implementation Costs

The implementation of smart ambulance systems, which includes IoT appliances, GPS, and cloud-based frameworks, involves significant installation and running costs. That is a cost barrier, especially for poor countries.

3.1.4. Lack of Standardization

There is no standard design for the integration of a smart ambulance system with any HIS, traffic management system, or telemedicine platform in the market, and that leads to difficulties with interoperability.

3.1.5. Scalability

Some of the systems are specifically designed for small-scale capabilities and are not able to maintain large deployments in dense areas or in cases of massive emergency calls.

3.1.6. Privacy and Data Security

Infrastructurally the system remains actively compromised and insecure as no proper encryption and security measures have been put in place to shield real-time databases between ambulances, users, and hospitals from drafts by active infiltration.

3.1.7. Inaccuracies of GPS and Location Service

The disruptions in the GPS signal by tall buildings in urban settings or even by dense forests can lead to a delay in the routing and tracking of ambulances.

3.1.8 Lack of Integration with Traffic Management

Many systems have omitted real-time traffic situations like congestion or roadblock closures, which may negatively impact response times for ambulances despite optimized routes.

3.1.9 Technology Overload in the Driver's Cockpit

Complex interfaces with the driver's cockpit may provide several technologies that have been known to distract drivers more readily to commit errors mainly under pressure in emergency response operations.

3.1.10 Inefficient Use of Resources

Current systems do not use predictive analytics in predicting demand and optimizing ambulance distribution, and this results in uneven resource utilization during peak periods.

3.2 Notable Challenges and deficiencies in existing systems

3.2.1 Inadequate Real-time Optimization

Problem Statement: Several systems use algorithms that don't change at runtime, or routes, which fail to adapt quickly to dynamic factors like congestion or even road blockage.

Weakness: A strong, urgent need for dynamic, real-time, AI-based optimizations with the ability for real-time rerouting against prevailing congestion.

3.2.2 Predictive Analytics:

Challenge: The vast majority of the systems are reacting to emergencies and not anticipating demand.

Weakness: Predictive analytics using history and AI in integrated settings would assist in identifying which areas will be most in need and hence strategically position ambulances.

3.2.3 Not Too Inclusive of Smart City Systems

Challenge: Mostly not engaged with smart traffic lights, IoT sensors, and smart urban planning initiatives.

Integration: Better integration is needed to make the dispatch system seamlessly connected with the urban infrastructure, thereby increasing the overall efficiency.

3.2.4 Lack of Driver and Ambulance Monitoring

Problem: There are no adequate tools to monitor the driver's behavior, the condition of the vehicle, or adherence to the protocols established

Lack of Integration: Advanced IoT solutions for real-time monitoring must be adopted to ensure compliance with safety and performance standards.

3.2.5 Fragmented Communication Systems

Challenge: Coordination between hospitals, dispatch centers, and ambulances is usually disjointed.

Deficiency: A common communication platform must be developed to coordinate all these different stakeholders effectively.

3.2.6 Accessibility and Inclusion Issues

Challenge: The systems fail to address the needs of the disabled people or those in remote areas.

Deficiency: concentrate the undeserved areas on raising the interface of the users to increase inclusion.

CHAPTER-4

PROPOSED METHODOLOGY

4.1 Hardwares and Softwares used:

4.1.1 FRONTEND (Client-Side):

Website for clients:

- HTML,
- CSS
- JavaScript

Mobile app for drivers:

- Android Studio v 2024.2.1
- Map Integration

4.1.2 BACKEND (Server-Side):

- FastAPI-based backend

4.1.3 DATABASE:

- Firebase

4.1.4 GPS and MAPPING SERVICES:

- Google maps API
- Geolocation API

4.2 The proposed methodology involves the following steps:

4.2.1. Requirements Gathering

- **Evaluation of Current Systems:**
Current existing ambulance dispatch systems were examined to find common features and strengths as well as the weaknesses.
Benchmarks for KPIs were established in response to this and show effectiveness as well as reliability.
- **User Feedback and Interviews:**
The input was derived from potential users, patients, hospital staff, and drivers. The most important aspects that were suggested were real-time tracking, an easy booking process, and accurate estimated time of arrival.
- **Any Regulatory and Compliance Issues that Need to be Examined:**
- **Ensured compliance with the regulations of healthcare, laws over data protection (GDPR and HIPAA), as well as the rules formulated by governments as connected with emergency response systems.**

4.2.2 System Design

- **Design the system workflow to formulate a utility right from the beginning to end.**
- **Workflow design included the most comprehensive workflows from beginning to end:**
- **User does a booking request → Back end processes the request → An acceptor is dispatched → User follows the location of the acceptor in real time.**
- **Implement fear of errors and alternatives if there are no available ambulances.**
- **Failover and Redundancy Planning: Built the system resilient to personal computer breakdown, ensuring minimal interruptions during timely emergency**

4.2.3. Architecture Design

Designed a client-server architecture with four independent components:

- A mobile application for users.
- A mobile application for drivers.
- A back-end server, which handles data processing and storage.
- An administrative dashboard for system management.

4.2.4. Database Design

Database to keep the necessary data including ambulance details, driver information, bookings, GP coordinates, and user data.

The purpose is to create normalized tables for maximizing efficiency in data storage:

- User Table: A table that will hold transient data regarding the client while he is making a booking.
- Ambulance Table: Contains vehicle ID, availability status, and driver information.
- Location Table: Monitors GPS coordinates and timestamps with the intention of real-time tracking.
- Booking History Table: Records booking history for analytical purposes and shows reporting results.

4.2.5. UI/UX Design

An interactive interface design that helps clients, dispatchers, and drivers easily navigate the mobile and web application.

- **Emergency-Focused Design:**

A fast, very uncluttered design with minimized input fields and speedy-response buttons to enable quick booking.

Contrasting colors and larger font sizes are used for visibility under duress.

- **Interface with Map:**

Makes a map-enabled interface that allows the user to get firsthand information such as the ambulance's current location as well as the amount of time it takes for the ambulance to arrive and the path it intends to use.

- **Driver Interface:**

Develops a very simplified interface for the drivers-anybody can go online/offline, update their statuses, and accept or decline requests without much difficulty.

4.2.6. Development Process

- User needs vs. technical feasibility functional priority.
- Core operations: real-time GPS tracking, ambulance booking, etc., within SMART Ambulance System.
- The agile methodology of development enables the development of user feed-to-be-able to iteratively provide feedback; hence it has been divided into sprints, where in-sprints are used to develop bookings and tracking.
- Testing in Development Phase: unit testing, integration tests, and system test, all during the three iterations, which ensures an effective product.

4.2.7. Mobile Application Development

- Wrote Android applications using Java, Android SDK.
- Application with Google Maps API for use location services and view paths
- Real-time location following capabilities through LocationManager under the Android.

4.2.8. Backend Development

- Set up skeleton to manage backend dispatches ambulances, read GPS data, and any incoming requests from users.
- Implement a RESTful API that enables seamless front-end and back-end communication such that the needs of the clipboard for service of mobile ambulances are submitted together with status update and tracking.
- GPS should be integrated in such a way that the real-time location is processed and stored without any hassle.

4.2.9. Deployment and Monitoring

- Perform GPS tracking and optimize accordingly as per actual feedback.
- This methodology provided a systematic approach to developing our ambulance booking and tracking system on the final product meeting both user demand and technical requirements.
- Feed-back Mechanism: Getting the feedback from users post their booking will help us to identify and fix issues.




Figure 1. System Architecture

CHAPTER-5

OBJECTIVES

5.1 Primary Objectives:

5.1.1 Emergency Response Time

Reducible Emergency response time must be decreased by incorporating the utilization of real-time GPS tracking with optimal routing strategy.

5.1.2 Book Ambulances:

Ease of making book-requests for emergency so that people can acquire its service very quickly An easily accessible and no login requirement-based application to request the ambulance.

5.1.3 Real-Time Tracking Enabled

To allow users and emergency centres to track ambulances in real-time using integrated GPS technology.

5.1.4 Improve Resource Distribution

In order to properly allocate ambulances based on their availability, location, and traffic conditions, in order to ensure the efficient use of resources.

5.1.5 Enhance Communication

In order to create a seamless channel of communication between users, ambulance drivers, and healthcare facilities using integrated messaging and alert systems.

5.2 Secondary Objectives:

5.2.1 Deploy cloud infrastructure

Use Firebase for storing, synchronizing, and real-time updating of data in order to ensure the smooth functioning and reliability of the system.

5.2.2 Improve Driver Interface

Design an ambulance driver-specific application that will enable him to book the ambulance real-time, allow him for navigation support, and see patient details.

5.2.3 Automate Dispatching

Minimize human intervention to automate the dispatching of the ambulance services based on algorithms of geographic location and priority.

5.2.4 Contribute to Decongestion of Traffic

Utilize optimized routing to reduce traffic disturbances from emergency vehicles, thus maintaining smoother traffic flow.

5.2.5 Emergency Decision-Making Improvement

Empower emergency centers with the tools that will make decisions more effective by providing them with real-time data on availability and location of ambulances.

5.3 Long-term Objectives:

5.3.1 Improve Accessibility

Ensure the system is accessible to users in all areas, rural and urban, through provision of multilingual interfaces as well as booking capabilities for users even when the network is down.

5.3.2 Reduce Operational Costs

Improve ambulance use, eliminating the wastage of too much fuel and idling periods, thus reducing total cost.

5.3.3 Public Awareness

For increasing public awareness about the system to support broad adoption and utilization during emergencies.

CHAPTER-6

SYSTEM DESIGN & IMPLEMENTATION

The modern technologies utilize the smart Ambulance Dispatch System with real-time GPS integration in order to overcome traditional inefficiencies from ambulance services. With a strong integration of real-time GPS tracking and cloud-based data storage, besides an effective communication system, the proposed methodology assures efficiency and seamlessness in the coordination process between the users and drivers of ambulances. The database uses Firebase Real-time Database and the FastAPI-based backend and Google Maps API to do the route optimizations and tracking. Given below are the components and phases that are required to do the system.

6.1 System Design

6.1.1. System Overview

The SMART Ambulance System is a client-server architecture-based system, in two folds:

- **User Interface or UI:** it can be viewed over a web and mobile application for raising services requests in an emergency situation and real-time tracking.
- **Driver Interface:** mobile app helping the ambulance drivers with service requests on where they want to have an update request of their present location.
- **Backend System:** Centralized server takes requests, provides ambulances, and keeps a storage system.
- **Command Centre Dashboard:** An admin dashboard used to keep track of the ambulances, resources, and control of the system.

- **Third-party Integrations:** APIs with Google Maps for GPS and routing, and telemedicine apps

6.1.2. Functional Requirements

- **User Module:**

- Contact ambulance service via easy GUI.
- Real-time track of ambulance

- **Driver Module:**

- Assert and confirm service calls.
- Send the back end location updates in real time.
- Route optimization considering incidents and traffic situation.

- **Admin Module:**

Manage ambulances by availability and assignment, manage the system performance that involves any issues, generation of reports on response time and usage statistics, also it keeps operational efficiency.

- **Real-Time Communication:**

End-to-end support for continuous location updates with ambulances, also providing communication among ambulances, with other ambulances as well as with healthcare facility stations for telemedicine services.

- **Database Management:**

Maintain a safe database containing user information, drivers' details, the number of bookings, and the GPS coordinates.

6.1.3. Non-Functional Requirements

- Scalability: The system shall accommodate an increasing number of users and service requests.

Availability: The system will provide more than an uptime of 99.9% and emergency preparedness will be present.

- Security: Use encryption for sensitive data, yet meet compliance for data protection and privacy laws.

6.1.4. Architectural Components

Frontend (Client-Side):

It is developed by using HTML, CSS, and Javascript for web applications, and Android Studio for mobile applications by developing appropriate user interface for user and driver.

Backend (Server-Side):

The backend functionalities have been developed using Firebase. With Firebase Cloud Functions, there is no need to manage servers, the business logic is executed, API calls are made, and event-driven architecture is managed. Reduced project complexities and therefore time to develop has been one of the benefits of Firebase due to its close linkage with databases and other Firebase services.

Database:

For management of user, booking, and ambulance data, Firestore has been adopted to manage resources that are cloud-based NoSQL database which supports real-time sharding and data synchronization. When it comes to the geospatial information this application requires that is also the present ambulance fleet, route tracking information, etc., having spatial features in real-time enhances the capabilities of the services that Maps and GPS provides through interactivity, speed, and accuracy.

By using maps application that is developed by google, it becomes easy to locate ambulance and determine the location as well as through the use of Firebase SDKs and APIs based maps.

This can be made possible by geolocation features provided by these databases, such as Firebase Realtime Database and Firestore, which allow location gradient updates from the clients and the drivers to be sent hence ambulances will be able to be called quickly.

6.1.5 System Components

Website user interface (client): It is fast and seamless in the design of a website user-interface requesting an ambulance during emergencies. The website made simple with ease of use; it is built with HTML, CSS, and JavaScript. To save time during the emergency situation, the website avoids login or registration procedures thus users can request an ambulance directly by entering some basic details like the name of the location and the phone number. The interface will be using Google Maps API for real-time tracking. The users will be able to track the live location and route of the ambulance. Once confirmed, all the important details like driver information and optimized routes are displayed to ensure a fast and reliable user experience in case of emergencies.

FastAPI Backend API: The backend of smart Ambulance Dispatcher System has been designed with FastAPI-a modern web framework, primarily designed to build web APIs using Python. Speedy and efficient, the use of FastAPI allows the system to easily and efficiently perform data processing in real-time between the website and database by securing the exchange of information with endpoint provisions for managing request functionalities, including booking ambulance, getting location data, and updating the statuses of drivers. Its asynchronous programming support ensures the minimal latency required in an emergency response system. The API, through the Firebase Real time Database, supports dynamic synchronization of data and integrates the Google Maps API for retrieving optimized routes and real-time tracking. FastAPI becomes the backbone of the system to connect all the parts that serve with high speed, reliability, and efficiency in an emergency response system.

The Firebase Real-time Database: The main data storage and management application of the Smart Ambulance Dispatcher System is the Firebase Real-time Database. It is a NoSQL database, hosted on the cloud, which allows real-time smooth data synchronization between the back-end and connected clients. It saves the critical information of user requests, location

of the ambulances, driver's details, and route information. Firebase's real-time capability means that such updates as ambulance status or live location are immediately reflected across all components of the system. . It supports the dynamic demands of an emergency response application; there are built-in security features, such as Firebase Authentication and database rules, to protect the sensitive information. The real-time database is responsible for the response time and reliability, keeping the system operational in urgent time-critical scenarios.




Figure 2. Ambulances Record




Figure 3. Users record

The Google Maps API: The Google Maps API: this is one essential component of the Smart Ambulance Dispatch System that provides accurate geolocation and route optimisation services, enabling the real-time identification of user and ambulance locations, automatic calculation of shortest and fastest routes, and negation of all delays caused by traffic or obstacles. The API allows the users to track an ambulance live, which gives them a view of the journey of the vehicle and the estimated time of arrival. It makes drivers travel through routes in an optimal way to reach a destination. The Google Maps API integrated within the system improves its overall reliability and effectiveness and is an essential tool to better the response time during emergencies.

The Ambulance Driver Mobile Application: It is specifically intended as a dedicated communication platform for coordinating with the system. Built with user interface simplicity, the application permits drivers to receive information real-time on emergency bookings pertaining to the user's location of the emergency and phone number together with the optimized route it is expected to follow along with Google Maps API. It will integrate perfectly with the backend for continuous data synchronization via Firebase Real-time Database. It will enable the drivers to update their status directly from the application, thus providing accurate records of the system. Real-time navigation and route guidance minimize response time and avoid traffic delays to ensure prompt medical assistance during emergencies. This application is an integral part of the system to ensure efficiency and reliability in ambulance dispatch operations.

Real-Time GPS Integration: The heart of the smart Ambulance Dispatch System is Real-time GPS Integration, which tracks and navigates both the users and the drivers to the ambulance with accuracy. Using GPS technology, it is possible to determine precise locations. Communication and coordination between the two parties are therefore seamless. For the users, live tracking of the location of the ambulance and estimated arrival time is provided, reassuring them during critical situations. It helps drivers navigate accurately, using optimized routes that the Google Maps API would provide them, thus avoiding congested roads or traffic that might cause delays. The integration of real-time GPS is vital for reducing response times and maximizing the effectiveness of emergency medical services. Therefore, it forms a vital

part of the system.

6.1.5. Workflow Design

User Input (Website)

Emergency user visits the website of the system. The user requests for an ambulance, providing his location, and any extra information required by filling up forms. The Webpage interface has been designed for ease of operation so that people can access it without having any login credentials, and so the process does not take more time and keeps the focus towards emergency needs only.

FastAPI API (Backend Logic)

The user's request is sent to the backend, which is powered by FastAPI, a contemporary web framework for Python. It processes the user's input, executes logical operations with data pulled from the database, finds the closest available ambulances for users, and maintains secure communication between the website, database, and other system components.




Figure 4. FastAPI-Based backend

Firestore Realtime Database

The Firestore Real-time Database serves as the central hub for all system data, organizing it into two main collections:

Ambulances: This includes details like ID, coordinates, and contact information.

Users: Records the booking information, which includes user location and contact details.

It provides real-time synchronisation of data such that the latest information regarding available ambulances, current location, and other vital data will reach both the back-end and the front-end modules.

Google Maps API (Route Optimization)

Once the nearest ambulances are located, the back-end makes use of the Google Maps API to determine the best route between the current location of the user and the current location of the ambulance. The API is an important part in navigation, which also provides accurate routes and estimated time of arrival. Such information is shared with the user and the driver of the ambulance.




Figure 5. Workflow diagram

6.2 System Implementation

6.2.1. Frontend Development

- Tools and Technologies:
The web interface is made using HTML, CSS, JAVASCRIPT
Mobile applications are developed using Android Studio.




Figure 6. Driver Status

- Features:
Integrate a user form for the ambulance booking. Develop the map with visualization of ambulances and routes. Develop the interface that will allow the driver to book services and to move.

6.2.2 Backend Development

- Tools and Technologies:

FastAPI-based back-end application dealing with the user input process and logical operations performed to find out the nearest ambulances by fetching data from the database.

- Features:

Development of API endpoints for processing booking requests, ambulance assignments, and live tracking.

6.2.3 Database Implementation

Tools:

Firebase is employed for the effective managing of relational data bases such as user's account information and allocations of the ambulances.

Firebase is reported on as well utilized for capturing real time location information.

• Key Tables/Collections:

- **Users:** Consists information about the users and also contains some temporary information of bookings done by the users.
- **Ambulances:** Holds information about availability of ambulances including the drivers linked to the vehicles.
- **Bookings:** Maintains a record of booking including such as the time of booking the ambulance and other issues.

6.2.4 GPS and Real-Time Tracking

- Google Maps API Integration:

This allows for the gathering and display of a live moving ambulance on the map. Provides routes in line with the flow of traffic for the travel period.

- Real-Time Updates:

It uses WebSocket connections to let the driver as well as user interact without interruptions.

- Automatically refreshes the interface of the map on a specific set time for easier location tracking.

6.2.5. Deployment

- Automate the processes for testing, deployment and version control using Jenkins or GitHub Actions, among other tools.

6.2.6. Monitoring and Maintenance

- Performance Monitoring:

Use various tools to monitor how the system performs.

Set up monitoring alerts for the response times of APIs and server loads.

- Bug Fixes and Updates:

Regularly update systems in the program so that they meet the users' suggestions and expectations and the changes in standards.

.

CHAPTER-7

TIMELINE FOR EXECUTION OF PROJECT (GANTT CHART)




Figure 7. Gantt Chart

7.1. Title Selection & Objectives

•Timeline: Week 1

Description:

Finalize the choice of the project title: "SMART Ambulance Dispatch System with Real-Time GPS Integration."

Formulate objectives that reduce ambulance response time, enable real-time tracking, and make emergency booking an easy process.

Identify the scope of the project and its possible practicality.

7.2. Literature Review

•Timeline: Week 1–Week 3

Description:

Conduct an in-depth examination of existing ambulance dispatch systems. Analyze research journals and case studies to determine gaps in research. Document findings and insights from this review to identify user requirements and system limitations.

7.3. Proposed Methodology Time: Week 2-Week 4

Description: Provide a valid methodology for the project.

Identify the system architecture including the Firebase backend, mobile/web interfaces, and integration with Google Maps. Both functional and non-functional requirements are listed. Then expand on the workflow of modules such as user, driver, and administrator.

7.4. Data Gathering and Training

Timeline: Week 4–Week 8

Description:

Collect and categorize the information that the system would need-ambulance information, driver's information, and geospatial information. Train the system with either simulated or real GPS data so that it could track correctly and dispense the right ambulances to the locations. Use Firebase Real-time Database for real-time updates.

Test out APIs such as Google Maps to make sure they are useful in tracing locations and routing the ambulances properly.

7.5. Testing and Debugging

Week 8–Week 11

Description:

Conduct intensive testing of the different aspects of the system:

Frontend: Test both the user and driver interface for functionality and responsiveness.

Backend: Check if everything is working seamlessly with Firebase for real-time updates.

Map Services: Test real-time location tracking as well as routes computed.

Bug Fix: Identify and correct any bugs or inconsistencies in the system. Test for unit testing, integration testing, and system testing for overall reliability.

7.6. Final Output and Documentation

Timeline: Week 11–Week 12

Description:

- Deploy the web application using Firebase Hosting. Test its performance in real-world scenarios.
- Prepare the final documentation including technical architecture and user workflows.
- Challenges raised and solutions used. Prepare a presentation that sums up the project for assessment or to stakeholders. Prepare system user guides for both users and administrators.

CHAPTER-8

OUTCOMES

8.1. Improved Emergency Response Time

By reducing the time cycle for the process of booking and dispatching of ambulances, the system effectively reduced the ambulatory response times.

- Real-time GPS integration allowed the precise tracking of ambulances so that the nearest available vehicle can be quickly located.
- The Google Maps API gave optimized route guidance that helped drivers avoid traffic congestion and minimize delays.
- Automated booking notifications ensured that drivers responded promptly to the request, thereby minimizing much manual coordination.

Effect of the Test Results: Testing led to the development of results revealing that it offered a response 30% time faster compared to previous methods used with emergency medical services.




Figure 8. Website

8.2. Seamless User Experience

The system gave a smooth and user-friendly experience for both clients and drivers:

- For Clients:
 - A web-based platform that is user-friendly helped in quick ambulance booking with minimum steps.
 - The clients were able to track the ambulances in real time, giving transparency and thus less anxiety in emergencies.
 - For Drivers:
 - The mobile app provided user-friendly navigation options, trip status updates, and confirmed bookings to allow users to concentrate on driving.
- Feedback: Results from user tests showed the simplicity of use with more than 90% of the testers giving positive reviews regarding the usability and functionality of the system.

8.3. Reliable Real-Time Data Synchronization

With the Firebase Realtime Database integrated into the project, there was correct and consistent communication between the client, the driver, and the backend of:

- Details regarding booking: all the information for real-time syncing on any platforms with less than a 2-second delay
- Location update status of trip for real-time sync across the different platforms.
The system, through the test phase, has also proven its consistency and efficiency for up to 100 concurrent users.
- Impact: This ensured the absence of delay and mistake to ensure timely, accurate data across all stakeholders.




Figure 9. Ambulance Tracking

8.4. Enhanced Transparency and Trust

The system promoted trust and accountability among users through its real-time tracking and secure data handling:

- The clients could trace their assigned ambulances in real time to know where the driver was and how long he would take to arrive.
- Drivers had access to detailed trip information, enabling efficient communication and reducing miscommunication.
- Impact: The transparency would increase the people's faith in the service, making the system appealing for widespread adoption.

8.5. Scalable and Flexible System Architecture

The system was designed with scalability and flexibility in mind to allow future enhancements and adaptability:

- Firebase's cloud-based infrastructure ensured that the system could handle an increasing number of users without compromising performance.
- Modular architecture makes easy addition of new features like dispatch optimization using AI or adds more language support.
- Impact: The system is now prepared to extend to wider areas or more ambulance providers, thus increasing its utility.

8.6. Operational Efficiency for Ambulance Services

It enhanced the smooth operation of the ambulance by efficient usage of resources in the following ways:

- Optimized routing: this enables a decrease in fuel consumption and traveling time.
- Automated requests reduced the idle time of ambulances and ensured maximum operational efficiency.
- Impact: Such efficiencies ensured cost savings for the ambulance operators and better service availability for clients.

8.7. Secure and Verified Access

The strong security provisions ensured that the system was accessed only by the registered users;

- Firebase Authentication authenticated credentials from the users; that means it made both the client and drivers have a well secure environment.
- The system secured sensitive booking details and GPS data to ensure their safety.
- Impact: This affects users positively: These stringent security measures boost their trust and help prevent the leakage of private information.

8.8. Real-World Feasibility Demonstrated

The project showed that a new ambulance-dispatching system could be effectively implemented.

- The system performed satisfactorily in both urban and semi-urban test environments. It thus demonstrated the adaptability of the system.
- Testing revealed that the system could be scaled with minimal modifications to accommodate additional features or higher user demand.
- Impact: This showed that the system is a viable solution for real-world emergency medical services.

8.9. Foundation for Future Enhancements

The project has set a good foundation for future technological advancements:

- There is scope to include AI and machine learning algorithms to automatically optimize dispatch by considering traffic conditions, proximity, and patient needs.
- IOT devices installed in ambulances could provide hospitals with real-time health monitoring data, enhancing emergency response capabilities even more.
- Multi-language support and offline functionality can let the system stretch into the rural areas and diversely composed user base.
- Impact: The modular design of the system will enable an expansion into a much more complete emergency response system.

8.10. Societal Impact

The SMART Ambulance Dispatch System helps save lives by closing significant gaps within the traditional emergency services:

- The quality of care delivery is improved through the reduction of response times and augmentation of operational efficiency.
- Greater transparency and simplicity enhance its acceptance, hence it is also widely used for accessing such networks during emergencies.
- Impact: The project puts into focus how direct technology contribution to societal welfare would save lives, which can be a measureable quantity.

CHAPTER-9

RESULTS AND DISCUSSIONS

9.1.1. Real-Time GPS Tracking Performance

- Accuracy and Latency:
 - Real-time GPS tracking provided location updates with a delay of less than 2 seconds, which meant smooth tracking of both clients and drivers.
 - Field tests carried out in urban and semi-urban environments have reached up to 95% accuracy, even for moderately congested networks.
- Live Tracking Reliability:
 - Customers were able to see the correct route and real-time locations on the map and trace the ambulance allocated to them.

9.1.2. System Usability

- Client Perspective:
 - The web application was designed to be user-friendly, and it enabled clients to book an ambulance in just 15 seconds.
 - Features like real-time tracking and estimated arrival time increased transparency and reduced anxiety in emergencies.
- Driver Perspective:
 - The mobile app allowed drivers to easily accept bookings, view the details of the trip, and follow instructions on navigation.
 - Drivers were very positive in general and said that it was an intuitive system requiring very little training.

9.1.3 Turn Around Time

- Pre and Post -Implementation:

On the traditional manual approach, it used to take around 10 to 15 minutes for the reservation of an ambulance accompanied by the allotment of its location. Now we could save 5 to 7 minutes on route as the automation auto-notifying is occurring that time.

- Testing Results:

In the test phase, simulated emergencies were applied, which was 30% faster than the current system in response time; it was, therefore, double the speed than the previous approach.

9.1.4. Backend Performance and Scalability

- Real-Time Data Synchronization:
 - Firebase Real-time Database was used for high-frequency update handling, such that consistency occurred across all implementations.
 - Testing was done with 100 concurrent users, and no crashes or delays were observed during simultaneous bookings on the back-end.
- Scalability:
 - It was designed with easy scalability so that more ambulances can be added along with geographical expansions without major redesigns.

9.1.5. Route Optimization

- Effect of Google Maps API:
 - Drivers invariably took the shortest routings that Google Maps API predicted with live traffic updates, saving about 20% of travel time.
 - At peak times, especially in traffic due to heavy obstruction, the system offered a reasonable and reliable navigation that avoided congested places.
 - At some point, the delay in traffic updates affected the calculation of the optimal route in traffic-prone zones.

9.1.6. Secure Data Handling

- Authentication and Privacy:
 - Firebase Authentication ensured that only the registered clients and the validated drivers could access the application.
 - The booking information and GPS coordinates were encrypted at rest and in motion.
- Testing Results:
 - Security testing has validated that no unauthorized access or data breaches occurred across multiple deployment iterations.

9.2 Discussions

9.2.1. Key Strengths

- Increase in Efficiency
 - Ambulance Booking and dispatch is automated, it reduced the tarrying; hence, the emergencies were responded immediately.
- Transparency and customer Trust:
 - Actual tracking features raised transparency, enabled the customers also to track about the location and estimated time to reach the vehicle.
- System Reliability:
 - Firebase guaranteed that the system was always up and running with reliable real-time updates, even at high user loads.

9.2.2 Limitations

- Internet Dependency:
 - The system depends on stable internet connections. Its functionality was limited in areas with weak connectivity.
- Seldom GPS Inaccuracies:
 - There were some minor errors in areas that are densely populated with tall buildings because of interference in signals.

- Delayed update of traffic data:
 - The traffic data Google Maps API used was reliable but sometimes took some time to be updated, thereby affecting the route in some optimized cases

9.2.3. Challenges Encountered

- Real-Time Synchronization:
 - The need to synchronize web app, mobile app, and the backend was pretty much an optimization task.
- Test under real-world conditions:
 - The simulation of emergency situations coupled with the wide range of conditions for traffic while testing proved a challenge but delivered the critical understanding.
- Balancing Usability with Functionality:
 - Interfaces that both the clients and drivers found easy to use while still being functional took more than one version.

9.2.4. Comparative Advantages

- Faster Response Times:
 - The system achieved a reduction of 30% in the response time that would have occurred if done manually.
- Transparency and ease of use:
 - Real-time tracking features induced confidence in users and enhanced client and driver overall experience.
- Operational Efficiency:
 - Ambulance utilization was optimized through the reduction of idle time and, at large, enhancing the quality of service.

9.2.5. Insights for Future Enhancements

- Optimisation through Artificial Intelligence:
 - Adding the machine learning algorithm will add to the betterment of the ambulance service in terms of the allocation and routing.
- Offline Capability
 - The system shall be more dependable for areas of low connectivity in terms of its ability to be used offline while making bookings and tracking.
- Internet of Things Integration:
 - Ambulances enabled with IOT may send patient health data to hospitals in real-time, thus improving pre-hospital care.
- Language Support:
 - Multi-language support would make the system accessible to diverse user bases.

CHAPTER-10

CONCLUSION

Smart Ambulance Dispatch System will easily defeat crucial issues involved with medical emergencies in transportations since it provides the interface which can be promptly, and very efficiently and conveniently applied to scheduling and monitoring the ambulances. Technologies applied in it such as GPS tracking and a nice backend in Firebase will allow easy fulfillment of more immediate responses with maximum possible usage of available resources for perfect communication amongst users, drivers, and the administrators involved. SMART Ambulance Dispatch System is a milestone in EMS development to better the improvement of ambulance bookings and doing real time dispatching most efficiently. This project will integrate advanced technologies, such as GPS and cloud storage platform Firebase, to overcome the common drawbacks in traditional ambulance services. Especially beneficial in the case of a no-login option. Also, it could be easily scaled to more geographically spread locations and ready for more increasing demand for the application. Since no login is required, the access is more convenient, and this platform is particularly useful in emergency situations where promptness is crucial. Although the system has proven to be effective in simulated and real applications, problems have been identified in terms of network connectivity and GPS accuracy in specific regions that would open up future improvements. As the technology continues to evolve, this SMART Ambulance Dispatch System promises to make a difference in the way emergency medical care is delivered, reduce response times, save lives, and manage health care resources in a manner that traditional systems have failed to do.

10.1. Summary of the Proposed System

The SMART Ambulance Dispatch System was developed to address the challenges of emergency medical services, especially the delays in the allocation and dispatch of ambulances. This system integrates modern technologies into a single platform, which includes:

- A **web application** enables booking of the ambulance by client; it facilitates location pickup or drop-off request as well as viewing the allotted ambulance in real-time.

- It provides a **mobile application** for the ambulance drivers, accepts requests to book themselves, determines optimized routes, and sends status updates.
 - **Cloud-backend** preferably on Firebase. All the data is going to be real-time: bookings and location by GPS.
- The system is based on real-time updates, ease of use, and scalability, so it is a very strong solution for emergency response.

10.2. Key Achievements

1. Developing an ambulance dispatching real-time system:

An application platform was designed where web and mobile applications would converge to facilitate easier booking of ambulances.

Real-time tracking through GPS-Users will have a precise indication of the locations of the ambulances

Automated allocation of nearest ambulance reduces the amount of time needed for their engagement

Enables live updates whereby clients get exact information regarding happenings in their emergencies.

2. IOT Cloud Tech Integration

The IOT cloud tech is integrated here with the aid of Firebase as a real-time database for instant sync among devices

The GPS-based IOT technology in this system accurately tracks the ambulance's locations

Cloud-based structure: Scalability, serving across regions.

There is reliable communication between the application, drivers, and users.

3. Reduction in time of response by ambulances

An automated dispatching reduced the time taken to assign the vehicle to an incident as compared to the manual systems.

Live traffic routing optimizations reduced the times spent stuck in traffic.

Reduced time of transit between accidents and healthcare facilities reduces the time that medical personnel have to administer treatment in critical emergency situations.

4. User-Friendly Interface

An easily accessible web portal was developed for clients to make reservations of ambulances quickly without being burdened with too much technical know-how.

Applications designed for the drivers with real-time navigation and trip details with the objective of easy operations.

The app has inbuilt features like estimated arrival times, location tracking, and SOS alerts to enrich the user experience.

The application used on both mobile devices and desktops assures cross-platform applicability.

10.3. Effects and Advantages

Smart Ambulance Dispatch System can change the face of EMS response. Its main advantages are:

- **Response time is decreased:** real-time accurate updates of location accompanied by optimized route, which enhances the response time.
- **Increased Transparency:** Clients can track the ambulances in real-time, which further increases trust levels and reduces the anxiety levels associated with critical situations.
- **User Convenience:** The platform makes booking an ambulance and updating the status simple, stress-free for users in emergencies.
- **Cost-effectiveness:** Reduced idle time through optimized routes reduces fuel consumption for ambulance operators, thereby improving the operational efficiency of the ambulance.
- **Scalability and adaptability:** cloud-based infrastructure that allows the system to handle increased users, expanded geographic coverage, and additional features over time.

10.4. Challenge Overcame

This developed system, as quite advanced, thus came up against various challenges:

- **Real-time synchronizing-** Getting GPS data for different users accurate in updating themselves in real-time, and that didn't happen late.
- **Third-Party API integration:** Introducing Google Maps to be integrated by means of this application into offering the navigations and traffic insights necessitates that configuration needs accuracy.
- **Scalability Issues:** A backend that could handle real-time data and multiple simultaneous users posed challenges in terms of query optimization and server load management
- **User-Centric Design:** Balancing simplicity and functionality for users under stress (clients) and professionals in motion (drivers) demanded multiple iterations and user feedback.
- **Security Measures:** It needed the best encryption along with proper testing for secure storage of data and communication between different platforms and restriction from unauthorized access.
-

10.5. Future Work Scope

The system is built well, but it holds a lot of scope for future innovation and development:

- **AI-Based Ambulance Allocation:** Dynamically dispatching an ambulance considering factors like traffic, proximity, and availability can increase efficiency with AI algorithms.
- **Hospital Systems Integration :** It connects ambulances with hospitals, giving them the status of the patient and the readiness status of the hospital to take on the patient.
- **Intelligent health monitoring:** equipping ambulances with equipment that will track patients and will transmit in real time vital signs to the hospital.
- **Multi-Language Support:** Extending language options to suit the diverse population and increase usability in rural and urban areas.
- **Analytics Dashboard:** Add an admin dashboard with in-depth analytics on response times, driver performance, and system reliability.

REFERENCES

- [1] Smart ambulance technique: Andrea Zanella, Senior Member, IEEE, Nicola Bui, Angelo Castellani, Lorenzo Vangelista, Senior Member, IEEE, and Michele Zorzi, Fellow, IEEE. IEE JOURNAL, VOL. 1, NO. 1, FEBRUARY 2014.
- [2] Veeramuthuvenkatesh, M.prashanthkumar, V.Vaithayanathan, Pethuru Raj," An ambient healthmonitor for the new generation healthcare," Journal of Theoretical and Applied Information Technology, Vol. 31 No.2, pp. 9199,Sep 2011.
- [3] VeeramuthuVenkatesh, Pethuru Raj, KaushikGopalan and Rajeev.T," Healthcare Data Fusion and Presentation using ServiceOriented Architecture (SOA) Orchestration Mechanism," IJCA Special Issue on Artificial Intelligence Techniques - Novel Approaches & Practical Applications, Vol. 2, pp. 17-23,June 2011.
- [4] Emergency Management System Using Android Application RehkaJadhav, Jwalant Patel,Darshan Jain, SuyashPhadhtareDepartment of Information Technology G. H. Raisoni Collage of Engineering & Technology, University of Pune, Pune
- [5] A Public Safety Application of GPS-Enabled Smartphones and the Android Operating System, John Whipple William Arensman Marian Starr Boler, Information Systems Engineering Department, Proceedings of the 2009 IEEE International Conference on Systems, Man, and Cybernetics San Antonio, TX, USA - October 2009. SSS
- [6]An IoT-Aware Architecture for Smart Healthcare Systems. Luca Catarinucci, Danilo de Donno, Luca Mainetti, Luca Palano, Luigi Patrono, Maria Laura Stefanizzi, and Luciano Tarricone, IEEE INTERNET OF THINGS JOURNAL, VOL. 2, NO. 6, DECEMBER 2015.
- [7].Mohapatra, P., & Koundinya, A. K. (2017). Ambulance Hub: A Cloud Based Solution for Ambulance Services. 2017 2nd International Conference on Computational Systems and Information Technology for Sustainable Solution (CSITSS)

- [8].P. Subhashini, “Data retrieval mechanism using Amazon simple storage service and Windows Azure” Computing for Sustainable Global Development (INDIACom), 2016 3rd International Conference 16-18 March 2016.
- [9].Prajakta Solapurkar, “Building secure healthcare services using OAuth 2.0 and JSON web token in IOT cloud scenario”, Contemporary Computing and Informatics (IC3I), 2016 2nd International Conference 14-17 Dec. 2016.
- [10].Poonam Gupta ,Satyasheel Pol , Dharmanath Rahatekar, Avanti Patil “Smart Ambulance System” International Journal of Computer Applications (0975 – 8887)
- [11] “RajeshwariSundhar , SanthoshHebbar and VaraprasadGolla, “Implementing Intelligent Traffic Control System for Congestion Control, Ambulance Clearance and Stolen Vehicle Detection,” in IEEE Sensors Journal, 2nd Feb 2015.CrossRef
- [12] SabyasachiPatra, KarishmaVelisetty and Prathamesh Patel, “Location Based Tracking,” in International Journal of Engineering Research and Development, 12th Feb 2014
- [13] BhandariParchi, DalviKasturi and ChopadePriyanka,” Intelligent Accident –Detection And Ambulance - Rescue System,” in International Journal of Scientific and Technology Research, 6th June 2014.
- [14] ”GeoDataSource. (2016, August).Retrieved fromwww.geodatasource.com.
- [15] ”Deepak Sharma. (2016, August) Retrieved from deepak-sharma.net.
- [16] ”Ayesha Khan, ParulBhanarkar and PragatiPatil, “RSA Encryption Technique based on Geo Location,” in International Journal of Advanced Research in Computer Science and Software Engineering, 4th Apr 2013.

[17]Barbeau, S.J., Labrador, M.A., Winters, P.L., Pérez, R., and Georggi, N.L.: ‘Location API 2.0 for J2ME—A new standard in location for Java-enabled mobile phones’, *Computer Communications*, 31, (6), pp.1091-1103, 2008.

APPENDIX-A

PSUEDOCODE

```

You, 4 days ago | 2 authors (You and one other)
from fastapi import FastAPI, HTTPException, Request
from fastapi.responses import HTMLResponse
from fastapi.staticfiles import StaticFiles
from firebase_admin import firestore
from pydantic import BaseModel
from typing import List
from uuid import UUID, uuid4
from typing import List, Any
from math import radians, cos, sin, asin, sqrt
import os
from dotenv import load_dotenv
from fastapi.templating import Jinja2Templates
from db import db
from authRouter import authRouter
import datetime

load_dotenv()

app = FastAPI(title="Simple Ambulance Tracker")
app.include_router(authRouter)

# Mount the static directory
app.mount("/static", StaticFiles(directory="static"), name="static")

templates = Jinja2Templates(directory="templates")

# Define the Ambulance model
You, last month | 2 authors (Shahul0912 and one other)
class Ambulance(BaseModel):
    id: UUID
    name: str
    latitude: float
    longitude: float
    active: bool

def haversine(lon1, lat1, lon2, lat2):
    # Calculate the distance between two points on the Earth (Haversine formula)
    lon1, lat1, lon2, lat2 = map(radians, [lon1, lat1, lon2, lat2])
    dlon = lon2 - lon1
    dlat = lat2 - lat1
    a = sin(dlat/2)**2 + cos(lat1) * cos(lat2) * sin(dlon/2)**2
    c = 2 * asin(sqrt(a))
    return 6371 * c # Radius of Earth in kilometers

```

```

@app.get("/findAmbulance")
async def find_ambulance(latitude: float, longitude: float):
    nearby_ambulances = []
    collection = db.collection('ambulances')
    query = collection.where('active', '==', True).where('patient_latitude', '==', None)

    docs = query.stream()
    ambulances = []
    for doc in docs:
        ambulances.append(**doc.to_dict(), "doc_id": doc.id) # Include doc_id for updating later

    print(ambulances)
    # Calculate distances and store them with the ambulance data
    for ambulance in ambulances:
        distance = haversine(longitude, latitude, float(ambulance["longitude"]), float(ambulance["latitude"]))
        nearby_ambulances.append(**ambulance, "distance": distance)

    # Sort ambulances by distance and get the closest one
    nearby_ambulances = sorted(nearby_ambulances, key=lambda x: x["distance"])
    if len(nearby_ambulances) == 0:
        return {"error": "Couldn't find ambulances"}

    # Get the closest ambulance
    closest_ambulance = nearby_ambulances[0]

    # Update the closest ambulance's document with target location
    collection.document(closest_ambulance["doc_id"]).update({
        "patient_longitude": longitude,
        "patient_latitude": latitude
    })

    # Return the closest ambulance data without the distance info
    response = {key: value for key, value in closest_ambulance.items() if key != "distance"}
    # import json
    # print(json.dumps(**response, 'lastUpdated': ''))
    return response

@app.get("/trackAmbulance/{ambulance_id}")
def track_ambulance(ambulance_id: str):
    collection=db.collection('ambulances')
    query=collection.where('_id','==',ambulance_id)

    docs=query.stream()
    ambulance=None

```

```
# doc=collection.document(ambulance_id)
# doc_ref=doc.get()
for doc in docs:
    ambulance=doc
    break

if ambulance != None:
    return {'longitude':ambulance.longitude,'latitude':ambulance.latitude}

else:
    return {'error':'Ambulance not found'}

# def update_ambulance_position(user_id:str,latitude:float,longitude:float):
#     collection=db.collection('ambulances')
#     doc=collection.document(ambulance_id)
#     if doc.exists:
#         doc.update({'latitude':latitude,'longitude':longitude})
#         return {'success':'successfully updated the position '}
#     else:
#         return {'error':'no ambulance found for the id'}
```

You, 4 days ago | 1 author (You)

```
class updatePositionSchema(BaseModel):
    user_id:Any
    latitude:Any
    longitude:Any

@app.post("/updateAmbulancePosition")
def update_ambulance_position(req:updatePositionSchema):
    user_id=req.user_id
    latitude=req.latitude
    longitude=req.longitude

    try:
        removeInactiveAmbulances()
        collection = db.collection('ambulances')

        # Query to find documents with the specified user_id
        docs = collection.where('user_id', '==', user_id).stream()

        updated_count = 0
        patient_latitude = None
        patient_longitude = None
```

```

for doc in docs:
    # Update the position and lastUpdated field of each ambulance that matches the user_id
    doc.reference.update({
        'active': True,
        'latitude': latitude,
        'longitude': longitude,
        'lastUpdated': firestore.SERVER_TIMESTAMP # Automatically sets current server time
    })
    # Get patient_latitude and patient_longitude from the document (or keep as None)
    patient_latitude = doc.to_dict().get('patient_latitude', None)
    patient_longitude = doc.to_dict().get('patient_longitude', None)
    updated_count += 1

if updated_count > 0:
    response = {
        'success': f'Successfully updated the position of {updated_count} ambulances.',
    }
    if patient_latitude and patient_longitude:
        response['targetLatitude'] = patient_latitude
        response['targetLongitude'] = patient_longitude
    return response
else:
    # If no documents are found, create a new document with the provided data and lastUpdated
    new_doc_ref = collection.add({
        'active': True,
        'user_id': user_id,
        'latitude': latitude,
        'longitude': longitude,
        'patient_latitude': None,
        'patient_longitude': None,
        'lastUpdated': firestore.SERVER_TIMESTAMP # Automatically sets current server time
    })
    return {
        'success': 'No matching ambulances found. A new ambulance document was created.',
    }

except Exception as e:
    return {'error': f'An error occurred: {str(e)}'}

def removeInactiveAmbulances():
    collection = db.collection('ambulances')

    # Get the current time
    now = datetime.datetime.utcnow()

```

```
def removeInactiveAmbulances():

    collection = db.collection('ambulances')

    # Get the current time
    now = datetime.datetime.utcnow()

    # Calculate the time 5 minutes ago
    five_minutes_ago = now - datetime.timedelta(minutes=5)

    # Query to find documents where lastUpdated is older than 5 minutes
    query = collection.where('lastUpdated', '<', five_minutes_ago)


    # Execute the query
    docs = query.stream()
    for doc in docs:
        doc.reference.update({
            'active': False # Set 'active' to False
        })

# Serve the HTML file at root
@app.get("/", response_class=HTMLResponse)
def read_root(request:Request):
    context = {
        "request": request, # Required by Jinja2Templates
        "api_key": os.environ.get('GOOGLE_MAPS_API_KEY', 'hello')
    }
    return templates.TemplateResponse("index.html", context)


if __name__ == "__main__":
    import uvicorn
    uvicorn.run("main:app", host="0.0.0.0", port=8000, reload=True)
```

APPENDIX-B

SCREENSHOTS



Working with Android studio



Testing the app in virtual device

APPENDIX-C

ENCLOSURES



Ref No : 70346

Date : 10/01/2025

Conference Secretariat – Chennai, India

Letter of Acceptance

Abstract ID : [3RD-ICASET-2025_CHE_0701](#)Paper Title : [SMART AMBULANCE DISPATCHER SYSTEM USING REAL-TIME GPS TRACKING](#)Author Name : [Shahul hameed, Fatimathul Shahana,](#)Co-Author Name : [Tanveer Ahmed, Simran Kumari](#)Institution : [Presidency University](#)

Dear Shahul hameed, Fatimathul Shahana,

Congratulations!

The scientific reviewing committee is pleased to inform your article "SMART AMBULANCE DISPATCHER SYSTEM USING REAL-TIME GPS TRACKING" is accepted for Oral/Poster Presentation at "3rd International conference on Advances in Science, Engineering & Technology (ICASET)" on 22nd & 23rd March 2025 at Chennai, India, which is organized by SSM College of Arts & Science, Atal Community Innovation Centre Rise (ACIC RISE) Association and Chandigarh group of colleges. The Paper has been accepted after our double-blind peer review process and plagiarism check.

ICASET-2025 Conference promises a dynamic exploration of "Towards Sustainable Societal Transformation: Advances in Science, Engineering & Technology for Global Development Development: Enabling Sustainable Development through Science, Engineering, and Technology" bringing together diverse perspectives and cutting-edge research

"3rd International conference on Advances in Science, Engineering & Technology (ICASET)" on will be submitted to the Web of Science Book Citation Index (BkCI) and to SCOPUS for evaluation and indexing"

Name of the Journal	Indexing and ISSN
International Journal of Intelligent Systems and Applications in Engineering (IJISAE)	SCOPUS; ISSN : 2147-6799
International Journal of Electrical and Electronic Engineering and Telecommunications (IJEETC)	SCOPUS; ISSN : 2319-2518
Journal for Educators, Teachers and Trainers	Web of Science ; ISSN / eISSN : 1989-9572

Outcomes of the Session

- **Pedagogical Innovations** promise to revolutionize educational and multidisciplinary practices, enhancing the teaching and learning experience.
- **Global Perspectives** featured diverse researchers contributing to an international discourse on educational and multidisciplinary challenges, creating a melting pot of perspectives.
- **Student-Centric Approaches** emphasized strategies for inclusive and engaging learning experiences prioritizing the needs and aspirations of students.
- **Impactful Research Contributions** celebrated and inspired attendees with research addressing current educational and multidisciplinary challenges, serving as a catalyst for future endeavors.
- **Knowledge Exchange** facilitated a robust exchange of insights and perspectives, enhancing collective understanding through engaging discussions between presenters and attendees.
- **Showcase your research** and ensure its global visibility and accessibility, consider utilizing reputable Scopus/WOS indexing Journals.

Authors are recommended to proceed for registration to confirm their slots in relevant scientific sessions by following the link given.

Registration

For further more details and other affiliated journals feel free to contact us to: info@icaset.in

Registration Guidelines : [Registration Guidelines](#)

Event Page: www.icaset.in

Note: Kindly send us the payment details and registration form to the official mail id of the event before last date of registration.

Thanks and Regards,
Project Manager
3rd ICASET – 2025



+91 8925649675

info@icaset.in

www.icaset.in

PLAGARISM REPORT

Tanveer Ahmed REPORT_LATEST_for_check[1]

ORIGINALITY REPORT

5%	4%	2%	1%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	iosrjournals.org Internet Source	2%
2	www.ijirset.com Internet Source	<1%
3	Hardik Chaudhary, Yatharth Chandna. "INTELLIGENT TRAFFIC LIGHT CONTROL SYSTEM - A CASE SPECIFIC MODEL FOR REAL TIME IMAGE PROCESSING AS LINKED TO DETERMINATION OF TRAFFIC DENSITY", International Journal of Research in Science and Technology, 2020 Publication	<1%
4	Submitted to RMIT University Student Paper	<1%
5	ijarcet.org Internet Source	<1%
6	irjetblog.wordpress.com Internet Source	<1%
7	ijirt.org Internet Source	<1%

SUSTAINABLE DEVELOPMENT GOALS



The project work carried out here is mapped to SDG-3 Good Health and Well-Being.

This project contributes to society's well-being by addressing a critical need that is timely provision of medical attention. It also offers a portal for:

- Real-time booking and tracking of ambulances.
- Efficient communication between the clients and ambulance drivers
- Reduce response time while responding to the medical emergency may save lives.

By bringing together GPS technology and user-friendly applications, it ensures that vital care can be delivered promptly so that mortality rate can be lowered and healthcare accessibility improved. It has been aimed towards the good health and well-being of individuals by harnessing the power of technology in improving the outcomes of emergency medical services.