

Claude Code loop skill.

Your AI agent now works while you're not watching. Recurring tasks. Reminders. Monitoring. All inside one session. Invoke with /loop or just plain English.

How to Use It

- Type /loop or natural language
- Set interval (5m, 1h, etc.)
- Loop any skill or command
- Cancel anytime with 'stop'

```
$ claude
> /loop 5m check if deploy is healthy
Creating recurring task...
Interval: every 5 minutes
Expires: 3 days from now
✓ Loop created. Running first check
now...
$ claude
> At 3 PM remind me to review the PR
✓ One-time reminder set for 3:00 PM
```

Loop vs Scheduled Tasks

BEFORE


- ✗ 3-day expiry, then auto-deletes
- ✗ Runs in same session only
- ✗ No catch-up if you miss a fire
- ✗ Available in Terminal, VS Code, Desktop



AFTER

- ✓ Long-lived, no expiry
- ✓ Persistent across sessions
- ✓ Has catch-up for missed runs
- ✓ Desktop app only (for now)

How It **Works** Under the Hood



||

Every 5 minutes, my loop checks the deploy. Every hour, it reviews open PRs. Every morning, it preps my standup. All while I'm doing real work.

6 Ways to Use Loop

- 01** Monitor urgent emails every 5 minutes
- 02** Check deploy status every hour
- 03** Track a 3-day sprint deadline
- 04** Watch logs during testing
- 05** Run review-pr skill on a schedule
- 06** Build your own executive assistant

Know the Limits

- 3-day max expiry, then auto-deletes
- Close terminal = all loops gone
- No catch-up if you miss a fire
- Each tab has its own separate loops
- For anything longer, use Scheduled Tasks

Follow for More!



Shaïd

GenAI Architect & Builder

AI Products & Automation | Ship AI. Share Insights.

#ClaudeCode #AI #Loop #DevTools #Automation