

Claude Code Dispatch.

Your Claude Code session has a **context window limit. Every file read, every search, every tool call eats into it. What if you could **10x your effective context** by turning your session into a lightweight orchestrator?**

The Problem

BEFORE

- ✗ One session handles everything
- ✗ Context fills up fast with sequential tasks
- ✗ Session slows down as context grows
- ✗ You restart and lose all progress



AFTER


- ✓ Main session stays lean (orchestrator only)
- ✓ Each task gets a fresh context window
- ✓ 5 parallel workers = 5x throughput
- ✓ Workers complete independently

Install in 10 Seconds

One command.

Global or project-level.

No config needed.




```
$ npx skills add
bassimeledath/dispatch -g
✓ Skill installed globally
✓ Config auto-generated at
~/.dispatch/config.yaml
✓ Available models detected: claude,
gpt, gemini
Ready to use: /dispatch [task]
```


Dispatch Your First Task

Name the model.


Describe the task.

That's it.




```
claude> /dispatch use opus to review
this PR for edge cases
✓ Created checklist plan
✓ Spawning background worker [opus]...
→ Worker running in fresh context
→ Your session is free. Keep working.
claude> /dispatch use sonnet to write
integration tests
✓ Spawning background worker
[sonnet]...
→ 2 workers running in parallel
```

How **Dispatch** Works



Workers Can Ask Questions

Workers don't fail silently.
They ask you for clarity.
You answer. They continue.
No context lost.



```
— Worker [opus] has a question —  
Q: Should I include auth edge cases  
in the PR review, or just the  
data validation layer?  
claude> Include both. Auth is  
critical.  
✓ Answer relayed to worker [opus]  
✓ Worker resuming with full context...
```

Why This Is Powerful

- 01** 10x effective context — each worker gets a fresh window
- 02** Non-blocking — your session stays free while workers run
- 03** Multi-model — mix Claude, GPT, Gemini per task
- 04** Interactive — workers ask questions, you answer, no restart
- 05** Zero config — auto-detects models on first run

Mix Models Per Task

Use the right model
for the right job.
All from one session.

```
claude> /dispatch use opus to  
architect the database schema  
✓ Worker [opus] spawned  
claude> /dispatch use sonnet to write  
unit tests  
✓ Worker [sonnet] spawned  
claude> /dispatch use gpt-5.3 to  
refactor config parser  
✓ Worker [gpt-5.3] spawned  
— 3 workers running in parallel —  
— Session context: clean —
```



**Stop filling one context window
with everything. Start
orchestrating many.**

Follow for More!



Shaïd

GenAI Architect & Builder

AI Products & Automation | Ship AI. Share Insights.

#ClaudeCode #AI #Dispatch #GenAI #DevTools