

29-8-26

Assignment:-

1. Ans) HTML:- HTML stands for Hyper text Markup language.

Hyper- Connecting web pages

Text - Collection of letters/words

Markup - Highlighted or special text.

Language - Medium of communication.

2. Ans) HTML is called markup language because it uses tags.

No, HTML is not programming language because it doesn't have memory and garbage collector.

3. Ans) Tag:- Collection of predefined words enclosed with $< >$.

Ex:- $<html>$, $<a>$

Element:- Collection of tags with content in between

Ex:- $<p>$ content $</p>$

4. Ans) $<!DOCTYPE HTML>$ is not a tag but it tells the browser to read/render document as HTML file.

5. Ans) Basic structure of HTML:-


```
<html>
  <head>
    </head>
  <body>
    </body>
</html>
```

Purposes:-

<HTML> - Root tag which tells document is html.

<head> - Container tag contains info of web page.

<body> - Contains content of web page.

(Ans) Difference:-

src - Provides link but only used with images and tags related to media.

Ex:-

href - Hyper referencing used for connecting webpages used in anchor and link tags.

Ex:-

(Ans) It provides alternate text for image which is shown when image doesn't load. Provides SEO.

 - Unordered list. Points with no ordering.

Ex:- • HTML

• CSS

<dl> - Descriptive list. Provides description to points.

Ex:- HTML

Webpage docs.

13dms) <table> - Used to create table.

<tr> Used to create rows.

<th> Used to create heading row.

<td> Used to create table data.

<thead> Used for header of table.

<tbody> Used for contents wrapping of table.

<tfoot> Used for footer of table.

14dms) UTF-8 tells the browser to encrypt data in character encoding UTF-8 to prevent data loss.

15dms) Open graph meta data which tells how link appears in social media.

og:title - Headline of content in social preview.

og:type - Type of object shared.

og:image - Provides URL of graphic.

og:url - sets web address and ensures correct URL.

og:description - Provide description below title.

9 Ans)

Block elements

Inline elements

1) Tags which start in new line.

2) Takes 100% width

3) Ex: `<h1>`, `<p>`

1) Tags which don't start in new line.

2) share width with others.

3) Ex:- `<img>`, `<a>`

10 Ans)

Semantic HTML:-

Provides better SEO for webpages. Introduced with HTML5.

Ex:- `<header>`, `<main>`, `<footer>`, `<section>`, `<aside>`

Non-semantic HTML:-

Used before HTML5 for wrapping tags.

Ex:- `<div>`, `<span>`

11 Ans)

`<div>` :- Used for wrapping. Non semantic Tag which is block element.

`<span>` :- Used for wrapping. Non semantic Tag which is inline element.

12 Ans)

`<ol>` :- Ordered list. Provides ordering to points.

Ex:- 1. HTML

2. CSS

