

AI Assistant Coding

Assignment-16

Name : SHAIK NISHAAJ

Hall Ticket No. : 2303A51613

Batch No. : 06

Task 1: Database Schema Design for an

Online Course Platform

Scenario

You are designing the backend database for an online learning platform that manages instructors, courses, and enrolled students.

Task Description

- Use AI tools to generate SQL CREATE TABLE statements for the following entities: o

Instructors

o Courses o

Students

- **Include:** o Primary keys o Foreign key relationships o
Appropriate data types
- Ensure the schema follows basic normalization principles.

Expected Output

- All tables are created successfully
- Foreign key constraints enforce valid relationships
- Schema is logically structured and normalized

Prompt:

Generate SQL CREATE TABLE statements for an online course platform.

Tables: Instructors, Courses, Students.

Include primary keys, foreign keys, and proper data types. Ensure normalization.

AI Generated Code:

-- Instructors table

```
CREATE TABLE Instructors (  instructor_id INT
IDENTITY(1,1)  PRIMARY  KEY,                first_name
VARCHAR(100) NOT NULL,  last_name VARCHAR(100)
NOT NULL,  email VARCHAR(255) NOT NULL UNIQUE,
bio VARCHAR(1000),  created_at DATETIME2 DEFAULT
SYSUTCDATETIME()
);
```


-- Students table

```
CREATE TABLE Students (  student_id INT IDENTITY(1,1) PRIMARY KEY,
first_name VARCHAR(100) NOT NULL,  last_name VARCHAR(100) NOT
NULL,  email VARCHAR(255) NOT NULL UNIQUE,  enrollment_date
DATE NOT NULL DEFAULT CAST(GETDATE() AS DATE),  status
VARCHAR(30) NOT NULL DEFAULT 'active'
);
```

-- Courses table

```
CREATE TABLE Courses (  course_id INT
IDENTITY(1,1) PRIMARY KEY,  instructor_id INT NOT
NULL,  title VARCHAR(255) NOT NULL,  description
VARCHAR(2000),  category
VARCHAR(100),  level VARCHAR(50) NOT NULL
DEFAULT 'beginner',  price DECIMAL(10,2) NOT
NULL DEFAULT 0.00,  created_at DATETIME2
DEFAULT SYSUTCDATETIME(),
CONSTRAINT fk_courses_instructor FOREIGN KEY (instructor_id)
REFERENCES Instructors(instructor_id)
ON UPDATE CASCADE
ON DELETE NO ACTION
```

);



Explanation

- Each table has a **Primary Key**
- **Foreign Keys** maintain relationships:
 - Courses → Instructor
 - Enrollments → Students & Courses
- Separate **Enrollments** table avoids redundancy → ensures **Normalization (3NF)**

Task 2: Populate the Database with Sample Records

Scenario

To test the system, the platform needs initial sample data.

Task Description

- Use AI assistance to generate INSERT statements that add:
 - At least 3 instructors
 - At least 4 courses
 - At least 3 students
- Verify correctness using SELECT queries.

Expected Output

- Sample data inserted without errors
- SELECT * queries display the inserted records correctly

Prompt:

Generate SQL INSERT statements for:

3 instructors, 4 courses, 3 students.

AI Generated Code:

-- Instructors

```
INSERT OR IGNORE INTO Instructors (first_name, last_name, email, bio)
```

```
VALUES
```

```
('Amina', 'Patel', 'amina.patel@example.com', 'Data science and ML instructor.');
```

```
('Diego', 'Martinez', 'diego.martinez@example.com', 'Full-stack web development coach.');
```

```
('Lina', 'Chen', 'lina.chen@example.com', 'UI/UX and product design specialist.');
```

-- Courses

```
INSERT OR IGNORE INTO Courses (instructor_id, title, description, category, level, price)
```

```
VALUES
```

```
(1, 'Intro to Python for Data Science', 'Python fundamentals and data analysis with pandas.',  
'Data Science', 'beginner', 99.00),
```

```
(1, 'Machine Learning Foundations', 'Supervised and unsupervised ML algorithms with  
projects.', 'Data Science', 'intermediate', 149.00),
```

```
(2, 'Modern JavaScript + React', 'Build production web apps using JS, ES6+, and React.',  
'Web Development', 'beginner', 129.00),
```

```
(3, 'Design Systems & UX Workflow', 'Design patterns, prototyping, and accessible  
interfaces.', 'Design', 'intermediate', 119.00);
```

-- Students



```
INSERT OR IGNORE INTO Students (first_name, last_name, email, enrollment_date, status)
```


```
VALUES
```

```
('Noah', 'Kim', 'noah.kim@example.com', '2026-03-01', 'active'),
```

('Priya', 'Rao', 'priya.rao@example.com', '2026-03-03', 'active'),

('Marcus', 'Taylor', 'marcus.taylor@example.com', '2026-03-05', 'active');





Explanation

- Data inserted into all tables successfully
- Relationships maintained using IDs

Task 3: Implement Core Database

Operations (CRUD)

Scenario

The platform administrator needs to manage course and student information.

Task Description

Using AI-generated SQL, perform the following operations:

- Retrieve all courses offered
- Update a student's email address
- Remove a course from the database
- Verify each operation using appropriate SELECT statements

Expected Output

- Updated data is reflected correctly
- Deleted records are no longer visible
- No unintended data loss occurs **Prompt:**

Generate SQL queries for:

- Retrieve all courses
- Update student email
- Delete a course

AI Generated Code:

-- 1) Retrieve all courses

SELECT *

FROM Courses;

-- 2) Update a student email (example uses student_id = 2)

UPDATE Students



SET email = 'priya.rao.new@example.com'

WHERE student_id = 2;

-- 3) Delete a course (example uses course_id = 4)

DELETE FROM Courses

WHERE course_id = 4;



course_id	instructor_id	title	description
1	1	Intro to Python for Data Science	Python fundamentals and data analysis v
2	1	Machine Learning Foundations	Supervised and unsupervised ML algorit
3	2	Modern JavaScript + React	Build production web apps using JS, ES6
5	1	Intro to Python for Data Science	Python fundamentals and data analysis v
6	1	Machine Learning Foundations	Supervised and unsupervised ML algorit
7	2	Modern JavaScript + React	Build production web apps using JS, ES6
8	3	Design Systems & UX Workflow	Design patterns, prototyping, and acces
9	1	Intro to Python for Data Science	Python fundamentals and data analysis v
10	1	Machine Learning Foundations	Supervised and unsupervised ML algorit
11	2	Modern JavaScript + React	Build production web apps using JS, ES6
12	3	Design Systems & UX Workflow	Design patterns, prototyping, and acces

student_id	first_name	last_name	email	enrollment_date	status
1	Noah	Kim	noah.kim@example.com	2026-03-01	active
2	Priya	Rao	priya.rao.new@example.com	2026-03-03	active
3	Marcus	Taylor	marcus.taylor@example.com	2026-03-05	active

Explanation

- SELECT retrieves data
- UPDATE modifies existing data
- DELETE removes records safely

Task 4: Reporting Using Aggregate Queries

Scenario

The platform management wants summary reports for decision-making.

Task Description

- Use AI tools to generate SQL queries that:

o Count the number of students enrolled in each course o

List courses with more than a specified number of enrollments

- Analyze the query results for correctness.

Expected Output

- Accurate aggregated results
- Queries use GROUP BY and HAVING appropriately

Prompt:

Generate SQL queries to:

- Count students per course - List courses with more than 1 enrollment

AI Generated Code:

```
-- Count students per course SELECT
c.course_id,
    c.title,
    COUNT(e.student_id) AS student_count
FROM Courses c
LEFT JOIN Enrollments e ON c.course_id = e.course_id
GROUP BY c.course_id, c.title
ORDER BY student_count DESC;

-- Courses with more than 1 enrollment SELECT
c.course_id,
    c.title,
    COUNT(e.student_id) AS student_count
FROM Courses c
JOIN Enrollments e ON c.course_id = e.course_id
GROUP BY c.course_id, c.title
HAVING COUNT(e.student_id) > 1
```

ORDER BY student_count DESC;

The screenshot shows the VS Code interface with the following components:

- EXPLORER:** Shows a file tree with 'schema.sql', 'database.db', 'data.sql', and 'queries.sql'.
- EDITOR:** Displays the 'queries.sql' file with the following SQL code:

```
1 -- Count students per course
2 SELECT c.course_id,
3        c.title,
4        COUNT(e.student_id) AS student_count
5 FROM Courses c
6 LEFT JOIN Enrollments e ON c.course_id = e.course_id
7 GROUP BY c.course_id, c.title
8 ORDER BY student_count DESC;
9
10 -- Courses with more than 1 enrollment
11 SELECT c.course_id,
12        c.title,
13        COUNT(e.student_id) AS student_count
14 FROM Courses c
15 JOIN Enrollments e ON c.course_id = e.course_id
16 GROUP BY c.course_id, c.title
17 HAVING COUNT(e.student_id) > 1
18 ORDER BY student_count DESC;
```
- OUTPUT:** Shows the results of the first query, displaying a table with 3 rows and 3 columns: course_id, title, and student_count.
- SQLITE:** Shows the results of the second query, displaying a table with 3 rows and 3 columns: course_id, title, and student_count.
- CHAT:** Shows the results of the third query, displaying a table with 3 rows and 3 columns: course_id, title, and student_count.

The screenshot shows the VS Code interface with the following components:

- EXPLORER:** Shows a file tree with 'schema.sql', 'database.db', 'data.sql', and 'queries.sql'.
- EDITOR:** Displays the 'queries.sql' file with the following SQL code:

```
1 -- Count students per course
2 SELECT c.course_id,
3        c.title,
4        COUNT(e.student_id) AS student_count
5 FROM Courses c
6 LEFT JOIN Enrollments e ON c.course_id = e.course_id
7 GROUP BY c.course_id, c.title
8 ORDER BY student_count DESC;
9
10 -- Courses with more than 1 enrollment
11 SELECT c.course_id,
12        c.title,
13        COUNT(e.student_id) AS student_count
14 FROM Courses c
15 JOIN Enrollments e ON c.course_id = e.course_id
16 GROUP BY c.course_id, c.title
17 HAVING COUNT(e.student_id) > 1
18 ORDER BY student_count DESC;
```
- OUTPUT:** Shows the results of the first query, displaying a table with 3 rows and 3 columns: course_id, title, and student_count.
- SQLITE:** Shows the results of the second query, displaying a table with 3 rows and 3 columns: course_id, title, and student_count.
- CHAT:** Shows the results of the third query, displaying a table with 3 rows and 3 columns: course_id, title, and student_count.

course_id	title	student_count
1	Intro to Python for Data Science	3
2	Machine Learning Foundations	1
3	Modern JavaScript + React	1
5	Intro to Python for Data Science	0
6	Machine Learning Foundations	0
7	Modern JavaScript + React	0
8	Design Systems & UX Workflow	0
9	Intro to Python for Data Science	0
10	Machine Learning Foundations	0
11	Modern JavaScript + React	0
12	Design Systems & UX Workflow	0

SQL ▾
< 1 / 1 > 1 - 1 of 1

course_id	title	student_count
1	Intro to Python for Data Science	3

Explanation

- GROUP BY groups records
- COUNT() calculates totals
- HAVING filters aggregated results

Task 5: Query Optimization with AI

Scenario

As the platform grows, query performance becomes critical.

Task Description

- Use AI to analyze an existing query that retrieves courses taught by instructors from a specific country.

- Refactor the query using:
 - o Efficient joins
 - o Optional indexing suggestions
- Compare results before and after optimization.

Expected Output

- Optimized query returns the same results as the original •

Improved readability and performance for larger datasets

Prompt:

Optimize SQL query to fetch courses taught by instructors from a specific country.

Use joins and suggest indexing.

AI Generated Code:

-- BEFORE OPTIMIZATION (Using Subquery)

SELECT title

FROM Courses

WHERE instructor_id IN (

 SELECT instructor_id

 FROM Instructors

 WHERE country = 'India'

);

-- AFTER OPTIMIZATION (Using JOIN)

SELECT c.title

FROM Courses c

JOIN Instructors i

ON c.instructor_id = i.instructor_id

WHERE i.country = 'India';


-- INDEXING FOR PERFORMANCE IMPROVEMENT

CREATE INDEX idx_instructor_country

ON Instructors(country);

CREATE INDEX idx_course_instructor

ON Courses(instructor_id);




```
--- BEFORE OPTIMIZATION (Using Subquery)
SELECT title
FROM Courses
WHERE instructor_id IN (
    SELECT instructor_id
    FROM Instructors
    WHERE country = 'India');
);
```

Results Messages Table Data Query Data Database

LIMIT 50 (v) Co -

	title
1	Intro to Python for Data Science
2	Machine Learning Foundations

Result: 2 rows in set (259 ms) Copy



```
--- AFTER OPTIMIZATION (Using JOIN)
SELECT c.title
FROM Courses c
JOIN Instructors i ON c.instructor_id = i.instructor_id
WHERE i.country = 'India';
```

Results Messages Table Data Query Data Database

LIMIT 50 (v) Co -

	title
1	Intro to Python for Data Science
2	Machine Learning Foundations

Result: 2 rows in set (92 ms) Copy

Explanation

- JOIN is faster than subquery for large datasets
- Indexing improves search speed