

Class Work(04.08.26)[← Back](#)

QUESTIONS

Q1 ✓
Union of Sets
5 marks**Q2** ✓
Intersection
5 marks**Q3** ✓
Difference
5 marks**Q4** ✓
Symmetric Difference
5 marks**Q5** ✓
Subset
5 marks**Q6** ✓
Superset
5 marks**Q7** ✓
Disjoint Sets
5 marks**Q1 Union of Sets**

5 marks

Write a Python program to find the union of two sets.

Input:

A={1,2,3}

B={3,4,5}

Output:

{1,2,3,4,5}

Your Code

```
1 A = set(map(int, input().split()))
2 B = set(map(int, input().split()))
3 union_set = A.union(B)
4 print("{"+"", ".join(map(str, union_set))+"}")
```

Input

```
1 2 3
3 4 5
```

Output

```
{1, 2, 3, 4, 5}
```

Visible Test Cases

Class Work(04.08.26)[← Back](#)

QUESTIONS

Q1Union of Sets
5 marks**Q2**Intersection
5 marks**Q3**Difference
5 marks**Q4**Symmetric Difference
5 marks**Q5**Subset
5 marks**Q6**Superset
5 marks**Q7**Disjoint Sets
5 marks**Q2 Intersection**

5 marks

Write a Python program to find the intersection of two sets.

Input:

A={1,2,3}

B={2,3,4}

Output:

{2,3}

Your Code

```
1 A = set(map(int, input().split()))
2 B = set(map(int, input().split()))
3 print(A & B)
```

Input

```
1 2 3
2 3 4
```

Output

```
{2, 3}
```

Visible Test Cases

Class Work(04.08.26)

[← Back](#)

QUESTIONS

Q1Union of Sets
5 marks**Q2**Intersection
5 marks**Q3**Difference
5 marks**Q4**Symmetric Difference
5 marks**Q5**Subset
5 marks**Q6**Superset
5 marks**Q7**

Disjoint Sets



Q3 Difference

5 marks

Write a Python program to find the difference of two sets.

Input:

A={1,2,3}

B={2,3,4}

Output:

{1}

Your Code

```
1 A = {1, 2, 3}
2 B = {2, 3, 4}
3
4 print(A - B)
```

Input

stdin input

Output

{1}



Class Work(04.08.26)

[← Back](#)

QUESTIONS

Q1

Union of Sets

5 marks

**Q2**

Intersection

5 marks

**Q3**

Difference

5 marks

**Q4**

Symmetric Difference

5 marks

**Q5**

Subset

5 marks

**Q6**

Superset

5 marks

**Q7**

Q4 Symmetric Difference

5 marks

Write a Python program to find the symmetric difference of two sets.

Input:

A={1,2,3}

B={2,3,4}

Output:

{1,4}

Your Code

```
1 A = {1, 2, 3}
2 B = {2, 3, 4}
3
4 result = A.symmetric_difference(B)
5 print(result)
```

Input

stdin input

Output

{1, 4}

Class Work(04.08.26)

[← Back](#)

QUESTIONS

Q1Union of Sets
5 marks**Q2**Intersection
5 marks**Q3**Difference
5 marks**Q4**Symmetric Difference
5 marks**Q5**Subset
5 marks**Q6**Superset
5 marks**Q7**Disjoint Sets
5 marks

Q5 Subset

5 marks

Write a Python program to check whether one set is a subset of another.

Input:

A={2,3}

B={1,2,3,4}

Output:

Subset

Your Code

```
1 A=set(map(int,input().strip().split()))
2 B=set(map(int,input().strip().split()))
3 print("Subset" if A.issubset(B) else "Not Subset")
```

Input

2 3
1 2 3 4

Output

Subset

Class Work(04.08.26)

[← Back](#)

QUESTIONS

Q1Union of Sets
5 marks**Q2**Intersection
5 marks**Q3**Difference
5 marks**Q4**Symmetric Difference
5 marks**Q5**Subset
5 marks**Q6**Superset
5 marks**Q7**

Disjoint Sets



Q6 Superset

5 marks

Write a Python program to check whether one set is a superset of another.

Input:

A={1,2,3,4}

B={2,3}

Output:

Superset

Your Code

```
1 A = {1, 2, 3, 4}
2 B = {2, 3}
3
4 if A.issuperset(B):
5     print("Superset")
6 else:
7     print("Not Superset")
```

Input

stdin input

Output

Superset

Class Work(04.08.26)

[← Back](#)

QUESTIONS

Q1Union of Sets
5 marks**Q2**Intersection
5 marks**Q3**Difference
5 marks**Q4**Symmetric Difference
5 marks**Q5**Subset
5 marks**Q6**Superset
5 marks**Q7**Disjoint Sets
5 marks

Q7 Disjoint Sets

5 marks

Write a Python program to check whether two sets are disjoint.

Input:

A={1,2}

B={3,4}

Output:

Disjoint

Your Code

```
1 A = {1, 2}
2 B = {3, 4}
3
4 if A.isdisjoint(B):
5     print("Disjoint")
6 else:
7     print("Not Disjoint")
```

Input

stdin input

Output

Disjoint

Visible Test Cases



Class Work(04.08.26)

← Back

QUESTIONS

Q1

Union of Sets
5 marks



Q2

Intersection
5 marks



Q3

Difference
5 marks



Q4

Symmetric Difference
5 marks



Q5

Subset
5 marks



Q6

Superset
5 marks



Q7

Disjoint Sets



Q8 Remove Duplicates

5 marks

Write a Python program to remove duplicate elements from a list using a set.

Input:

List: 1 2 2 3 3 4

Output:

{1,2,3,4}

Your Code

```
1 lst = [1, 2, 2, 3, 3, 4]
2
3 unique_set = set(lst)
4 print(unique_set)
```

Input

stdin input

Output

{1, 2, 3, 4}

Visible Test Cases

Class Work(04.08.26)

← Back

QUESTIONS

Q1

Union of Sets

5 marks



Q2

Intersection

5 marks



Q3

Difference

5 marks



Q4

Symmetric Difference

5 marks



Q5

Subset

5 marks



Q6

Superset

5 marks



Q7

Disjoint Sets

5 marks



Q9 Common Elements

5 marks

Write a Python program to find the common elements in three sets.

Input:

A={1,2,3}

B={2,3,4}

C={2,5}

ouput:

{2}

Your Code

```
1 A = {1, 2, 3}
2 B = {2, 3, 4}
3 C = {2, 5}
4
5 common = A & B & C
6 print(common)
```

Input

stdin input

Output

{2}

Class Work(04.08.26)

[← Back](#)

QUESTIONS

Q1Union of Sets
5 marks**Q2**Intersection
5 marks**Q3**Difference
5 marks**Q4**Symmetric Difference
5 marks**Q5**Subset
5 marks**Q6**Superset
5 marks**Q7**

Disjoint Sets



Q10 Missing Numbers

5 marks

Write a Python program to find the missing numbers from 1 to 10 using sets.

Input:

Given={1,2,4,5,7,10}

Output:

{3,6,8,9}

Your Code

```
1 given = {1, 2, 4, 5, 7, 10}
2 all_nums = set(range(1, 11))
3
4 missing = all_nums - given
5 print(missing)
```

Input

stdin input

Output

{8, 9, 3, 6}

Visible Test Cases