


LAB # 03

Exercise

Theory Question

- 1) Write directory structure of web development for static web sites?

Answer:



- 2) Define image tag with attributes with syntax.

Answer:

The tag is an **empty (self-closing)** tag used to embed images in an HTML page.

```

```

Attributes: src (path), alt (alternate text), width, height, title.

- 3) How you can differentiate between the static and dynamic web site.

Answer:


Static	Dynamic
Fixed content	Content changes per user/request
No database	Uses database
Faster, cheaper	Slower, costlier
Only HTML/CSS/JS	Uses server-side languages (PHP, Node.js)
Example: Portfolio site	Example: Facebook, Amazon

Practical Question

- 1) Write a HTML program same as above example-3 using by images and scrolling tags


Answer:

Input



```
1 <!doctype html>
2 <html>
3 <head>
4 <title>Uzzi</title>
5 <!-- <link rel="icon" href="assets/cat.jpg" /> -->
6 <link rel="icon" href="cat.jpg" />
7 </head>
8
9 <body>
10 <marquee bgcolor="blue" direction="right" behavior="alternate">
11 <font color="white">
12 Welcome To Monster World | Mystery | Crime | Psychological Drama
13 </font>
14 </marquee>
15
16 <center>
17 <h1>
18 <font color="darkblue"> MONSTER </font>
19 </h1>
20
21 
27 </center>
28
29 <hr />
30
31 <center>
32 
38
39 
45 </center>
46 </body>
47 </html>
```

Output



Objective and MCQ

- 1) Which provides attributes the direction or way in which your marquee will allow you to scroll. The value of this attribute can be: left, right, up or down _____.
 - a) width
 - b) behavior
 - c) **direction**
 - d) move.
- 2) Which attributes provides the scrolling type in a marquee. That scrolling can be like sliding, scrolling or alternate tags
 - a) **behavior**
 - b) direction

- c) move
- d) class

- 3) Which attribute Specifies an alternate text for the image, if the image for some reason cannot be displayed.
- a) width
 - b) height
 - c) **alt**
 - d) src
- 4) Which attribute Specifies the path to the image.
- a) width
 - b) height
 - c) alt
 - d) **src**