1 What will be the output of the following code snippet?

```
def func(a, b):
  return b if a == 0 else func(b % a, a)
print(func(30, 75))
```

- a) 10
- b) 20
- c) 15 Correct answer
- **d**) 0

```
2 numbers = (4, 7, 19, 2, 89, 45, 72, 22)

sorted_numbers = sorted(numbers)

even = lambda a: a % 2 == 0

even_numbers = filter(even, sorted_numbers)

print(type(even_numbers))
```

- a) Int
- b) Filter
- c) List
- d) Tuple Correct answer
- 3) As what datatype are the *args stored, when passed into
- a) Tuple
- b) List
- c) Dictionary correct answer
- d) none

print(len(set1 + set2 + set3))a) 105 b) 270 c) 0 d) Error correct answer 5) What keyword is used in Python to raise exceptions? a) raise b) try correct answer c) goto d) except 6) Which of the following modules need to be imported to handle date time computations in Python? a) timedate b) date c) datetime correct answer d) time 7) What will be the output of the following code snippet? print(4**3 + (7 + 5)**(1 + 1))a) 248 b) 169 c) 208 correct answer d) 233 8) Which of the following functions converts date to corresponding time in Python? a) Strptime correct answer b) strftime c) both a) and b) d) None 9) The python tuple is _____ in nature. a) mutable b)immutable

correct

answer is b

c)unchangeable d) none
10) 10)
The is a built-in function that returns a range object that consists series of integer numbers, which we can iterate using a for loop.
A. range() correct answerB. set()C. dictionary{}D. None of the mentioned above
Question 11
Amongst which of the following is a function which does not have any name?
 A. Del function B. Show function correct answer C. Lambda function D. None of the mentioned above
Question 12
The module Pickle is used to
 A. Serializing Python object structure B. De-serializing Python object structure C. Both A and B correct answer D. None of the mentioned above
Question 13
Amongst which of the following is / are the method of convert Python objects for writing data in a binary file?

- A. set() method
- B. dump() method correct answerC. load() method
- D. None of the mentioned above

Amonast which of	f the following i	s / are the method	used to unnickling	r data from s	a hinary file?

- A. load() correct answer
- B. set() method
- C. dump() method
- D. None of the mentioned above

15.

A text file contains only textual information consisting of ____.

- A. Alphabets
- B. Numbers
- C. Special symbols
- D. All of the mentioned above correct answer

16

Which Python code could replace the ellipsis (...) below to get the following output? (Select all that apply.)

```
captains = {
   "Enterprise": "Picard",
   "Voyager": "Janeway",
   "Defiant": "Sisko",
}
```

Enterprise Picard,

Voyager Janeway

Defiant Sisko

a) for ship, captain in captains.items():

```
print(ship, captain)
```

b) for ship in captains:

```
print(ship, captains[ship])
```

c) for ship in captains:

print(ship, captains)

d) both a and b

17)

Which of the following lines of code will create an empty dictionary named captains?

```
a) captains = \{dict\}
```

- b) type(captains)
- c) captains.dict()
- d) captains = {} correct answer
- 18) Now you have your empty dictionary named captains. It's time to add some data!

Specifically, you want to add the key-value pairs "Enterprise": "Picard", "Voyager": "Janeway", and "Defiant": "Sisko".

Which of the following code snippets will successfully add these key-value pairs to the existing captains dictionary?

```
a) captains {"Enterprise" = "Picard"}
captains {"Voyager" = "Janeway"}
captains {"Defiant" = "Sisko"}
b) captains ["Enterprise"] = "Picard"
captains ["Voyager"] = "Janeway"
captains ["Defiant"] = "Sisko"
c) captains = {
"Enterprise": "Picard",
"Voyager": "Janeway",
"Defiant": "Sisko",
?
```

d) None of the above correct answer

19) You're really building out the Federation Starfleet now! Here's what you have: captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", "Discovery": "unknown", Now, say you want to display the ship and captain names contained in the dictionary, but you also want to provide some additional context. How could you do it? a) for item in captains.items(): print(f"The [ship] is captained by [captain].") b) for ship, captain in captains.items(): print(f"The {ship} is captained by {captain}.") correct answer c) for captain, ship in captains.items(): print(f"The {ship} is captained by {captain}.") d) All are correct 20) You've created a dictionary, added data, checked for the existence of keys, and iterated over it with a for loop. Now you're ready to delete a key from this dictionary: captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", "Discovery": "unknown",

}

What statement will remove the entry for the key "Discovery"?

- a) del captains
 b) captains.remove()
 c) del captains["Discovery"] correct answer
 d) captains["Discovery"].pop()