
## Exercise 1&2

### Hosting a Basic Website with Docker Desktop:


```
MINGW64/c/Users/shall/OneDrive/Desktop/website/my-website
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website
$ cd my-website/
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-website
$ touch Dockerfile
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-website
$ touch index.html
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-website
$ ls
Dockerfile index.html
```

```
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-website
$ docker build -t my-website .
[+] Building 4.3s (8/8) FINISHED
=> [internal] load build definition from Dockerfile
                                                                                                        docker:desktop-linux
                                                                                                                            0.0s
    [internal] load metadata for docker.io/library/nginx:alpine
[auth] library/nginx:pull token for registry-1.docker.io
                                                                                                                            3.6s
                                                                                                                            0.0s
 => [internal] load .dockerignore
      > transferring context: 2B
                                                                                                                            0.0s
=> [internal] load build context
                                                                                                                            0.0s
=> => transferring context: 645B
=> CACHED [1/2] FROM docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18d
                                                                                                                            0.0s
 => => resolve docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17
=> exporting to image
=> => exporting layers
 => => exporting manifest sha256:bd95aa7fa2e54a56b92a955b4e270e7ba04840d29a9f645e65349d3b812473f5
                                                                                                                            0.0s
 => => exporting config sha256:befd92fabc8ac6ea2a700839e4061b747f1646f53bc5b478d50575f772e3ada8
 => => exporting attestation manifest sha256:0936ef4899bb8bbb2ba86ab39c9e0fd3a382e22e2095cef107af3
                                                                                                                            0.0s
=> exporting manifest list sha256:b61d00cbf561e53028043d00c58b3f6fbe0576c3ef533677169caa637a00 => => naming to docker.io/library/my-website:latest
                                                                                                                            0.0s
 => => unpacking to docker.io/library/my-website:latest
                                                                                                                            0.1s
view build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/cg148ssmo6pci1wys3938rls
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-website
$ docker run -d -p 8080:80 --name my-website-container my-website
1cb909201d63f158d5b62e0ef2c60fef13b873a07eb7eb59658fb88af37fb69b
```


# Docker desktop images:



## **Docker desktop containers:**



#### Output:



## Hosting a Basic Website with CSS, JS, BOOTSTRAP:


```
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website
$ mkdir my-bootstrap-website
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website
$ cd my-bootstrap-website/
$ touch Dockerfile
$ touch index.html
$ touch styles.css
$ touch script.is
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-bootstrap-website
$ 1s
Dockerfile index.html
             script.js styles.css
```

```
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-bootstrap-website $ docker build -t my-bootstrap-website .
[+] Building 3.0s (10/10) FINISHED
=> [internal] load build definition from Dockerfile
                                                                                                                                                             docker:desktop-linux
            transferring dockerfile: 410B
       [internal] load metadata for docker.io/library/nginx:alpine [auth] library/nginx:pull token for registry-1.docker.io
                                                                                                                                                                                           0.0s
       [internal] load .dockerignore
                                                                                                                                                                                           0.0s
 => => transferring context: 2B
=> CACHED [1/4] FROM docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18d
=> => resolve docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17
=> [internal] load build context
                                                                                                                                                                                           0.0s
       => transferring context: 1.61kB
       [2/4] COPY index.html /usr/share/nginx/html/
[3/4] COPY styles.css /usr/share/nginx/html/
                                                                                                                                                                                           0.1s
 => exporting to image
 => => exporting layers
      => exporting manifest sha256:00f2ab5ad39bcb728187f851e32cb9775f8830c5a12073ef25aa3e2a467de562
 => => exporting config sha256:6776d8a1d7b81ea35e849368ad6d133e97eb61a415527ca2c15a47c05ac58350


=> => exporting attestation manifest sha256:82764ffbc502f9b124f436f3b96d84a3e05325a6a320416933293

=> exporting manifest list sha256:b3bdcb102076804aeafd452d1dd08ef3c89954d65bc5e55cde94656b03df
                                                                                                                                                                                           0.0s
                                                                                                                                                                                           0.0s
 => => naming to docker.io/library/my-bootstrap-website:latest
=> => unpacking to docker.io/library/my-bootstrap-website:latest
                                                                                                                                                                                           0.0s
View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/l6xnwq2qitb3ucmjccsxgmac
shail@SHAILEN-SUMAN MINGW64 ~/OneDrive/Desktop/website/my-bootstrap-website
$ docker run -d -p 8080:80 --name my-bootstrap-website-container my-bootstrap-website
55a2d0b0287f1ae576f3288b046f19d6656a666dc68f72d9ae544d93dce92fa0
```


### **Docker desktop Images:**




### **Docker desktop Containers:**



#### Output:





Name: Shailendra Suman

Regd\_no: 2141019394