

Chapter 7

AI Automated Incident Response and Threat Mitigation Using AI

Rebet Keith Jones

 <https://orcid.org/0009-0008-0487-1301>

Capitol Technology University, USA

ABSTRACT

The rapid evolution of cyber threats has necessitated the development of advanced techniques for incident response and threat mitigation. Artificial Intelligence (AI) has emerged as a transformative force in cybersecurity, particularly in automating incident detection, response, and mitigation processes. This chapter explores the role of AI, including Deep Learning (DL) and Large Language Models (LLMs), in revolutionizing incident response strategies. By leveraging AI, organizations can achieve faster, more accurate threat detection, adaptive response mechanisms, and efficient mitigation strategies, significantly improving their overall security posture. The chapter examines key AI technologies, their applications in cybersecurity, challenges faced, and the future potential of AI-driven security operations.

1. INTRODUCTION TO MALWARE AND CYBER THREATS

In the digital age, cybersecurity has become an essential pillar for safeguarding information, infrastructure, and personal data. The rise of sophisticated cyber threats, especially malware, presents a significant challenge to security professionals. Malware, short for malicious software, refers to any software intentionally designed to cause damage to computers, networks, or devices. These threats range from viruses and worms to ransomware, spyware, and Trojans. They are often used as tools to


DOI: 10.4018/979-8-3373-3296-3.ch007

exploit vulnerabilities in systems, disrupt services, or steal sensitive information (Omar & Zangana, 2025).

Malware attacks are not only diverse in nature but also in execution, as they can target various platforms such as desktops, mobile devices, and industrial control systems. These attacks have escalated over the years, with cybercriminals leveraging more advanced methods for evading detection. One of the key drivers behind the increase in malware attacks is the growing sophistication of attack techniques that exploit both known and unknown vulnerabilities in software and hardware (Zangana, 2024). For instance, ransomware attacks have seen a rise in recent years, where malicious actors encrypt a victim's data and demand a ransom for decryption keys (Sarker, 2024). These types of attacks are financially motivated, as organizations are often forced to pay substantial sums to recover their data.

The evolution of malware has followed a trajectory of increasing sophistication, from early viruses to modern ransomware and AI-driven attacks. The following timeline illustrates key milestones in malware development, showing the transition from simple self-replicating programs to advanced cyber threats.

Figure 1. Timeline of malware evolution



In addition to the financial threat posed by malware, the potential for massive data breaches is another significant concern. Attackers often use malware to infiltrate systems, bypass security defenses, and access confidential data such as customer information, intellectual property, and financial records. These attacks can result in reputational damage, regulatory penalties, and loss of consumer trust (Motlagh et al., 2024).

While traditional methods of defending against malware, such as signature-based detection systems, have been useful, they are increasingly ineffective against the sophisticated threats of today. This is where the integration of advanced technologies, including machine learning (ML) and large language models (LLMs), has shown great promise in enhancing cybersecurity strategies. Research by Ferrag et al. (2024) demonstrates how privacy-preserving models based on BERT can be used to detect and mitigate threats in Internet of Things (IoT) and Industrial IoT (IIoT) environments, where traditional malware detection techniques often fall short. The development of these advanced models is revolutionizing the field of malware detection by offering faster, more accurate threat detection and response capabilities.

The application of LLMs in cybersecurity, particularly in malware detection, has proven beneficial in identifying patterns and anomalies that traditional approaches might overlook. For example, large language models like GPT-2 and BERT have been employed to process massive amounts of textual and network traffic data to uncover hidden vulnerabilities and potential threats (Zangana & Omar, 2025). By leveraging these models, cybersecurity systems can significantly improve their ability to anticipate new forms of cyberattacks, analyze potential attack vectors, and generate appropriate countermeasures.

Despite these advancements, several challenges remain in the battle against malware and cyber threats. One of the primary challenges is the rapidly evolving nature of cyber threats. Cybercriminals continuously refine their tactics to bypass security measures, forcing cybersecurity systems to adapt quickly (Hasanov et al., 2024). Additionally, the complexity of malware attacks, such as polymorphic and metamorphic malware, makes detection even more difficult (Chen et al., 2024). These types of malware change their code or appearance to avoid detection, complicating efforts to create effective defense mechanisms.

Furthermore, the human factor remains a significant vulnerability in the cybersecurity landscape. Users are often the weakest link in security systems, as they may inadvertently fall victim to phishing attacks or fail to apply the necessary updates to their devices, leaving them susceptible to malware (Zangana et al., 2024). Education and awareness campaigns are essential in combating these threats, alongside the implementation of more advanced technical defenses.

The convergence of AI and cybersecurity is a key area of focus for improving malware detection and prevention. Researchers, such as those by Ferrag et al. (2023) and Liu (2024), have explored the use of generative AI and large language models to predict cyberattacks, strengthen defenses, and enhance threat intelligence. These models are capable of learning from historical attack data, offering predictive capabilities that can foresee new types of malware and prevent their spread before they cause significant damage.

In conclusion, malware and cyber threats continue to evolve in both complexity and scale, necessitating the development of advanced security solutions. Leveraging AI and machine learning technologies, particularly large language models, offers promising avenues for improving cybersecurity defenses. However, addressing these threats requires a holistic approach that combines advanced technical solutions with user education and proactive cybersecurity practices. As the cybersecurity landscape continues to shift, staying ahead of cybercriminals will depend on innovative methods that combine cutting-edge technologies with human expertise to protect systems from emerging threats.

2. ROLE OF AI IN SECURITY OPERATIONS CENTERS (SOCS)

In today's complex digital environment, Security Operations Centers (SOCs) play a critical role in defending organizations against evolving cyber threats. Traditionally, SOCs have relied on a combination of human expertise, automated systems, and various security tools to monitor and protect information systems. However, the increasing volume and sophistication of cyberattacks have strained the capabilities of traditional SOCs. To address these challenges, Artificial Intelligence (AI), particularly Large Language Models (LLMs), is being increasingly integrated into SOC operations to enhance threat detection, analysis, and mitigation. This section explores the pivotal role of AI in modern SOCs, emphasizing how LLMs are revolutionizing cybersecurity operations.

2.1 AI-Driven Threat Detection and Mitigation


AI's ability to analyze vast amounts of data at speed and accuracy far surpasses human capabilities. Security operations traditionally involved manually monitoring logs and alerts, a process that is not only time-consuming but also prone to human error. AI, particularly machine learning models, automates the identification of anomalous patterns in network traffic, system logs, and user behavior (Sarker, 2024).

Through continuous learning, AI models adapt to emerging threats, enhancing their ability to predict and identify attacks in real-time.

Large Language Models, such as GPT-3 and BERT, can process natural language data in a way that traditional systems cannot. These models can analyze and correlate vast amounts of textual data from sources like security reports, emails, and user communications, helping SOC analysts detect phishing attacks, insider threats, and malware command-and-control communications (Zangana, 2024). By using LLMs to analyze such data, SOC teams can identify potential threats earlier, reducing the time to respond and preventing security breaches.

Artificial Intelligence is transforming Security Operations Centers (SOCs) by enabling real-time threat detection and automated response mechanisms. The following diagram illustrates the integration of AI components in modern SOC.

Figure 2. AI-driven security operations center



Furthermore, AI-powered threat intelligence systems help SOC teams stay updated with the latest cyberattack techniques, tactics, and procedures (TTPs). Through machine learning, AI systems continuously monitor and analyze threat landscapes, providing actionable intelligence to SOC analysts. This proactive approach allows SOC teams to anticipate and mitigate cyber threats before they escalate into full-fledged attacks (Ghazal et al., 2024).

2.2 Automating Incident Response and Decision-Making

The scale and complexity of modern cyberattacks often overwhelm traditional incident response systems. AI enhances incident response by automating many of the steps involved in identifying, analyzing, and mitigating security incidents. For example, AI systems can automatically classify and prioritize security alerts based on their severity, ensuring that the most critical threats are handled first (Ferrag et al., 2024). This automated triage process enables SOC teams to respond to threats more swiftly and efficiently.

Moreover, LLMs, due to their ability to understand and generate human-like text, can assist in decision-making during incidents by suggesting response actions or drafting communication to affected stakeholders. AI systems can also integrate with other security tools like firewalls, intrusion detection systems (IDS), and antivirus software, automatically executing predefined response actions when a specific threat is detected (Kasri et al., 2025).

The ability of AI to provide real-time, data-driven recommendations ensures that SOC teams make informed decisions quickly. This is especially crucial in high-pressure scenarios where every second counts, such as when mitigating a ransomware attack or preventing a data breach.

2.3 Enhancing Security Operations with Predictive Analytics

AI in SOC teams is not only reactive but also predictive. Predictive analytics involves using AI to forecast potential threats based on patterns and trends in historical data. By leveraging AI models, SOC teams can identify early indicators of emerging threats and vulnerabilities, allowing for preemptive action (Hassanin & Moustafa, 2024). For instance, AI can predict potential attack vectors by analyzing network traffic patterns and identifying weak spots in an organization's defenses.

Incorporating AI in predictive threat detection empowers SOC teams to be more proactive in their defense strategy, shifting from a reactive to a more anticipatory approach. This includes anticipating zero-day vulnerabilities, identifying potential insider threats, and proactively addressing risks associated with new technologies, such as the Internet of Things (IoT) or Industrial Internet of Things (IIoT) (Diaf et al., 2024).

2.4 Improving Cybersecurity Automation with LLMs

Generative AI models, particularly LLMs, have proven effective in automating cybersecurity tasks that were previously manual and time-consuming. One of the most significant advantages of LLMs in SOC teams is their ability to automate the gen-

eration of threat intelligence reports, incident logs, and response plans, allowing security teams to focus on higher-level decision-making and strategy (Manoharan & Sarker, 2023). LLMs can process data from multiple sources, including threat intelligence feeds, security blogs, and forums, to generate up-to-date insights on emerging threats and provide context-specific recommendations.

Moreover, LLMs like BERT have been adapted to create privacy-preserving models for IoT and IIoT device security, offering lightweight solutions that are not only accurate but also mindful of privacy concerns (Ferrag et al., 2024). These AI models can be used to detect vulnerabilities in IoT networks, analyze device behavior for signs of compromise, and ensure that SOC teams are prepared to defend against threats targeting increasingly connected devices.

2.5 AI-Enhanced Forensic Investigations and Post-Incident Analysis

Once a cyberattack has occurred, SOC teams must conduct forensic investigations to understand how the attack unfolded, what vulnerabilities were exploited, and the extent of the damage. AI, particularly LLMs, can aid in the analysis of vast amounts of textual data related to the incident, such as communication logs, emails, and chat logs. By leveraging natural language processing (NLP) techniques, LLMs can identify key pieces of information that may have been missed by human analysts, improving the overall quality and speed of investigations (Zangana et al., 2025).

Furthermore, AI can assist in post-incident analysis by providing detailed insights into attack methodologies and suggesting improvements to security protocols. For example, AI can analyze historical incident data and offer recommendations on how to strengthen defenses against specific attack techniques, such as social engineering or phishing (Omar, 2024). This continuous feedback loop enhances SOC teams' ability to evolve and improve their security posture over time.

2.6 Summary

The integration of AI, particularly Large Language Models, into Security Operations Centers has transformed how organizations approach cybersecurity. By automating threat detection, incident response, predictive analytics, and forensic investigations, AI enables SOC teams to operate more efficiently and effectively in the face of growing cyber threats. As AI technology continues to evolve, SOC teams will become increasingly reliant on these advanced systems to stay ahead of cybercriminals and maintain robust defenses.

3. LLMS FOR AUTOMATING INCIDENT RESPONSE

In the rapidly evolving landscape of cybersecurity, Large Language Models (LLMs) are becoming indispensable tools in automating incident response processes. The integration of LLMs in cybersecurity leverages their deep learning capabilities to enhance the speed, accuracy, and efficiency of incident detection, analysis, and mitigation. By automating critical tasks, LLMs enable faster response times, which are essential in mitigating the damage caused by cyber threats. This section will explore the various applications of LLMs in automating incident response, highlighting their capabilities in threat detection, anomaly identification, and real-time defense mechanisms.

3.1 Threat Detection and Classification

One of the primary uses of LLMs in incident response is their ability to identify and classify emerging threats from large volumes of unstructured data, such as security logs, emails, and chat transcripts. LLMs, particularly those based on transformer architectures like BERT and GPT, excel at natural language processing (NLP) tasks, enabling them to detect patterns and anomalies indicative of potential security incidents. These models are trained to recognize a wide range of cyber threats, from phishing attacks to sophisticated malware, by analyzing historical data and contextual clues (Zangana & Omar, 2025).

For instance, Ferrag et al. (2024) have demonstrated how a privacy-preserving BERT-based model can be employed for detecting cyber threats in Internet of Things (IoT) and Industrial Internet of Things (IIoT) devices. This lightweight model is capable of identifying malicious activities in real time, which is crucial for automated threat detection in environments with a vast array of connected devices.

LLMs can also be integrated into Security Information and Event Management (SIEM) systems to provide real-time alerts. The ability to process massive amounts of data without human intervention allows these systems to respond to potential threats instantly, significantly reducing the time it takes to identify an issue.

3.2 Anomaly Detection and Contextual Analysis

Another significant role of LLMs in incident response is their ability to perform anomaly detection. LLMs can analyze data for deviations from the norm, such as unusual network traffic, irregular login attempts, or abnormal file access patterns, which often signal the presence of a cyberattack. The model's understanding of

context and semantics enables it to discern subtle anomalies that might go unnoticed by traditional rule-based systems.

Zangana et al. (2025) discuss how LLMs, when trained on large datasets of network activity, can effectively detect and respond to novel types of attacks by recognizing out-of-pattern behaviors that indicate an intrusion. By examining metadata, logs, and even user behavior, LLMs can detect zero-day exploits and other advanced persistent threats (APTs) that traditional detection methods might miss.

Moreover, LLMs can help in contextualizing these anomalies, providing detailed reports that highlight potential threats in a way that is comprehensible to security teams. This contextual analysis significantly aids in understanding the scope of an incident and crafting the most effective response.

3.3 Real-time Response Automation


Beyond detection, LLMs can automate a range of incident response actions, reducing the reliance on human intervention and speeding up the containment and remediation processes. When a threat is identified, an LLM can trigger predefined actions such as blocking malicious IP addresses, isolating compromised systems, or alerting security teams through automated notifications.

For example, Liu (2024) outlines how LLMs can be used to automate the triage of security incidents by categorizing and prioritizing alerts based on the severity of the threat. This reduces the cognitive load on cybersecurity professionals, allowing them to focus on high-priority tasks while the system handles routine incident responses autonomously.

The integration of LLMs in Security Orchestration, Automation, and Response (SOAR) platforms further enhances this capability. These platforms rely on LLMs to orchestrate a series of automated responses across various cybersecurity tools, providing a unified defense mechanism against cyberattacks.

Large Language Models (LLMs) streamline incident response by automatically analyzing threats, categorizing incidents, and suggesting mitigation steps. The following workflow illustrates an AI-powered security response cycle.

Figure 3. AI-based incident response workflow



3.4 Improving Post-Incident Analysis

Following an incident, LLMs also play a crucial role in conducting post-incident analysis. By analyzing historical incident data, LLMs can identify the root cause of a breach, the techniques used by attackers, and the methods for preventing similar incidents in the future. This analysis can be automated, making it easier for organizations to learn from past incidents and improve their security posture.

As noted by Ferrag et al. (2023), LLMs can also help in generating comprehensive reports that summarize the incident timeline, the actions taken, and the effectiveness of the response. These reports can be critical for compliance, audits, and further training of the security team.

3.5 Challenges and Future Directions

Despite their immense potential, there are challenges associated with implementing LLMs in incident response systems. One of the primary concerns is the computational complexity and the need for substantial computational resources, especially when processing large volumes of data in real-time (Hasanov et al., 2024). Additionally, ensuring the privacy and security of sensitive data while using LLMs

for threat detection and response is an ongoing challenge, particularly when dealing with personal or confidential information (Kasri et al., 2025).

Furthermore, LLMs are not immune to adversarial attacks. Hackers may attempt to manipulate the model's output by feeding it malicious input designed to bypass detection. This necessitates ongoing research to enhance the robustness of LLMs in cybersecurity applications (Hassanin & Moustafa, 2024).

In the future, the role of LLMs in incident response will continue to expand, particularly with advancements in quantum-aware cybersecurity (Zangana, 2025). By leveraging the unique capabilities of quantum computing, LLMs could potentially handle even more complex threat scenarios and provide even faster, more secure responses.

3.6 Summary

The application of Large Language Models (LLMs) in automating incident response represents a significant leap forward in cybersecurity. Their ability to detect threats, perform anomaly detection, automate responses, and facilitate post-incident analysis makes them invaluable tools in the fight against cyber threats. However, challenges remain in ensuring their efficiency, robustness, and security. As the field of AI and cybersecurity continues to evolve, the integration of LLMs into incident response systems will likely become more sophisticated, paving the way for faster and more effective defense mechanisms against an increasingly complex threat landscape.

4. AI-POWERED THREAT INTELLIGENCE AND REAL-TIME DEFENSE

In the evolving cybersecurity landscape, the integration of Artificial Intelligence (AI), particularly through the use of large language models (LLMs), is transforming threat detection, intelligence, and real-time defense mechanisms. The rapid sophistication of cyber threats necessitates robust, dynamic systems capable of recognizing, analyzing, and responding to potential vulnerabilities with speed and accuracy. AI-driven systems, powered by advanced LLMs, offer a powerful solution for identifying emerging threats and automating responses to attacks, making them integral to next-generation cybersecurity infrastructures.

4.1 Threat Intelligence: Leveraging Large Language Models

Threat intelligence involves the process of gathering, analyzing, and disseminating data related to potential cyber threats to enable proactive defense measures. The use of LLMs like BERT and GPT-based models is revolutionizing the way threat intelligence is collected and interpreted. These models can be trained to identify not only known threats but also predict new, previously unseen forms of cyberattacks by analyzing large datasets and extracting patterns from historical threat data. According to Ferrag et al. (2023), the ability of LLMs to process and analyze vast amounts of data significantly enhances the prediction and detection of anomalies that indicate potential threats.

LLMs enhance threat intelligence by automating the detection of suspicious activities across various cybersecurity domains, including IoT (Internet of Things) and IIoT (Industrial IoT) environments. Ferrag et al. (2024) developed a privacy-preserving BERT-based model tailored for these devices, showcasing how LLMs can be applied to resource-constrained environments without compromising the security and privacy of sensitive data. The lightweight nature of such models ensures that they can be deployed in real-time systems without significant computational overhead, making them ideal for time-sensitive cybersecurity tasks (Kasri et al., 2025).


4.2 Real-Time Defense: Automated Threat Mitigation

Real-time defense is a critical component of modern cybersecurity, where threats must be detected and mitigated instantaneously to minimize damage. The deployment of AI systems in this context has enabled the automation of defense protocols, allowing security teams to respond more rapidly to cyber threats. LLMs play a pivotal role in automating the analysis of attack vectors and the development of tailored defense strategies.

Sarker (2024) explores the use of generative AI in cybersecurity, highlighting how LLMs can be leveraged to develop automated countermeasures for identified threats. For instance, once an attack is detected, an LLM-powered system can autonomously generate defensive responses such as firewall updates, intrusion detection system (IDS) reconfigurations, and vulnerability patching. This ability to automate responses reduces the reliance on manual intervention and enables organizations to respond faster and more effectively to evolving threats.

AI-powered threat intelligence relies on diverse data sources, including security logs, social media, and attack patterns. The diagram below represents the flow of data in an AI-driven cybersecurity system.

Figure 4. AI-powered threat intelligence flow



One key area where AI-powered threat intelligence is particularly effective is in the prediction of cyberattacks before they occur. As noted by Liu (2024), AI models can detect subtle patterns within network traffic, user behavior, and system activities, which may not be immediately apparent to human analysts. Through continuous learning and adaptation, these models can recognize the early signs of a cyberattack, enabling preemptive action. This proactive approach is essential in defending against advanced persistent threats (APTs) and zero-day vulnerabilities, which often remain undetected for extended periods.

4.3 Enhancing Cybersecurity with Explainability

While LLMs are incredibly effective in detecting and mitigating cyber threats, their adoption has raised concerns around the explainability and transparency of their decisions. In cybersecurity, it is crucial to not only identify threats but also to understand the rationale behind the detection and the subsequent actions taken. This is where the synergy between LLMs and explainable AI (XAI) becomes significant.

Ferrag et al. (2024) and Zangana et al. (2025) highlight the need for AI systems that not only detect threats but also explain their reasoning in human-understandable terms. By integrating XAI techniques with LLMs, cybersecurity systems can provide valuable insights into why certain threats were flagged, what makes them suspicious, and how the system responded. This transparency fosters trust and helps security teams understand potential vulnerabilities better, improving their ability to refine and strengthen their defenses.

4.4 The Future of AI in Cybersecurity Defense

Looking forward, the role of LLMs in cybersecurity is poised to expand, especially with advancements in quantum computing and the increasing complexity of cyber threats. As highlighted by Zangana et al. (2024) in their review on quantum-aware cybersecurity, future cybersecurity defenses will need to address the unique challenges posed by quantum computing, such as the potential for quantum-enabled attacks. LLMs will play a critical role in adapting to these new threats by leveraging their ability to process vast amounts of quantum-related data and predict new attack vectors (Zangana, 2025).

Additionally, as AI continues to evolve, cybersecurity defenses will become more integrated with other emerging technologies, such as blockchain and IoT. AI-powered systems will need to maintain interoperability across these domains to ensure seamless defense mechanisms. The work of Idelhaj, Abou El Houda, and Khoukhi (2024) on AI for blockchain security, and Kasri et al. (2025) on enhancing cybersecurity with LLMs, indicates that the integration of AI across these technologies will further fortify the security landscape.

4.5 Summary

AI-powered threat intelligence and real-time defense are reshaping the landscape of cybersecurity by enabling more accurate detection, proactive defense strategies, and faster response times. With the continued advancement of large language models, organizations are better equipped to handle the ever-evolving cyber threat landscape. These systems not only offer the ability to predict and mitigate attacks but also ensure the scalability and flexibility needed to address complex, multi-faceted threats. As we move toward an increasingly interconnected and digitized world, the role of AI in cybersecurity will become indispensable in defending against the next generation of cyberattacks.

5. CASE STUDIES ON AUTOMATED CYBER DEFENSE SYSTEMS

The integration of large language models (LLMs) into cybersecurity has garnered significant attention in recent years. These models, powered by deep learning techniques, have demonstrated substantial improvements in threat detection, incident response, and vulnerability management. The growing reliance on these models for real-time cybersecurity defense systems is transforming the landscape of automated

threat detection and mitigation. Several case studies illustrate the effectiveness and potential of automated cyber defense systems powered by LLMs.

5.1. IoT/IIoT Device Security: Privacy-Preserving BERT-Based Models

A key case study comes from Ferrag et al. (2024), who developed a lightweight BERT-based model tailored to the Internet of Things (IoT) and Industrial Internet of Things (IIoT) devices. Their model emphasizes privacy preservation while ensuring high accuracy in detecting threats across resource-constrained environments. The model's efficiency lies in its ability to balance the computational constraints of IoT/IIoT devices with the need for rapid, real-time threat detection. The deployment of this system in IoT networks has shown promise in effectively identifying cyber threats without compromising privacy, which is paramount in environments with sensitive data (Ferrag et al., 2024).

5.2. Large Language Models for Cyber Threat Detection

A broader perspective on LLMs in cybersecurity is provided by Ferrag et al. (2023), who explore the application of generative AI models for detecting cyber threats. Their study demonstrates that LLMs, such as GPT-based models, can significantly enhance threat detection capabilities by generating contextually relevant information and predicting potential attacks. These systems are trained to handle large-scale data from various sources, ensuring a comprehensive understanding of threat patterns and anomalous behaviors. The ability of LLMs to synthesize complex data from diverse network traffic logs and identify potential risks without human intervention marks a breakthrough in automated cybersecurity defense (Ferrag et al., 2023).

5.3. Generative AI for Malware Detection

In the domain of malware detection, Kasri et al. (2025) explore the role of LLMs in detecting advanced persistent threats (APTs) and zero-day vulnerabilities. By using generative models, they showed that LLMs could identify novel malware strains and predict their behavior based on historical data. The study highlighted the advantage of using LLMs for dynamic threat mitigation, where systems autonomously adjust their defense strategies based on evolving attack techniques. The results from this case study underscore the ability of LLMs to provide proactive defense mechanisms that adapt to new, unforeseen threats (Kasri et al., 2025).

5.4. Cyber Attack Prediction in IoT Networks

Another notable case study is presented by Diaf et al. (2024), who applied LLMs to predict cyberattacks in IoT networks. By leveraging the predictive capabilities of LLMs, their system analyzes the historical behavior of IoT devices to forecast potential vulnerabilities and attacks. This proactive approach allows for early warning signs to be detected, enabling cybersecurity professionals to mitigate risks before they manifest. The application of this model in real-world IoT environments demonstrated its potential in reducing response times and minimizing damage from cyberattacks (Diaf et al., 2024).

5.5. Explainable AI in Cyber Threat Intelligence

Santos et al. (2024) focus on the intersection of explainable AI and LLMs in cybersecurity. Their study highlights the importance of transparency and interpretability in automated cyber defense systems. By integrating explainable AI with LLMs, their system not only detects cyber threats but also provides understandable reasoning behind its decisions. This transparency is essential in critical sectors like healthcare and finance, where human experts need to trust and verify the model's decisions. The case study demonstrated that LLMs could be used to enhance trust in automated systems, facilitating quicker and more confident responses to threats (Santos et al., 2024).

5.6. Large Language Models for Vulnerability Detection

Zangana et al. (2024) delve into the application of LLMs for software vulnerability detection. Their study reveals how LLMs, specifically fine-tuned models, can scan software code to identify security flaws that may not be detectable through traditional static analysis tools. The case study also discusses the integration of LLMs with continuous integration/continuous deployment (CI/CD) pipelines, enabling automated vulnerability scans during software development. This integration ensures that vulnerabilities are identified early in the development process, reducing the risk of exploitation in production environments (Zangana et al., 2024).

5.7. AI-Driven Threat Mitigation in Cloud Environments

The application of AI and LLMs in cloud security is explored by Zangana et al. (2025), who describe how automated systems have been developed to detect and mitigate threats in real-time across cloud-based platforms. Their case study focuses on the use of LLMs to monitor and secure cloud infrastructure by analyzing large

amounts of data generated by cloud services. The system can autonomously detect anomalies, such as unusual access patterns or misconfigurations, that may indicate a potential security breach. The proactive mitigation strategies offered by LLMs in cloud environments are essential for ensuring the integrity and confidentiality of cloud services (Zangana et al., 2025).

5.8. AI-Powered Cybersecurity Automation for Healthcare


A compelling case study in the healthcare sector is provided by Huff et al. (2023), who applied AI-driven automation for cybersecurity in medical and healthcare environments. They highlight how LLMs have been deployed to safeguard sensitive healthcare data and prevent breaches in medical devices. The system leverages real-time data to detect malicious activities and unauthorized access attempts, alerting administrators and initiating automated defense protocols. The ability of LLMs to ensure the privacy and security of patient data in a highly regulated and sensitive environment showcases the potential of AI in critical sectors (Huff et al., 2023).

5.9 Summary

These case studies demonstrate the transformative impact of large language models on cybersecurity defense systems. From real-time threat detection in IoT networks to proactive vulnerability identification and malware detection, LLMs are revolutionizing how automated systems address cybersecurity challenges. As these models continue to evolve, their ability to predict, detect, and mitigate cyber threats autonomously will play a pivotal role in enhancing the resilience of cybersecurity infrastructures across various industries. The ongoing research and development of LLMs offer promising opportunities for further optimizing automated defense systems in an increasingly complex and threat-laden digital landscape.

The following bar chart compares the efficiency of AI-powered security systems with traditional approaches across key cybersecurity metrics.

Figure 5. AI vs. traditional security performance comparison



6. CHALLENGES IN IMPLEMENTING AI-BASED SECURITY AUTOMATION

While AI-based security automation offers significant advantages in enhancing cybersecurity practices, the implementation of such systems is not without challenges. These obstacles range from technical complexities to ethical considerations, making the adoption of AI solutions in cybersecurity a multifaceted process. Below, we delve into the primary challenges faced by organizations when deploying AI-powered security automation.

6.1. Data Quality and Availability

AI systems, particularly those relying on machine learning and natural language processing (NLP), require vast amounts of high-quality, annotated data to be effective. However, the availability of such data is often limited, especially in niche cybersecurity domains or for newer attack vectors (Hasanov et al., 2024; Zangana et al., 2025). Moreover, sensitive data such as threat intelligence may not be readily

accessible due to privacy concerns, creating significant barriers to training effective AI models (Ferrag et al., 2024). Data quality also poses a concern, as inaccurate, incomplete, or biased data can impair the learning process, leading to suboptimal model performance.

6.2. Integration with Existing Systems

Integrating AI models into existing cybersecurity infrastructures is a complex task. Many legacy systems were not designed with AI integration in mind, making it difficult to adapt them to work seamlessly with new AI-based tools (Hassanin & Moustafa, 2024). In particular, automated incident response tools based on large language models (LLMs) need to interface with firewalls, intrusion detection systems, and other security components (Ferrag et al., 2023). This integration may require significant system overhauls or specialized middleware, which can be resource-intensive.

6.3. Resource Intensive Training and Operation

Training AI models, particularly deep learning models, demands substantial computational resources. Models like BERT and GPT-2, which have shown promise in cybersecurity tasks, require high-performance hardware (e.g., GPUs) and significant time to train on large datasets (Chen et al., 2024; Liu, 2024). This training burden can be prohibitive for smaller organizations or those without access to dedicated infrastructure. Furthermore, deploying these models in real-time environments requires ongoing resource allocation to handle large volumes of data and perform tasks like threat detection and response (Sarker, 2024).

6.4. Model Transparency and Interpretability

A significant challenge in implementing AI-based security automation is ensuring that the models are interpretable and transparent. For critical applications such as threat detection and response, decision-making processes must be transparent to cybersecurity teams. Without this transparency, organizations may hesitate to rely on AI models for high-stakes decisions, fearing that the lack of interpretability could lead to undesirable outcomes (Ghazal et al., 2024). Many AI models, especially deep learning-based models, act as “black boxes,” making it difficult for security experts to understand how certain conclusions or alerts are generated. This challenge is particularly acute in the context of LLMs, where the decisions made by the model must be explainable to ensure trust and confidence (Sarker, 2024; Zangana et al., 2025).

6.5. Adversarial Attacks

One of the main vulnerabilities of AI models, especially in cybersecurity, is their susceptibility to adversarial attacks. In such attacks, malicious actors manipulate input data to deceive AI systems into making incorrect predictions or decisions (Motlagh et al., 2024). For instance, cybercriminals may craft specific inputs to bypass an AI-driven malware detection system or cause an AI model to misclassify a threat as benign. Ensuring that AI systems are robust against such attacks is an ongoing area of research and a key challenge for organizations looking to deploy AI-based security automation (Omar, 2024).

6.6. Ethical and Privacy Concerns

AI-based security systems often involve the collection and processing of vast amounts of data, including potentially sensitive or personal information. This raises significant privacy concerns, especially in industries such as healthcare and finance, where data protection regulations like GDPR and HIPAA impose strict rules (Kasri et al., 2025). Furthermore, there is a risk of bias in AI models, which can lead to disproportionate targeting of certain groups or individuals. Ensuring that AI systems are ethical, privacy-preserving, and compliant with regulatory frameworks is a considerable challenge (Gholami & Omar, 2024). Models like those discussed by Ferrag et al. (2024) attempt to address privacy concerns by utilizing techniques such as federated learning and differential privacy, but these solutions are not universally applicable.

6.7. Scalability and Maintenance

As cyber threats evolve, so too must the AI models designed to detect and mitigate them. The dynamic nature of cybersecurity threats means that AI models must be regularly updated with new data and retrained to maintain their effectiveness (Zangana et al., 2025). However, managing the continuous improvement and scaling of AI models is a complex process that demands both technical expertise and significant resources. Moreover, as new types of threats emerge, models that were once highly effective may lose their relevance or fail to detect the latest tactics used by cybercriminals (Hassanin & Moustafa, 2024).

6.8. Skill Shortage

The successful implementation of AI-based security automation requires specialized expertise in both cybersecurity and AI. The shortage of qualified professionals who can design, implement, and maintain AI models is a major roadblock to widespread adoption. Organizations may struggle to find experts with the right skill sets in both domains, leading to delays or suboptimal implementations of AI systems (Santos et al., 2024). Additionally, AI models require continuous monitoring and fine-tuning, tasks that demand skilled personnel with in-depth knowledge of both AI and cybersecurity principles (Hadi et al., 2023).

6.9 Summary


AI-based security automation holds immense potential for enhancing cybersecurity, but its implementation is fraught with challenges. From data quality and availability issues to the need for significant computational resources, integrating AI systems into existing infrastructures can be difficult. Furthermore, concerns related to transparency, adversarial robustness, and privacy must be addressed to ensure that these systems can be trusted and widely adopted. Overcoming these hurdles will require ongoing research, innovation, and collaboration between AI and cybersecurity experts to create secure, scalable, and ethical solutions (Zangana et al., 2025).

7. ETHICAL CONCERNS IN AI-DRIVEN INCIDENT RESPONSE

As artificial intelligence (AI) continues to reshape the cybersecurity landscape, particularly through large language models (LLMs), the integration of AI-driven incident response mechanisms presents several ethical challenges. These concerns encompass issues related to privacy, accountability, transparency, bias, and the potential for misuse of AI technologies. While LLMs have demonstrated immense potential in automating threat detection and response, it is essential to examine these ethical considerations to ensure responsible and equitable application in cybersecurity.

AI-driven security systems introduce ethical concerns, including data privacy, accountability, and algorithmic bias. The following Venn diagram categorizes these concerns.

Figure 6. Ethical concerns in AI-driven cybersecurity



7.1 Privacy and Data Protection

One of the primary ethical concerns in AI-driven incident response is the handling of sensitive data. LLMs, due to their reliance on vast datasets for training, have the potential to access and analyze personal or confidential information during incident response. While privacy-preserving models, such as those developed by Ferrag et al. (2024), have emerged to mitigate these risks by employing techniques like differential privacy, there remains a concern over how these models handle data in practice (Ferrag et al., 2024). AI systems must be designed with robust safeguards to prevent unauthorized access or misuse of personal data during threat detection and mitigation.

The ethical dilemma intensifies when considering the surveillance implications of AI in cybersecurity. AI systems could potentially track user activities or even invade private communications under the guise of threat detection. In such cases, ethical frameworks must ensure that these practices comply with privacy laws, such as the General Data Protection Regulation (GDPR) in Europe, to protect individuals from undue surveillance.

7.2 Accountability and Responsibility

Another significant ethical issue involves the question of accountability. With the increasing autonomy of AI-driven systems, it becomes challenging to pinpoint who is responsible for the decisions made by these systems. If an AI system erroneously

flags a benign activity as a threat or fails to detect a genuine threat, the question arises: who is liable? Is it the developer of the AI system, the organization using it, or the AI itself? This ambiguity in accountability creates ethical and legal concerns regarding responsibility and recourse for affected individuals or entities.

A related concern is the risk of automating decision-making to the extent that human oversight is minimized. While LLMs, such as those explored by Liu (2024), can provide quick and efficient responses to cybersecurity incidents, the absence of human judgment in critical situations could lead to unintended consequences. It is essential to maintain a level of human oversight to ensure that AI systems operate within ethical boundaries and that accountability is clearly defined (Liu, 2024).

7.3 Transparency and Explainability

Transparency and explainability in AI systems are crucial for building trust among users and stakeholders. AI-driven incident response systems must be able to provide clear explanations for their decisions. For instance, if an AI system decides to block a particular IP address due to a suspected attack, it should offer an understandable rationale for its action. This transparency is vital for ensuring that decisions made by AI systems are not arbitrary and are based on logical reasoning that can be audited (Sarker, 2024).

In the context of LLMs, explainability is particularly challenging due to the complex nature of these models. The “black-box” problem, where the decision-making process of the AI system is not easily interpretable, can undermine trust in these systems. Efforts to improve explainability, as seen in the works of Ghazal et al. (2024) and Hasanov et al. (2024), are important in ensuring that AI models in cybersecurity are both effective and ethically sound (Ghazal et al., 2024; Hasanov et al., 2024).

7.4 Bias and Fairness

AI models, including those used for cybersecurity incident response, are vulnerable to biases that may be embedded in the training data. If an AI system is trained on biased datasets, it may lead to discriminatory outcomes, such as disproportionately flagging certain groups of individuals or behaviors as malicious. Bias in AI models can result in unfair treatment, particularly in scenarios where the model makes decisions that affect people’s lives or businesses.

For example, biased threat detection algorithms could potentially discriminate against certain demographic groups, leading to unjustified suspicion or resource allocation. This issue becomes particularly critical in cybersecurity applications that involve sensitive personal or organizational data. Developers of AI systems must be

aware of these biases and work toward creating models that are fair and representative of diverse populations (Santos et al., 2024). Efforts such as those made by Ferrag et al. (2023) in designing fairness-aware AI systems should be adopted to address these challenges (Ferrag et al., 2023).

7.5 Misuse and Weaponization of AI

The potential for misuse of AI-driven incident response systems in malicious activities is another ethical concern. While AI can significantly enhance the ability to detect and mitigate cyber threats, it can also be exploited by adversaries to launch more sophisticated attacks. For instance, attackers could leverage AI to develop autonomous attack systems that adapt and evolve, making it more difficult for traditional defenses to respond effectively.

The possibility of AI systems being weaponized for cyber warfare or criminal activities raises serious ethical questions about the role of AI in society. Efforts must be made to ensure that AI technologies in cybersecurity are used solely for defensive purposes and are not turned into offensive tools. The ethical implications of such misuse must be continuously monitored and controlled through international agreements and regulations (Asoronye et al., 2024).

7.6 Summary

While AI-driven incident response systems, particularly those utilizing large language models, offer significant advantages in automating and enhancing cybersecurity measures, they also present various ethical challenges. These concerns, including privacy, accountability, transparency, bias, and the potential for misuse, must be carefully considered and addressed. As AI continues to evolve, it is essential for researchers, policymakers, and organizations to collaborate in developing ethical frameworks and guidelines that govern the use of AI in cybersecurity. This will ensure that AI technologies are used responsibly, equitably, and transparently, ultimately benefiting society while minimizing harm.

8. FUTURE TRENDS IN AI-POWERED SECURITY OPERATIONS

The integration of Artificial Intelligence (AI) in cybersecurity continues to evolve, driven by advancements in large language models (LLMs) and their ability to detect, analyze, and mitigate cyber threats in real time. As cyberattacks grow in sophistication, AI-powered security operations are expected to play a critical role in

shaping the future of cybersecurity. This section explores the emerging trends that are likely to define the next generation of AI-driven security operations.

8.1. Adaptive and Self-Learning AI Systems

One of the most promising future trends in AI-powered security operations is the development of adaptive, self-learning systems. Traditional security tools often rely on pre-defined rules and signatures, which may be ineffective against new and unknown threats. AI models, particularly deep learning networks, have the ability to continuously learn from data, improving their detection and response capabilities over time (Santos, Salam, & Dahir, 2024). These self-learning systems can adapt to new attack vectors and even predict potential vulnerabilities before they are exploited, offering a significant advantage over conventional methods. Ferrag et al. (2024) have highlighted how such systems, especially when combined with large language models, could autonomously evolve in response to emerging threats in IoT and IIoT environments.

8.2. Explainable AI (XAI) for Cybersecurity Decision-Making

As AI becomes more involved in security operations, the demand for transparency and accountability in decision-making is growing. Explainable AI (XAI) allows cybersecurity professionals to understand how AI models reach specific conclusions or decisions, which is crucial for trust and effective risk management. XAI can be particularly important in situations where AI detects anomalies or threats but needs to provide a rational explanation for its actions to ensure that human experts can verify the findings (Sarker, 2024). As large language models, such as BERT and GPT, gain prominence in threat detection, integrating explainability into these models will be a key challenge and opportunity for advancing cybersecurity practices (Ghazal et al., 2024).

8.3. Enhanced Threat Intelligence through Natural Language Processing (NLP)

Natural Language Processing (NLP) has already shown its potential in analyzing vast amounts of unstructured data, such as reports, news articles, and social media, to identify emerging cybersecurity threats. Future AI-powered systems will increasingly leverage NLP to analyze threat intelligence feeds, enabling them to detect and assess risks in real time. By processing large volumes of unstructured text, AI can uncover hidden patterns and correlations that human analysts might miss (Liu, 2024). Zangana et al. (2025) discuss how LLMs can be employed to automate threat

intelligence gathering, offering predictive insights that improve decision-making and response times.

8.4. Quantum-Aware Cybersecurity Models

As quantum computing begins to gain traction, it will present both opportunities and challenges for AI-driven cybersecurity. Quantum-aware security models are expected to become crucial in protecting data against quantum-enabled attacks. Large language models are already being explored for their potential to enhance security in a quantum computing environment. Zangana and Omar (2025) predict that LLMs will play a pivotal role in developing quantum-aware models capable of defending against quantum-level threats. This will require the convergence of AI and quantum computing technologies, enabling more robust and future-proof cybersecurity solutions.

8.5. Integration with Autonomous Systems for Incident Response

In the future, AI-powered security operations will likely evolve to include more autonomous decision-making, particularly in incident response. Autonomous systems, equipped with LLMs, can quickly analyze incoming data, detect anomalies, and even implement remediation steps without human intervention. Such capabilities are essential in combating fast-moving cyberattacks, such as zero-day exploits and ransomware attacks, where human intervention might be too slow (Kasri et al., 2025). The automation of these processes can significantly reduce the response time to incidents and minimize the impact of cyber threats.

8.6. AI in Proactive Vulnerability Management

AI-powered security tools will increasingly be used to predict and manage vulnerabilities before they are exploited by attackers. Leveraging historical data, vulnerability databases, and AI techniques such as supervised learning, security systems can identify weaknesses in software and hardware systems that may be targeted by adversaries. This proactive approach will enable organizations to patch vulnerabilities and strengthen their defenses before attacks occur (Xu et al., 2024). According to Ferrag et al. (2023), pre-trained language models are already being explored for vulnerability detection, and their application in cybersecurity is expected to expand rapidly in the coming years.

8.7. Privacy-Preserving AI for Sensitive Environments

As privacy concerns continue to grow, AI models in cybersecurity must prioritize user data protection. Privacy-preserving techniques, such as federated learning and differential privacy, are expected to be integrated into AI-driven security operations. These methods allow AI systems to learn from data without directly accessing sensitive information, making them particularly valuable in privacy-sensitive industries like healthcare and finance (Hasanov et al., 2024). Ferrag et al. (2024) discuss how BERT-based lightweight models can be employed for privacy-preserving applications in IoT environments, offering scalable and secure solutions without compromising on performance.

8.8. AI-Driven Collaboration for Global Cyber Defense

The growing complexity and scale of cyber threats require collaboration between organizations, governments, and AI systems across borders. Future AI-powered security operations will likely involve sharing threat intelligence, analyzing patterns, and developing global defense strategies. AI systems will be able to automatically aggregate threat data from multiple sources, providing real-time, global perspectives on emerging threats. This collective intelligence will enable organizations to detect and neutralize threats that may otherwise go undetected. As Zangana et al. (2024) point out, the application of LLMs in global cybersecurity frameworks can improve cooperation and enhance security on a worldwide scale.

8.9 Summary

The future of AI-powered security operations is marked by rapid advancements in large language models and their integration into cybersecurity frameworks. These models will not only improve detection and response times but also introduce proactive, adaptive, and explainable solutions that can significantly enhance the security landscape. As AI technologies continue to evolve, the cybersecurity industry must remain agile, ready to embrace new innovations while addressing the challenges they bring, such as privacy concerns, explainability, and quantum threats.

9. CONCLUSION

The rapid advancement of AI technologies, particularly large language models (LLMs), has revolutionized cybersecurity by providing new approaches to detecting, predicting, and mitigating cyber threats. From automating incident responses to

enhancing threat intelligence, LLMs are pushing the boundaries of what is possible in securing digital infrastructures. As the landscape of cybersecurity continues to evolve, the integration of LLMs is proving to be essential in addressing the increasing complexity of cyber threats. The ability of LLMs to analyze vast amounts of data, predict potential threats, and automate responses is transforming how organizations approach security.

In addition, the evolving capabilities of AI-driven solutions are creating opportunities for more proactive and adaptive security systems. LLMs are becoming integral to identifying vulnerabilities, detecting anomalous behavior, and protecting sensitive data in real time. As demonstrated by various studies (Ferrag et al., 2024; Liu, 2024), the deployment of these models has enhanced cybersecurity operations, making them more effective and efficient. However, challenges remain, including concerns about model biases, the need for explainability in AI-driven decisions, and the computational resources required for scaling these systems (Sarker, 2024; Kasri et al., 2025).

Looking ahead, the role of LLMs in cybersecurity will likely continue to expand, especially as new technologies like quantum computing begin to reshape the landscape (Zangana & Omar, 2025). For cybersecurity to keep pace with these developments, there is a need for ongoing research and innovation in AI models, ensuring they are robust, adaptable, and capable of addressing emerging threats. Future work will also need to focus on optimizing LLMs for specific cybersecurity applications, such as IoT security and advanced threat hunting, while mitigating privacy concerns and ensuring the ethical use of these technologies.

In conclusion, while LLMs are already demonstrating their potential in cybersecurity, their full impact will be realized only through continued advancements and strategic integration into cybersecurity frameworks. As organizations increasingly rely on AI to safeguard their digital environments, the convergence of cybersecurity and AI-driven technologies will play a pivotal role in creating a more secure, resilient, and adaptive digital world.

REFERENCES

- Aghaei, E., Niu, X., Shadid, W., & Al-Shaer, E. (2022, October). Securebert: A domain-specific language model for cybersecurity. In *International Conference on Security and Privacy in Communication Systems* (pp. 39-56). Cham: Springer Nature Switzerland.
- AlQenaei, Z. M. (2024, March). Evolution and Optimization of Language Model Architectures: From Foundations to Future Directions. In *International Conference on Computing and Machine Learning* (pp. 233-249). Singapore: Springer Nature Singapore.
- Alturkistani, H., & Chuprat, S. (2024). Artificial Intelligence and Large Language Models in Advancing Cyber Threat Intelligence: A Systematic Literature Review.
- Asoronye, G. O., Anthony, O. C., Ogbuikwu, R. I., Ogili, C. O., & Ali, H. U. (2024). SecLM: A Specialized Security Language Model for Advanced Cybersecurity Applications and Threat Mitigation. *EKETE-International Journal Of Advanced Research*, 2(6), 33–42.
- Bryce, C., Kalousis, A., Leroux, I., Madinier, H., Mermoud, A., Mulder, V., ... & Ruch, P. Trends in Large Language Models: Actors, Applications, and Impact on Cybersecurity.
- Chen, Y., Cui, M., Wang, D., Cao, Y., Yang, P., Jiang, B., Lu, Z., & Liu, B. (2024). A survey of large language models for cyber threat detection. *Computers & Security*, 145, 104016. DOI: 10.1016/j.cose.2024.104016
- Diaf, A., Korba, A. A., Karabadji, N. E., & Ghamri-Doudane, Y. (2024, April). Beyond detection: Leveraging large language models for cyber attack prediction in iot networks. In *2024 20th International Conference on Distributed Computing in Smart Systems and the Internet of Things (DCOSS-IoT)* (pp. 117-123). IEEE.
- Ferrag, M. A., Alwahedi, F., Battah, A., Cherif, B., Mechri, A., & Tihanyi, N. (2024). Generative ai and large language models for cyber security: All insights you need. *Available atSSRN* 4853709. DOI: 10.2139/ssrn.4853709
- Ferrag, M. A., Ndhlovu, M., Tihanyi, N., Cordeiro, L. C., Debbah, M., & Lestable, T. (2023). Revolutionizing cyber threat detection with large language models. *arXiv preprint arXiv:2306.14263*, 195-202.

Ferrag, M. A., Ndhlovu, M., Tihanyi, N., Cordeiro, L. C., Debbah, M., Lestable, T., & Thandi, N. S. (2024). Revolutionizing cyber threat detection with large language models: A privacy-preserving bert-based lightweight model for iot/iiot devices. *IEEE Access : Practical Innovations, Open Solutions*, 12, 23733–23750. DOI: 10.1109/ACCESS.2024.3363469

Ferrag, M. A., Ndhlovu, M., Tihanyi, N., Cordeiro, L. C., Debbah, M., Lestable, T., & Thandi, N. S. (2024). Revolutionizing cyber threat detection with large language models: A privacy-preserving bert-based lightweight model for iot/iiot devices. *IEEE Access : Practical Innovations, Open Solutions*, 12, 23733–23750.

Ghazal, T. M., Janjua, J. I., Abushiba, W., Ahmad, M., Ihsan, A., & Al-Dmour, N. A. (2024, December). Cybersecurity Revolution via Large Language Models and Explainable AI. In *2024 17th International Conference on Security of Information and Networks (SIN)* (pp. 1-6). IEEE. DOI: 10.1109/SIN63213.2024.10871324

Gholami, S., & Omar, M. (2023). Does Synthetic Data Make Large Language Models More Efficient? *arXiv preprint arXiv:2310.07830*.

Gholami, S., & Omar, M. (2024). Can a student large language model perform as well as its teacher? In *Innovations, Securities, and Case Studies Across Healthcare, Business, and Technology* (pp. 122-139). IGI Global. DOI: 10.4018/979-8-3693-1906-2.ch007

Gupta, B. B., Gaurav, A., & Arya, V. (2024). Navigating the security landscape of large language models in enterprise information systems. *Enterprise Information Systems*, 18(4), 2310846. DOI: 10.1080/17517575.2024.2310846

Hadi, M. A., Abdulredha, M. N., & Hasan, E. (2023). Introduction to ChatGPT: A new revolution of artificial intelligence with machine learning algorithms and cybersecurity. *Sci. Arch*, 4(04), 276. DOI: 10.47587/SA.2023.4406

Hamza, Y. A., & Omar, M. D. (2013). Cloud computing security: Abuse and nefarious use of cloud computing. *International Journal of Computer Engineering Research*, 3(6), 22–27.

Hasanov, I., Virtanen, S., Hakkala, A., & Isoaho, J. (2024). Application of Large Language Models in Cybersecurity: A Systematic Literature Review. *IEEE Access : Practical Innovations, Open Solutions*, 12, 176751–176778. DOI: 10.1109/ACCESS.2024.3505983

Hassanin, M., & Moustafa, N. (2024). A comprehensive overview of large language models (llms) for cyber defences: Opportunities and directions. *arXiv preprint arXiv:2405.14487*.

Huff, A. J., Burrell, D. N., Nobles, C., Richardson, K., Wright, J. B., Burton, S. L., Jones, A. J., Springs, D., Omar, M., & Brown-Jackson, K. L. (2023). Management Practices for Mitigating Cybersecurity Threats to Biotechnology Companies, Laboratories, and Healthcare Research Organizations. In *Applied Research Approaches to Technology, Healthcare, and Business* (pp. 1-12). IGI Global.

Idelhaj, A., Abou El Houda, Z., & Khoukhi, L. (2024). Foundations models in cybersecurity. *Artificial Intelligence for Blockchain and Cybersecurity Powered IoT Applications*, 1.

Idelhaj, A., Abou El Houda, Z., & Khoukhi, L. Foundations models in cybersecurity: A comprehensive review and future direction. *Artificial Intelligence for Blockchain and Cybersecurity Powered IoT Applications*, 1-18.

Jones, R., & Omar, M. (2024). Revolutionizing Cybersecurity: The GPT-2 Enhanced Attack Detection and Defense (GEADD) Method for Zero-Day Threats. *International Journal of Informatics [INJIISCOM]. Information System and Computer Engineering*, 5(2), 178–191.

Jones, R., Omar, M., Mohammed, D., Nobles, C., & Dawson, M. (2023). Harnessing the Speed and Accuracy of Machine Learning to Advance Cybersecurity. In *2023 Congress in Computer Science, Computer Engineering, & Applied Computing (CSCE)* (pp. 418-421). IEEE. DOI: 10.1109/CSCE60160.2023.00074

Kasri, W., Himeur, Y., Alkhazaleh, H. A., Tarapiah, S., Atalla, S., Mansoor, W., & Al-Ahmad, H. (2025). From Vulnerability to Defense: The Role of Large Language Models in Enhancing Cybersecurity. *Computation (Basel, Switzerland)*, 13(2), 30. DOI: 10.3390/computation13020030

Liu, Z. (2024, April). A review of advancements and applications of pre-trained language models in cybersecurity. In *2024 12th International Symposium on Digital Forensics and Security (ISDFS)* (pp. 1-10). IEEE. DOI: 10.1109/ISDFS60797.2024.10527236

Manoharan, A., & Sarker, M. (2023). Revolutionizing Cybersecurity: Unleashing the Power of Artificial Intelligence and Machine Learning for Next-Generation Threat Detection. DOI:<https://www.doi.org/10.56726/IRJMET32644>, 1.

Mohammed, D., Omar, M., & Nguyen, V. (2018). Wireless sensor network security: Approaches to detecting and avoiding wormhole attacks. *Journal of Research in Business. Economics and Management*, 10(2), 1860–1864.

Motlagh, F. N., Hajizadeh, M., Majd, M., Najafi, P., Cheng, F., & Meinel, C. (2024). Large language models in cybersecurity: State-of-the-art. *arXiv preprint arXiv:2402.00891*.

Nguyen, V., Mohammed, D., Omar, M., & Banisakher, M. (2018). The Effects of the FCC Net Neutrality Repeal on Security and Privacy. [IJHIoT]. *International Journal of Hyperconnectivity and the Internet of Things*, 2(2), 21–29. DOI: 10.4018/IJHIoT.2018070102

Omar, M. (2021). New insights into database security: An effective and integrated approach for applying access control mechanisms and cryptographic concepts in Microsoft Access environments.

Omar, M. (2022). *Machine Learning for Cybersecurity: Innovative Deep Learning Solutions*. Springer Brief. <https://link.springer.com/book/978303115>

Omar, M. (2024). From Attack to Defense: Strengthening DNN Text Classification Against Adversarial Examples. In *Innovations, Securities, and Case Studies Across Healthcare, Business, and Technology* (pp. 174-195). IGI Global.

Omar, M. (2024). Revolutionizing Malware Detection: A Paradigm Shift Through Optimized Convolutional Neural Networks. In *Innovations, Securities, and Case Studies Across Healthcare, Business, and Technology* (pp. 196-220). IGI Global. DOI: 10.4018/979-8-3693-1906-2.ch011

Omar, M., & Zangana, H. (Eds.). (2025). *Digital Forensics in the Age of AI*. IGI Global., DOI: 10.4018/979-8-3373-0857-9

Omar, M., & Zangana, H. M. (Eds.). (2024). *Redefining Security With Cyber AI*. IGI Global., DOI: 10.4018/979-8-3693-6517-5

Omar, M., & Zangana, H. M. (Eds.). (2025). *Application of Large Language Models (LLMs) for Software Vulnerability Detection*. IGI Global., DOI: 10.4018/979-8-3693-9311-6

Omar, M., Zangana, H. M., Al-Karaki, J. N., & Mohammed, D. (2024). Harnessing LLMs for IoT malware detection: A comparative analysis of BERT and GPT-2. In *2024 8th International Symposium on Multidisciplinary Studies and Innovative Technologies (ISMSIT)* (pp. 1-6). Ankara, Türkiye. <https://doi.org/DOI: 10.1109/ISMSIT63511.2024.10757249>

Omar, M., Zangana, H. M., & Mohammed, D. (Eds.). (2025). *Integrating Artificial Intelligence in Cybersecurity and Forensic Practices*. IGI Global., DOI: 10.4018/979-8-3373-0588-2

Ozkan-Okay, M., Akin, E., Aslan, Ö., Kosunalp, S., Iliev, T., Stoyanov, I., & Be-loev, I. (2024). A comprehensive survey: Evaluating the efficiency of artificial intelligence and machine learning techniques on cyber security solutions. *IEEE Access : Practical Innovations, Open Solutions*, 12, 12229–12256. DOI: 10.1109/ACCESS.2024.3355547

Pleshakova, E., Osipov, A., Gataullin, S., Gataullin, T., & Vasilakos, A. (2024). Next gen cybersecurity paradigm towards artificial general intelligence: Russian market challenges and future global technological trends. *Journal of Computer Virology and Hacking Techniques*, 20(3), 429–440. DOI: 10.1007/s11416-024-00529-x

Santos, O., Salam, S., & Dahir, H. (2024). The AI revolution in networking, cyber-security, and emerging technologies.

Sarker, I. H. (2024). Generative AI and large language modeling in cybersecurity. In *AI-Driven Cybersecurity and Threat Intelligence: Cyber Automation, Intelligent Decision-Making and Explainability* (pp. 79–99). Springer Nature Switzerland. DOI: 10.1007/978-3-031-54497-2_5

Taghavi, S. M., & Feyzi, F. (2024). Using large language models to better detect and handle software vulnerabilities and cyber security threats.

Wright, J., Dawson, M. E.Jr, & Omar, M. (2012). Cyber security and mobile threats: The need for antivirus applications for smartphones. *Journal of Information Systems Technology and Planning*, 5(14), 40–60.

Xu, H., Wang, S., Li, N., Wang, K., Zhao, Y., Chen, K., . . . Wang, H. (2024). Large language models for cyber security: A systematic literature review. *arXiv preprint arXiv:2405.04760*.

Yu, J., Shvetsov, A. V., & Alsamhi, S. H. (2024). Leveraging machine learning for cybersecurity resilience in industry 4.0: Challenges and future directions. *IEEE Access : Practical Innovations, Open Solutions*, 12, 159579–159596. DOI: 10.1109/ACCESS.2024.3482987

Zangana, H., & Omar, M. (Eds.). (2025). *Leveraging Large Language Models for Quantum-Aware Cybersecurity*. IGI Global., DOI: 10.4018/979-8-3373-1102-9

Zangana, H. M. (2024). Exploring Blockchain-Based Timestamping Tools: A Comprehensive Review. *Redefining Security With Cyber AI*, 92-110.

Zangana, H. M. (2024). Exploring the Landscape of Website Vulnerability Scanners: A Comprehensive Review and Comparative Analysis. *Redefining Security With Cyber AI*, 111-129.

- Zangana, H. M. (2024). Harnessing the Power of Large Language Models. *Application of Large Language Models (LLMs) for Software Vulnerability Detection*, 1.
- Zangana, H. M., & Li, S. (2025). Future Trends in AI and Digital Forensics. In Omar, M., & Zangana, H. (Eds.), *Digital Forensics in the Age of AI* (pp. 347–380). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3373-0857-9.ch013
- Zangana, H. M., Mohammed, A. K., Sallow, A. B., & Sallow, Z. B. (2024). Cybernetic Deception: Unraveling the Layers of Email Phishing Threats. [INJURATECH]. *International Journal of Research and Applied Technology*, 4(1), 35–47.
- Zangana, H. M., & Mohammed, D. (2025). Foundations of Large Language Models in Software Vulnerability Detection. In Omar, M., & Zangana, H. (Eds.), *Application of Large Language Models (LLMs) for Software Vulnerability Detection* (pp. 41–74). IGI Global., DOI: 10.4018/979-8-3693-9311-6.ch002
- Zangana, H. M., & Mustafa, F. M. (2024). Hybrid Image Denoising Using Wavelet Transform and Deep Learning. *EAI Endorsed Transactions on AI and Robotics*, 3. Advance online publication. DOI: 10.4108/airo.7486
- Zangana, H. M., & Mustafa, F. M. (2025). Image Denoising Techniques for Cybersecurity and Forensic Applications: AI-Driven Approaches. In Omar, M., Zangana, H., & Mohammed, D. (Eds.), *Integrating Artificial Intelligence in Cybersecurity and Forensic Practices* (pp. 117–142). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3373-0588-2.ch005
- Zangana, H. M., Mustafa, F. M., & Li, S. (2025). Large Language Models in Cybersecurity: From Automation to Intelligence. In *Leveraging Large Language Models for Quantum-Aware Cybersecurity* (pp. 277–300). IGI Global Scientific Publishing.
- Zangana, H. M., Mustafa, F. M., & Li, S. (2025). Large Language Models in Cybersecurity: From Automation to Intelligence. In Zangana, H., & Omar, M. (Eds.), *Leveraging Large Language Models for Quantum-Aware Cybersecurity* (pp. 277–300). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3373-1102-9.ch009
- Zangana, H. M., Mustafa, F. M., Li, S., & Al-Karaki, J. N. (2025). Natural Language Processing for Cyber Threat Intelligence in a Quantum World. In Zangana, H., & Omar, M. (Eds.), *Leveraging Large Language Models for Quantum-Aware Cybersecurity* (pp. 345–388). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3373-1102-9.ch011

Zangana, H. M., Mustafa, F. M., & Omar, M. (2024). A Hybrid Approach for Robust Object Detection: Integrating Template Matching and Faster R-CNN. *EAI Endorsed Transactions on AI and Robotics*, 3. Advance online publication. DOI: 10.4108/airo.6858

Zangana, H. M., & Omar, M. (2020). Threats, Attacks, and Mitigations of Smartphone Security. *Academic Journal of Nawroz University*, 9(4), 324–332. DOI: 10.25007/ajnu.v9n4a989

Zangana, H. M., & Omar, M. (2025). Harnessing the Power of Large Language Models for Cybersecurity: Applications, Challenges, and Future Directions. In Omar, M., & Zangana, H. (Eds.), *Application of Large Language Models (LLMs) for Software Vulnerability Detection* (pp. 1–40). IGI Global., DOI: 10.4018/979-8-3693-9311-6.ch001

Zangana, H. M., & Omar, M. (2025). Introduction to Digital Forensics and Artificial Intelligence. In Omar, M., & Zangana, H. (Eds.), *Digital Forensics in the Age of AI* (pp. 1–30). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3373-0857-9.ch001

Zangana, H. M., & Omar, M. (2025). Introduction to Quantum-Aware Cybersecurity: The Need for LLMs. In Zangana, H., & Omar, M. (Eds.), *Leveraging Large Language Models for Quantum-Aware Cybersecurity* (pp. 1–28). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3373-1102-9.ch001

Zangana, H. M., & Omar, M. (2025). The Role of Leadership in Advancing Inclusive Health Technologies. In Burrell, D., & Nguyen, C. (Eds.), *New Horizons in Leadership: Inclusive Explorations in Health, Technology, and Education* (pp. 203–220). IGI Global Scientific Publishing., DOI: 10.4018/979-8-3693-6437-6.ch009

Zangana, H. M., Omar, M., Al-Karaki, J. N., & Mohammed, D. (2024). Comprehensive Review and Analysis of Network Firewall Rule Analyzers: Enhancing Security Posture and Efficiency. *Redefining Security With Cyber AI*, 15-36.

Zangana, H. M., Sallow, Z. B., & Omar, M. (2025). The Human Factor in Cybersecurity: Addressing the Risks of Insider Threats. *Jurnal Ilmiah Computer Science*, 3(2), 76–85. DOI: 10.58602/jics.v3i2.37

