SANKUR KUNDU

Curriculum Vitae | ML Systems Engineer & Independent Researcher
Bhubaneswar, India (open to relocation) • +91 97761 94201 • sankur.kundu.tw@gmail.com
linkedin.com/in/sankur-kundu • github.com/Shakhtar-Sankur • shakhtar-sankur.github.io • **evidence: the original emails**

11 fixes merged: NVIDIA, Apple, Meta, Tencent, Oxford • PRs: US Department of Energy, UK Met Office • NASA review

SUMMARY

ML systems engineer and independent researcher (B.Tech, Computer Science and Engineering, 2026), sole author of **three manuscripts** and co-founder of Gigzen. Eleven fixes merged in 21 days into **NVIDIA's Ising-Decoding** (two), **Apple MLX**, **Meta ExecuTorch** (two), **Tencent ncnn** (merged by its creator), **Carnegie Mellon University's XGrammar** (the default structured-output engine of vLLM, SGLang and **NVIDIA** TensorRT-LLM), **Hugging Face OpenEnv** (two), the **University of Oxford's PyZX** and **JaxMARL**, and I built and submitted a full lab to **Harvard's Machine Learning Systems textbook** (Prof. Vijay Janapa Reddi). My fixes to public-sector science software are in review at the **US Department of Energy (DOE) national laboratories** (Kokkos), the **European Centre for Medium-Range Weather Forecasts (ECMWF)**, the **UK Met Office** and **Science and Technology Facilities Council (STFC)** (PSyclone) and the **Swiss National Supercomputing Centre (CSCS)**, with two more at the **Massachusetts Institute of Technology (MIT)**. I build systems from scratch and benchmark them against the leaders: GPU kernels at **cuBLAS** parity, an LLM engine matching **vLLM** token for token, a collision-risk engine matching **NASA's Conjunction Assessment Risk Analysis (CARA)** team on all 53 of its test cases, a 494M-parameter LLM that gives **identical bits on an NVIDIA GPU and a CPU**, a gravitational-wave search that finds **62 of 71 Laser Interferometer Gravitational-Wave Observatory (LIGO)** O4a detections blind, and a test showing the **Vesuvius Challenge's** official ink model finds **79% of real ink** in an unread Herculaneum scroll.

HONORS & RECOGNITION

- **Harvard's Machine Learning Systems textbook** (Prof. Vijay Janapa Reddi): **built and submitted a full lab**, The Same-Bits Contract, on why temperature-0 LLMs are not deterministic (**PR #2175**, Nov 2026). Built to the book's lab protocol, with its math as a new module of the book's simulator, it passes the book's test suites (**2,658 tests, 0 failures**); its team: "the feature looks great" (discussion).
- **NASA Conjunction Assessment Risk Analysis (CARA)**: my independent reproduction of CARA's Monte Carlo results on all 53 of its test cases is **under review by NASA CARA**: its Operations Team Lead referred it to CARA's analysts (20 Oct 2026; emails).
- **Entrepreneur First** (UK): its Talent Investor scouted me from public work alone (15 Oct 2026), citing my cuBLAS-parity compiler and a negative result I chose to publish, "which I rarely see" (email).

OPEN-SOURCE CONTRIBUTIONS: 11 FIXES MERGED IN 21 DAYS, 16 OCT – 5 NOV 2026

NVIDIA ISING-DECODING | NVIDIA's AI decoders for quantum error correction | #98, #99 **Merged 30 Oct & 2 Nov 2026**

- The tests and offline docs looked only for .pt checkpoints, so users of the SafeTensors models **NVIDIA** publishes on **Hugging Face** failed them. The tests now find the newest published file by version (v1.0.77 after v1.0.9), and a new test checks that the newest of two exported releases loads bit for bit. NVIDIA's team: "Thanks for the contribution!" After review rounds with maintainer Ivan Basov, he approved and merged it, 30 Oct: "Merged, thank you for the contribution and for working through the review rounds."
- **Second fix,** #99, split out of #98 at his request: the loader ignored the documented PREDECODER_MODEL_CHECKPOINT_FILE for .pt checkpoints; it is now honoured, with a test showing the SafeTensors setting takes precedence, as the README states. After **NVIDIA's** CI ran it, he approved and merged it, 2 Nov: "Merged, thank you for the follow-up and for adding the precedence test."

APPLE MLX | Apple's ML framework for Apple silicon, **29k★** | PR #4737 **Merged 22 Oct 2026**

- Fixed a data race in the distributed ring backend, the TCP transport that links Macs for multi-machine training: socket threads read their task queues outside the lock. A ThreadSanitizer harness found 2–4 races on every run before the fix and **0** after; MLX's ring tests pass on 8 ranks. Reviewed, approved and merged by MLX maintainer @zcbenz, who also pushed a follow-up commit (22 Oct).

META EXECUTORCH | On-device AI in Instagram & WhatsApp, **5.1k★** | #23677, #23912 **Merged 16 & 28 Oct 2026**

- The 2- and 4-bit quantized embedding kernels of on-device LLMs read memory outside the table on an invalid token id and returned it as an embedding; added the bounds check the 8-bit kernel has, with tests that fail without it (quantized suite: 82 of 82 pass). Approved by **Meta** maintainers Scott Roy ("LGTM! Thanks for the fix!") and Jacob Stevens; merged 16 Oct.
- **Second fix,** #23912: zero points were checked against the output type, not the scales' type, so valid fp16-scale models aborted, and the .out variants read past their scales (AddressSanitizer: heap-buffer-overflow); after **Meta** maintainer review, the 2- and 4-bit export kernels also report the scales' dtype. 86/86 kernel tests pass; the new ones fail without the fixes; merged 28 Oct.

TENCENT NCNN | Tencent's on-device AI inference framework, **24k★** | PR #7239 **Merged 5 Nov 2026**

- Mish returned NaN on Vulkan GPUs for large inputs (AMD on Windows): exp(x) overflowed; clamped it in the Mish layer and the fused activation (**30 NaN outputs → 0**). **Approved, extended with tests and merged by ncnn's creator, nihui**: "Thanks for your contribution!"

CARNEGIE MELLON UNIVERSITY XGRAMMAR | Default structured-output engine of vLLM, SGLang & NVIDIA TensorRT-LLM | PR #1012 **Merged 29 Oct 2026**

- find_jump_forward_string() raised UnicodeDecodeError whenever the bytes a grammar forces stop partway through a UTF-8 character, as in a JSON-schema enum such as ["é", "è"]; issue #132 had been closed by switching the feature off. It now returns the longest prefix of complete, valid UTF-8 characters, so results stay correct. Merged by maintainer Linzhang Li, 29 Oct.

UNIVERSITY OF OXFORD PYZX | ZX-calculus quantum-circuit optimiser, **553★** | PR #563 **Merged 22 Oct 2026**

- Three optimisers put an X rotation on the wrong qubit after rewriting two CNOTs as a SWAP, changing the unitary of **25 of 100** random Clifford circuits (0 after the fix). Merged by co-creator John van de Wetering, 22 Oct: "Thanks for the fix! This was a regression from an earlier PR."

JAXMARL | NeurIPS 2024; BOLD Lab: Oxford, University College London & Imperial College London, **868★** | PR #206 **Merged 26 Oct 2026**

- The rollout manager behind 8 Q-learning baselines (QMIX, VDN, IQL and others) zeroed the first observation of every new episode after an auto-reset, so agents chose their first action blind; two of three new tests fail without the fix. Approved and merged by lead author Alex Rutherford, 26 Oct: "Good find!!"

HUGGING FACE OPENENV | RL environments (Meta-PyTorch, NVIDIA, Microsoft), **2.8k★** | #1441, #1442 **Merged 19 Oct 2026**

- Fixed composite reward rubrics for RL training that ran pre-hooks after scoring their children (a timer read 0.01 ms for 400 ms of work) and scored an async judge as a coroutine; 9 of 13 new tests fail without the fixes. Both merged 19 Oct: "177 rubric tests pass".

In review

- **Google JAX** #41859 (**36.5k★**; **Google** assigned it to JAX co-author Matthew Johnson, 21 Oct): jax.grad through lax.reduce_window with a custom reduction has failed since 2021; its derivative is now a fold over the window offsets; the **242** new test cases fail on main.
- **Google DeepMind MuJoCo** #3756: MJX, MuJoCo's JAX backend, silently dropped plugin forces (a PID actuator: **0.441 in MuJoCo, 0.0 in MJX**); it now rejects them. Found by comparing MJX with MuJoCo on every model in the repository and **MuJoCo Menagerie**.
- **Microsoft ONNX Script** #3157 (the library behind **PyTorch's** ONNX exporter): its attention fusion made **GPT-2 unloadable in ONNX Runtime**; the fusion now keeps the original output shape (max difference **1.2e-7**; the new test fails on main).
- **Allen Institute for AI (Ai2) OLMo-core** #945 (the training library of the open OLMo LLMs): interleaved data loading trained on only the **first 5%** of a larger source, the same examples every epoch; each epoch now draws a fresh random sample (data seen over 10 epochs **5%** → **40%**).
- **vLLM** #60955 (**95.7k★**): FlashInfer prefill tests compared against the wrong (causal) reference; **SGLang** #47305 (**38.4k★**): DeepSeek-V3 tool calls streamed with empty arguments; **PyTorch** #199875: torch.compile determinism; **MIT Han Lab** #957: 4-bit LoRA strengths; **ETH Zurich** DaCe #2729: rounding (maintainer: "once green can be merged").

Bug confirmed by the maintainer, fix submitted

- **IBM Relay-BP** #47: **IBM's** reference decoder answered the same shot differently by batch order; maintainer Tristan Mueller chose my first fix ("thank you for opening this! I think 1. is fine!"), which I submitted (**PR #49**): mismatches **1,970/2,000** → **0**.

GOVERNMENT & PUBLIC RESEARCH INFRASTRUCTURE: 6 PULL REQUESTS IN REVIEW, NOV 2026

- **Energy & national security, US Department of Energy (DOE) national laboratories: Kokkos** #9738, the GPU performance-portability library of **Sandia** and **Oak Ridge National Laboratories** (DOE **Exascale Computing Project**). Sort now compiles on **NVIDIA CUDA** and **AMD HIP** for types without a default constructor (**20/20** GPU tests); maintainer: "Generally the approach looks good."
- **Weather & climate, European Centre for Medium-Range Weather Forecasts (ECMWF): ecCodes** #684, its GRIB library for global weather data (intergovernmental, **35 states**, HQ Reading, UK): reversed-scan Gaussian grids got wrong coordinates (**~6,000 points**); now none, all **112** tests pass.
- **Weather & climate, UK Met Office and Science and Technology Facilities Council (STFC) Hartree Centre: PSyclone** #3668, code generator of the Met Office's next-generation **LFRic** model: Fortran BIND(C) is no longer dropped, and BIND(C) functions no longer crash it (**6,502** tests pass).
- **National supercomputing, Swiss National Supercomputing Centre (CSCS), ETH Zurich: ReFrame** #3750, its supercomputer testing framework: a regression test for an issue on its 4.10 milestone (**1,451** tests pass).
- **Academia, Massachusetts Institute of Technology (MIT): MEEP** #3363, #3364, MIT's electromagnetics simulator: two fixes, one on an issue filed by **Prof. Steven G. Johnson** and one where he asked for a PR.

MANUSCRIPTS AND RELEASES

- S. Kundu. "Removing the Token Tax from an Existing Model: A Vocabulary Extension for 24 Indian Languages That Keeps Every Other Token." Manuscript, 2026; arXiv (cs.CL) submission in progress (paper).
- S. Kundu. "The Sampler Was Not the Policy: Finding and Removing a Silent Training–Inference Mismatch in a From-Scratch GRPO Stack." Technical report, 2026; arXiv (cs.LG) submission in progress (paper).
- S. Kundu. "Reproducing NASA CARA's Monte Carlo Probability of Collision: An Open Two-Body Implementation, Checked on All 53 of CARA's Test Conjunctions." Manuscript, 2026; arXiv (physics.space-ph) submission in progress (paper).
- Released lipi-Indic 96K (on Hugging Face) and samebit, both Apache-2.0.

ML SYSTEMS: TRAINING, INFERENCE AND RL

ratchet | PyTorch, C++/CUDA: reinforcement-learning post-training (GRPO) from scratch | study page

- Lifted Qwen2.5-0.5B on GSM8K from **48.1% to 52.5%** in 100 steps on 2× T4, scoring all 1,319 test problems.
- Found fp16 weight sync silently erasing most updates, so the sampler ran a policy the trainer never had (gap **5.2** → **0.04** nats).

relay | C++, CUDA, Swift: a disaggregated, fault-tolerant LLM inference cluster | study page

- Wrote flash-attention and flash-decoding kernels that cut 2,048-token prefill **8.7×** (3.7 → 0.43 s) and batch-32 decode **5.4×** on a T4.
- Kept output identical through failures: watchdogs reroute requests from killed, frozen or stalled workers (**384/384 through 60 kills**; none lost in 300 fault-injection seeds).

samebit | C, CUDA, PyTorch, MLX: LLM inference in integers, the same bits on every chip

- Ran **Qwen2.5-0.5B** (494M parameters, 24 layers, grouped-query attention) **entirely in integers** (int8 weights, int16 activations, int32 residual stream, int64 sums): WikiText-2 perplexity **23.16 vs 22.99** for float32 (**+0.75%**); 93.25% of top-1 tokens unchanged.
- Showed **bit-identity on an NVIDIA Tesla T4** (public Kaggle run): it reproduces the x86 CPU's logit digests on real text, with each dot product split over 1–64 blocks and summed by atomicAdd in a new order every run; float16 shifts logits by up to **0.25**.
- Built **The Same-Bits Contract**, a full lab **submitted to Harvard's Machine Learning Systems textbook**: up to **7 of 64** users get different text at temperature 0 from batching alone, fixed two ways.

switchyard | CUDA, C++: mixture-of-experts serving with expert parallelism | study page

- Wrote routing, sorting and grouped expert GEMM/GEMV kernels on tensor cores and peer-to-peer dispatch: OLMoE-1B-7B decodes **2.2× faster than Hugging Face**, bit-identical to one GPU, with dispatch **1.25× faster than NCCL**.

- Showed on real text that dropping tokens at full experts raises perplexity from 12.9 to 20.2 even at capacity factor 2, so the kernels never drop one; found and fixed two cross-GPU stream races.

crucible | Python on Linux: sandboxed environments for RL on coding agents | study page

- Trained with GRPO on ratchet, every reward from a sandbox: MBPP pass@1 **34.9%** → **38.6%** (3 seeds; paired test, p = 0.013).

tandem | C++, CUDA: distributed training without torch.distributed or NCCL | study page

- Built DDP, ZeRO-1/2/3, GPipe and 1F1B on a custom ring all-reduce that trains **bit-identically to PyTorch DDP/FSDP on NCCL**; ZeRO-3 cuts per-GPU memory 17% on an 86M-parameter GPT.

GPU KERNELS AND COMPILERS

tessel | Rust, zero dependencies: a tile language and compiler for GPU and TPU kernels | study page

- Matched **cuBLAS** on GEMM (**1.00–1.04×**) and beat PyTorch SDPA on causal attention (**1.3–1.9×**), torch.compile on RMSNorm (1.27×) and Triton on softmax (1.07×) on a T4, checked against fp64.
- Built an LLM engine on them (paged KV, batching, CUDA graphs) matching **vLLM token for token at 1.05× its throughput**.

kiln | Rust, zero dependencies: an ML compiler from ONNX to SIMD C and CUDA | study page

- Gave the lowest latency on all three benchmark models on 4 CPU cores: BERT in **117 ms** vs 149 for torch.compile, 153 for ONNX Runtime and 189 for JAX/XLA; on a T4, SmolLM2 **1.65×** faster than torch.compile.

SCIENCE: GRAVITATIONAL WAVES, ANCIENT SCROLLS, SPACE AND QUANTUM COMPUTING

chirp | Python, PyTorch (CUDA): an independent search for gravitational waves in public LIGO data

- Searched every two-detector event of the **LIGO**–Virgo–KAGRA O4a catalog (GWTC-4.0) with a 3,886-template bank on one T4 in **17 minutes**: **all 71** with complete data re-found at a median **95%** of the catalog's network SNR, 67 within 50 ms (public run).
- Added gating and the Allen chi-squared veto with reweighted SNR, as **LIGO's** PyCBC searches use: searched blind over 188 s of data per event, the loudest trigger is the real event for **62 of 71** (48 without the veto), at a cost of 2% of the events' own SNR (public run).

ink-sensitivity | Python, PyTorch: calibrating ink detection for the unread Herculaneum scrolls (Vesuvius Challenge)

- The official 9 µm model finds **79%** of the real-ink windows at a 5% false-positive rate (**AUC 0.94**; 168 ink vs 168 controls, no untouched window flagged), and transplanted ink scores like the same text left in place.

kessler | C++/CUDA, Python: an independent auditor of space traffic | live globe

- Matched **NASA CARA's** Monte Carlo collision probability on **all 53** of its test conjunctions (chi-squared p = 0.67), including the 28 where the standard 2D method is wrong, **15–19× faster** per core than **NASA's** library.
- Screens all **531 million pairs** of 32,593 tracked objects a day ahead in **28 s** on a T4, matching CelesTrak SOCRATES to 0.24 m.

syndrome | C++, CUDA: an open GPU decoder for IBM's quantum LDPC codes | study page

- Matched **IBM's** Relay-BP reference **bit for bit on 256/256 shots** of the [[144,12,12]] gross code (391,320 edges).
- Decoded a single shot **28.7× faster than IBM's decoder** (median 37.5 ms vs 1.08 s) and a batch 4.0× faster than **IBM's** on all CPU threads, after reproducing IBM's published error rate (41 vs 44 in 10,000).

LANGUAGE AI

lipi | PyTorch: cutting the token tax on Indian languages | study page

- Measured 24 Indian languages on 15 tokenizers (Odia: 4.99× English on GPT-4o) and built lipi-Indic (on Hugging Face), which needs fewer tokens than **GPT-4o's and Gemini's in 23 of 24** (1.30× vs 1.92×, 1.58×).
- Extended Qwen2.5-0.5B: Odia takes **8.6×** fewer tokens, predicts **20% better** in equal GPU time; Odia→English chrF++ 16.0 → 24.8.

DISTRIBUTED SYSTEMS AND VERIFICATION

quorumdb | Rust, zero dependencies: a distributed SQL database, PostgreSQL wire-compatible | study page

- Built LSM storage, self-rebalancing multi-Raft, serializable transactions (Percolator) and a SQL planner: **1,500 tpmC** (TPC-C-like).
- Found **6 real bugs** with deterministic simulation (**10,000 Raft clusters, 610K crashes**) and TLA+ (337K states), which catch **all 15 planted bugs**.

faultline | Rust, zero dependencies: Jepsen-style fault injection for etcd

- Checked 1.26M operations under 288 faults across 4 etcd release lines for linearizability, and traced lost updates under etcd locks to a paused leader applying a timed-out write 6 s late; fenced writes lost none.

EXPERIENCE

GIGZEN | Co-founder & Founding Engineer | Bhubaneswar, India **Apr 2026 – Present**

Early-stage startup (company name approved by India's Ministry of Corporate Affairs; incorporation in progress) | Sole engineer

- Built **Waggle**, a delivery platform of three Android apps (riders, shops, customers) from one TypeScript/React/Capacitor codebase on Supabase PostgreSQL: **53 tables, 90 RLS policies, 154 SQL functions**.
- Moved first-accept-wins dispatch, UPI reconciliation and GST billing into the database, where no client can bypass them; tested its access rules with **150 automated attacks**: all blocked.
- Released **Populace**, an open-source tool that fills an app with simulated users acting through its real API (npm, **1,600+ downloads**); its first run found **5 defects** that manual testing had missed.

TECHNICAL SKILLS

GPU and compilers: CUDA (tensor cores, mma.sync, ldmatrix, graphs, IPC), NVRTC, Triton-style tile languages, Metal, Pallas, SIMD
ML & distributed systems: GRPO, DDP, ZeRO, FSDP, MoE expert parallelism, paged KV, int8; Raft, MVCC, Percolator, LSM, TLA+, fault injection
Languages and platforms: C++20, CUDA, C, Rust, Python, Swift, TypeScript, SQL; PyTorch, JAX, MLX, PostgreSQL, Docker, Kubernetes

EDUCATION

INSTITUTE OF ENGINEERING & MANAGEMENT (IEM), KOLKATA | B.Tech, Computer Science & Engineering (AI & ML) **Sep 2022 – Apr 2026**