



Garment Pattern Maker V5

Browser QA shirt / Size M


DEMO ONLY - Not production certified. Preview is not a full-scale cutting template.




Front - Cut 2



Back - Cut 1



Yoke - Cut 1



Sleeve - Cut 2




Collar - Cut 2



Collar Stand - Cut 2



Cuff - Cut 4



Sleeve Placket - Cut 2

Validation and provenance

mens_regular_long_sleeve_shirt_demo_v1

Input fingerprint: d5fa107c55064183dd11c65950a12baeafd54cfe6a373d5954df146ba959bd4

Source: Book2(4).xlsx / SHA-256: 66865dac719d23cab0c2d8a99f0ef638d3ce88ffea644605c65d8c85d5df751d

Source: 1078983(5).pdf / SHA-256: e4049aa9af3d3cf1b6933d7e6c4c7b860fcbb9e67405efcc88dc131db50465e7

Demo profile only; client base blocks and physical sample calibration are not supplied.

Body widths allocate half of each flat half-body measurement to each front/back half.

Source shoulder-to-cuff sleeve length includes cuff; sleeve body subtracts cuff width.

Curves use sampled quadratic construction with 24 segments; no shrinkage or additional ease.

Back neck drop is 2 cm. Collar attachment follows generated neckline, not a certified collar block.

Front placket is a center-front extension using the explicitly resolved source width.

Collar point and center-back height use source values; buttoned length and outside edge are checked against source as calibration targets.

Back and yoke are unfolded before nesting. Grain follows the vertical piece axis; no rotation.

Seam allowance defaults to zero. Positive allowance is a polygon offset, not a manufacturing standard.

Pocket omitted because no pocket dimensions are supplied. Sleeve cap mismatch remains a visible warning.

Demo v1 shortens back/yoke half-shoulder by $\max(0, \text{forward_shoulder_armhole} - \text{forward_shoulder_neck})$; not a client block.

Demo v1 places sleeve placket/pleat notches on the outline from source lengths; not a construction block.

PASS: Front: closed outline, positive area, no self-intersection

PASS: Front: 0 zero-length edges

PASS: Front: notch placement verified

PASS: Front: grainline is contained and oriented

PASS: Back: closed outline, positive area, no self-intersection

PASS: Back: 0 zero-length edges

PASS: Back: notch placement verified

PASS: Back: grainline is contained and oriented

PASS: Yoke: closed outline, positive area, no self-intersection

PASS: Yoke: 0 zero-length edges

PASS: Yoke: notch placement verified

PASS: Yoke: grainline is contained and oriented

PASS: Sleeve: closed outline, positive area, no self-intersection

PASS: Sleeve: 0 zero-length edges

PASS: Sleeve: notch placement verified

PASS: Sleeve: grainline is contained and oriented

PASS: Collar: closed outline, positive area, no self-intersection

PASS: Collar: 0 zero-length edges

PASS: Collar: notch placement verified

PASS: Collar: grainline is contained and oriented

PASS: Collar Stand: closed outline, positive area, no self-intersection

PASS: Collar Stand: 0 zero-length edges

PASS: Collar Stand: notch placement verified

PASS: Collar Stand: grainline is contained and oriented

PASS: Cuff: closed outline, positive area, no self-intersection

PASS: Cuff: 0 zero-length edges

PASS: Cuff: notch placement verified

PASS: Cuff: grainline is contained and oriented

PASS: Sleeve Placket: closed outline, positive area, no self-intersection

PASS: Sleeve Placket: 0 zero-length edges

PASS: Sleeve Placket: notch placement verified

PASS: Sleeve Placket: grainline is contained and oriented

WARNING: Back: nearly collinear vertex (turn 0.000°)

WARNING: Yoke: nearly collinear vertex (turn 0.000°)

PASS: Yoke seam: 45.90 cm vs 45.90 cm; tolerance 0.01 cm

PASS: Collar attachment: 43.88 cm vs 43.88 cm; tolerance 0.01 cm

WARNING: Sleeve cap / armhole: 52.95 cm vs 34.05 cm; tolerance 2.0 cm

PASS: Front length: 75.75 cm vs source 75.50 cm

PASS: Back body length excluding yoke: 61.75 cm vs source 61.50 cm

PASS: Sleeve body length excluding cuff: 59.00 cm vs source 59.00 cm

PASS: Cuff width: 24.75 cm vs source 24.75 cm

PASS: Cuff height: 6.00 cm vs source 6.00 cm

PASS: Yoke depth: 14.00 cm vs source 14.00 cm

PASS: Yoke shoulder span: 45.90 cm vs source 45.90 cm

PASS: Sleeve placket width: 2.50 cm vs source 2.50 cm

PASS: Sleeve placket length: 14.00 cm vs source 14.00 cm

WARNING: Buttoned collar length: demo span 43.88 cm vs source 41.00 cm. Calibrate before cutting.

WARNING: Collar outside edge: demo span 43.88 cm vs source 42.50 cm. Calibrate before cutting.

WARNING: Demo drafting profile. Production calibration and physical fit validation are required.

PASS: Sleeve placket anchor is on the sleeve outline