




GitHub Copilot Dev Days

Presented By:
Nannyombi
Shakiran



GitHub Copilot CLI – your AI terminal companion





What's in the box

Core Features

- Interactive Assistance
- Code Generation & Modification
- Multi-file context awareness
- Modes for multiple situations
- Headless Automation
- Tool Execution & Shell Commands
- Lifecycle event hooks
- MCP server integration

Many modes. **Many use cases.**



`copilot`

User runs CLI locally on their machine with full interactive UI and prompts

Interactive



`copilot -p`

Non-interactive execution for automation pipelines and CI/CD workflows

Headless



`copilot --server`

Exposes JSON-RPC port for external clients to drive CLI functionality remotely

Server



GitHub Copilot CLI

Installation

Windows (WinGet)


```
winget install  
GitHub.Copilot
```

macOS / Linux
(Homebrew)

```
brew install  
copilot-cli
```

Any OS (npm, Node.js
≥ 22)

```
npm install -g  
@github/copilot
```

Powerful Built-in Agents

The built-in agents are designed to support a wide range of needs with performance and generalization in mind.



General

Full-featured agent using all CLI tools for complex multi-step tasks.




Research

Run deep research investigation using GitHub search and web sources



Plan

Create a full implementation plan before coding by specifying requirements and answering questions



Autopilot

Works through a task without waiting for your input after each step autonomously until it determines the task is complete.

Personalized Custom Agents

Create an `.agent.md` file in `.github/agents/` or `~/.github/agents/` to get started.

```
---
name: Display Name
description: What the agent does (required)
tools: ["*"] # Optional - defaults to all tools
mcp-servers: # Optional
  server-name:
    command: npx
    args: ["@some/mcp-server"]
---
# Agent Instructions
```

Frontmatter Fields

Field	Required	Description
name	No	Display name (defaults to filename)
description	Yes	Describes when to invoke the agent
tools	No	Array of allowed tools (default: all)
mcp-servers	No	MCP server configuration
infer	No	Whether agent can be auto-invoked (default: true)

* More details on our Custom Agents [docs page](#).

Subagents

Built-in tasks to delegate to specialized AI agents

explore

Fast codebase exploration, finding files, answering code questions

task

Executing commands like tests, builds, lints

general-purpose

Complex multi-step tasks requiring full toolset

code-review

High-signal code review for bugs and security issues

```
PowerShell
```

How it works for you:

1. Just ask me to do something in natural language
2. I decide when to delegate to a sub-agent (e.g., for codebase exploration, running tests, code review)
3. The sub-agent works in a separate context and returns results to me

Examples of requests that trigger sub-agents:

- "Explore the codebase and explain how authentication works" → `explore` agent
- "Run all the tests and summarize results" → `task` agent
- "Review my staged changes for bugs" → `code-review` agent
- "Refactor this module to use async/await" → `general-purpose` agent

If you want to explicitly use an agent interactively, run `/agent` to browse and select one directly.

~ `claude-opus-4.5 (3x)`

> `Type @ to mention files or / for commands`

Slash commands

`/agent`

Switch to a custom agent

`/model`

View all available models and
choose which to use

`/mcp`

Manage your MCP servers

`/yolo`

Enable all permissions

`/diff`

Review changes made in directory

`/skills`

Manage & call skills

`/plan`

Plan out an implementation before
writing any code

`/cwd` or `/cd`

Change working directory mid-
session

`/reset-allowed-tools`

Reset Copilot's tool permissions

`/context`

Info on token usage & context window

`/review`

Run a code review to analyze changes

`/plugin`

Manage and install plugins

@ to mention files

- Provide Copilot context by @-mentioning files directly in your prompt
- @-mention multiple files at once, including images
- Alternatively drag and drop or paste the file or image to provide context

ALT+V / CMD+V to paste images into CLI

```
> [📷 copilot-image-ca5438.png]
```

```
shift+tab cycle mode · ctrl+x → / run command
```

GitHub Copilot CLI

Built-in tools via MCP servers

github

Provides access to GitHub
API operations



edit

Provides file editing
capabilities through the
filesystem MCP server



bash

Provides shell command
execution

web-fetch

Provides HTTP request
capabilities for fetching
web content

Skills & Plugins

Reusable procedures to extend Copilot's capabilities for repeatable tasks

Add new skills with /skills add

Can be project-specific or global in your
.copilot/skills or .agents/skills folder

Add new plugins with /plugin

```

PowerShell
x + v

• Available Skills

Custom:
  • git-commit
    Execute git commit with conventional commit message analysis,
    intelligent staging, and message generation. Use when user asks to
    commit changes, create a git commit, or mentions "/commit". Supports:
    (1) Auto-detecting type and scope from changes, (2) Generating
    conventional commit messages from diff, (3) Interactive commit with
    optional type/scope/description overrides, (4) Intelligent file staging
    for logical grouping

Found 1 skill. Use /skills info <name> to view details.

~
claude-opus-4.5 (3x)


> █ Type @ to mention files or / for commands

shift+tab cycle mode
Remaining requests: Unlimited

```


Context

Infinite Sessions (a CLI exclusive) means you likely never have to worry about these, but when you want to manage your context more directly, you can:



/context

Visualize what is in your context window.

/compact

Summarizes current context and compacts to smaller size.

Parallel Copilot

```
GitHub Copilot x + v

• Configured MCP servers: WorkIQ
> explain this code base to me

• List directory .
  ↳ 20 files found

• Read README.md
  ↳ 394 lines read

• Read package.json
  ↳ 41 lines read

• List directory packages
  ↳ 10 files found

• Exploring codebase structure (Esc to cancel)

D:\GitHub\cin ... [main] claude-opus-4.5 (3x)
> Type @ to mention files or / for commands

shift+tab cycle mode · ctrl+d enqueue

• ? No copilot instructions found. Run /init to generate a copilot-instructions.md file for this project.

• Configured MCP servers: WorkIQ

> find the architectural decisions made for file explorer with git integration, we had meetings and emails discussing it

• ask_work_iq

• Searching M365 for decisions (Esc to cancel)

~ claude-opus-4.5 (3x)

> Type @ to mention files or / for commands

shift+tab cycle mode · ctrl+d enqueue
Remaining requests: Unlimited
```

Two projects in terminal split panes

```
CHAT + v ⚙️ ... | [ ] x
← PROJECT INITIATION REQUEST [ ]

I'll install the dependencies and then start the development server for you.

✓ Ran dev script to start server and UI

Dependencies are up to date. Now I'll start the development servers:

✓ Finished working and invoked 1 tool
✓ Checked background terminal output

The project is running. Let me open the web UI for you:

✓ Summarized status for the user

Your project is now running:

• Web UI: http://localhost:5173/
• API Server: http://localhost:3001

Available API endpoints:

• POST /api/analyze - Analyze single log file
• POST /api/analyze/multi - Analyze multiple log files
• GET /api/health - Health check

You can upload log files through the web interface to analyze them for patterns, anomalies, and root causes.

[ ] + TS log-analyzer.ts
#codebase #file:index.ts
[ ] Claude Opus 4.5 [ ]
```

VS Code agent chat

GitHub Copilot Dev Days

Demo

GitHub Copilot CLI



GitHub Copilot Dev Days Sweepstake

All completed surveys are eligible for our sweepstakes to win a GitHub Copilot Pro+ one-year subscription.



<https://aka.ms/githubcopilotdevdays/sweepstakes>



Thank you

gh.io/copilot