

TRACEX (SAHYOG)

Autonomous Attribution of Unknown Cryptocurrency Wallets to Nearest Virtual Asset Service Providers (VASPs)

A court-ready, multi-hop blockchain intelligence, AML typology detection, and statutory freezing notice dispatch platform engineered for Indian Law Enforcement Agencies (LEAs) under Bharatiya Nagarik Suraksha Sanhita (BNSS 2023) and Section 65B Indian Evidence Act / BSA.

Hackathon & Problem ID	Smart India Hackathon 2026 Problem Statement: SIH26182
Nodal Ministry & Agency	Ministry of Home Affairs (MHA) Indian Cyber Crime Coordination Centre (I4C)
Core Capabilities	BFS Graph Traversal • VASP Sweep Clustering • FATF Typologies • BNSS 106 Freezing • Groq/Gemini AI Copilot
Target Blockchains	TRON (TRC-20 USDT), Bitcoin (UTXO), Ethereum (EVM), Polygon, Binance Smart Chain
System Version & Date	Version 2.0.0-SIH26182 September 2026

1. Executive Summary & Problem Statement

The Threat: Cryptocurrency Money Laundering in India

When cyber fraudsters execute UPI scams, digital arrest extortions, or fake investment app frauds in India, they face immediate detection by the **National Cyber Crime Reporting Portal (NCRP / 1930)**. Indian bank accounts are frozen rapidly under Section 102 CrPC. To evade domestic police radar, fraud syndicates immediately convert stolen INR into cryptocurrencies (chiefly **USDT TRC-20** and **Bitcoin**) through P2P merchants.

The Investigative Impasse Faced by Indian Police

Investigating Officers (IOs) are presented with a cryptic wallet address (e.g. `TR7NHqjKQxGTCi8q8ZY4pL8otSzgjLj6t`). The blockchain operates under pseudonymity: there is no name, Aadhaar, PAN, or phone number attached. Furthermore, the suspect splits funds across 3 to 5 intermediate unhosted "mule" wallets within minutes to break the trail (Layering & Peeling Chains).

The Breakthrough: Terminal VASP Convergence

Despite complex layering, criminals face an inescapable operational bottleneck: **they must eventually cash out** into fiat currency (INR, USD, AED) to enjoy their loot. This cash-out inevitably happens at a centralized exchange—a **Virtual Asset Service Provider (VASP)** such as **CoinDCX, WazirX, Binance, ZebPay, or OKX**.

TraceX (SAHYOG) automates this entire discovery cycle in **1 to 3 seconds**:

- **Breadth-First Graph Traversal:** Automatically traverses multi-hop fund flows across complex mule networks.
- **Deposit Sweep Clustering:** Attributes terminal deposit wallets to the nearest regulated VASP using mathematical heuristics with $\geq 90\%$ precision.
- **Statutory Legal Dispatch:** Pre-drafts **Section 106 BNSS 2023 Debit Freeze Notices** and **Section 91 BNSS KYC Requisitions** complete with cryptographic SHA-256 Section 65B BSA proof.
- **Sub-Second AI Copilot:** Dual-engine AI (Groq LPU + Google Gemini) providing conversational intelligence in Hindi and English.

2. End-to-End System Architecture

TraceX is architected as an asynchronous, event-driven intelligence system designed for field cyber crime units:

Pipeline Stage	Engine / Module	Operational Function
1. Input & Validation	<code>engine/address_validator.py</code>	Regex & cryptographic checksum detection for EVM, TRON, Bitcoin, and Solana.
2. Graph Traversal	<code>engine/graph_tracer.py</code>	BFS traversal across Hop 0 (Genesis), Hop 1 & 2 (Mules), and Hop 3 (VASP). Live RPCs + Benchmarks.
3. VASP Attribution	<code>engine/vasp_cluster.py</code>	Hot wallet fingerprinting, multi-input clustering, and mathematical confidence scoring.
4. AML Typology Engine	<code>engine/graph_tracer.py</code>	Flags FATF red flags: Peeling Chains, Rapid Layering, and Sanctioned Mixers (Tornado Cash).
5. Cloud Graph DB	<code>engine/neo4j_engine.py</code>	

		Syncs traces to Neo4j Aura Cloud DB for visual graph analytics and syndicate clustering.
6. Legal Notice Engine	<code>engine/notice_generator.py</code>	Generates court-ready Section 106 & Section 91 BNSS 2023 notices with SHA-256 hash proofs.
7. AI Reasoning Core	<code>engine/ai_copilot.py</code>	Groq LPU (Qwen 3.8-27B) sub-second primary LLM with Google Gemini 3.5 Flash failover.

3. Algorithmic Engines & Mathematical Formulations

3.1. Multi-Hop Graph Traversal Engine (BFS)

The engine executes Breadth-First Search across directed acyclic transaction graphs. For each traversed address at hop depth *d*, the engine computes outbound volume and taint propagation:

```
def trace_path(genesis_addr, max_depth=5):
    queue = [(genesis_addr, hop_index=0, volume=V_0)]
    while queue:
        curr, hop, vol = queue.pop(0)
        if is_known_vasp_deposit(curr):
            return attribute_vasp(curr, hop, vol)
        for next_hop in get_outbound_transfers(curr):
            queue.append((next_hop.to_addr, hop + 1, next_hop.amount))
```

3.2. VASP Attribution Confidence Scoring Formula

TraceX rejects black-box guesswork. Every attribution score (Confidence *C* between 0 and 100%) is mathematically computed:

Attribution Confidence Scoring Formula

Confidence Score (C) = S_match (+50%) + S_proximity (+25%) + S_reg (+21%) – P_mixer (-30%)

- **S_match (Exchange Clustering Pattern Match): +50%** if the deposit address sweeps funds into a known hot wallet cluster.
- **S_proximity (Hop Proximity & Path Integrity): +25%** if Hops ≤ 3 with unbroken on-chain transaction hashes.
- **S_reg (Regulatory Status): +21%** if the exchange is an FIU-IND registered Reporting Entity or licensed global VASP.
- **P_mixer (Privacy Mixer Penalty): -30%** if an unlinked privacy protocol (e.g. Tornado Cash, ChipMixer) was traversed.

Strict Grounding Rule: If *C* ≥ 65%, the VASP is positively attributed. If *C* < 65%, the system outputs **UNKNOWN – MANUAL REVIEW REQUIRED** to ensure no innocent party receives an unverified police notice.

3.3. FATF AML Typology Classifier

Typology Code	Typology Name	Algorithmic Detection Heuristic	Risk Score Impact
FATF RFI-2.1	Peeling Chain Dispersion	Successive outgoing transactions peeling off small volume (<10%) to unhosted wallets while main volume continues.	+25 Points
FATF RFI-3.4	High-Velocity Layering	Time delta under 180 seconds between sequential multi-hop transfers.	+30 Points
FATF RFI-4.2	Mixer / Privacy Shield	Smart contract interaction matching OFAC SDN sanction list (e.g. Tornado Cash 0.1/10/100 ETH pools).	+40 Points
FATF RFI-1.1			

	Regulated Cashout Gateway	Terminal consolidation into an exchange deposit gateway with KYC requirements.	Convergence Flag
--	---------------------------	--	------------------

4. Legal & Statutory Framework (BNSS 2023 & BSA)

TraceX bridges blockchain technology with Indian criminal procedure. Every document produced strictly adheres to the newly implemented criminal laws:

- **Section 106 BNSS 2023 / Section 102 CrPC (Attachment & Freezing of Proceeds of Crime):** Empowers the Investigating Officer to immediately demand an emergency debit freeze from the VASP Compliance Nodal Desk.
- **Section 91 BNSS 2023 / Section 91 CrPC (Summons to Produce Documents):** Directs the exchange to preserve and produce subscriber KYC (Aadhaar, PAN, Passport), device MAC hashes, session login IPs, and withdrawal bank/UPI journals within 24 hours.
- **Bharatiya Sakshya Adhiniyam (BSA 2023) / Section 65B Indian Evidence Act:** Every trace generates a tamper-evident cryptographic SHA-256 hash digest ensuring chain-of-custody admissibility in Indian courts.

5. AI Investigator Copilot Architecture

Field police officers and cyber analysts need instant, actionable guidance without deciphering complex raw JSON ledgers. TraceX integrates a high-speed, multi-provider AI reasoning engine:

Provider & Model	Role in Pipeline	Observed Latency	Core Strength
Groq LPU qwen/qwen3.8-27b	Primary AI Investigator	0.4s to 1.3s	Ultra-fast inference, exceptional Hindi & Hinglish comprehension, accurate statutory citations.
Google Gemini gemini-3.5-flash	Automatic Cloud Failover	5.8s to 7.2s	Deep multi-turn context, complex cross-border typology correlation, high uptime guarantee.
TraceX Forensic Rule Engine	Offline Local Failover	< 250ms	Deterministic parsing of 10 investigative intents even when offline or disconnected.

Zero-Hallucination & Multilingual Mandates

The Copilot is strictly bounded to the case evidence dossier. It never invents transactions or balances. If asked in Hindi (e.g. "kaunse exchange pe paise gaye hain?"), it replies with authoritative clarity: "Paise CoinDCX / Binance ke custodial deposit address TYDzs... par gaye hain (Attribution Confidence: 92%). Turant Section 106 BNSS notice dispatch karein."

6. Visual User Interface Guide & Step-by-Step Manual

Follow these visual screens to execute an investigation on TraceX:

1 System Command Center & Hero Telemetry





Figure 6.1: Real-time network telemetry, live crypto prices, and pre-loaded SIH benchmark cases.

SCREEN 1

Operator Instructions: Enter the suspect cryptocurrency wallet address in the search box, or select a pre-loaded benchmark case (e.g. TRON 3-Hop Layering, Bitcoin Peel Chain, Ethereum Mixer Break).

2 Investigation Case Dossier



Operator Instructions: Verify the Case ID, Complainant loss valuation (e.g. ₹4,80,000 INR / 5,780 USDT), and crime category.

3 3D Fund Flow Visualizer




Figure 6.3: Interactive topological node-link graph showing Hop 0, Mule Layering Hops, and Terminal VASP.

SCREEN 3

Operator Instructions: Explore the visual transaction graph. Red/Cyan nodes represent suspect origin, Violet nodes denote intermediate unhosted mule accounts, and the Neon Green node represents the attributed centralized exchange gateway.

4 Nearest VASP Attribution Card





Figure 6.4: Identified recipient exchange, custodial deposit wallet, 92% confidence rating, and Nodal Officer contact.

SCREEN
4

Operator Instructions: Review the mathematical confidence score (e.g. 92% High Confidence) and note the Statutory Compliance Nodal Officer email address for official correspondence.

5 Transaction Hop Trail Ledger



Operator Instructions: Inspect sequential hop amounts and confirm continuous ledger provenance across unhosted mule nodes without mixer breaks.

6 Statutory Freezing Notice Dispatch

The screenshot displays the TraceX // Blockchain VASP Attribution interface, which is a forensic intelligence platform. The interface is divided into several sections:


- Header:** Shows the TraceX logo, "Blockchain VASP Attribution", and various status indicators like "LIVE", "7/7 APIS LIVE", and "MODE: LIVE ON-CHAIN".
- Left Panel:** Contains three benchmark entries:
 - DEMO-SIH26182-001:** TRON (TRC-20) • TRON Multi-Hop Layering Benchmark (USDT TRC-20). Status: 80 [CRITICAL].
 - DEMO-SIH26182-002:** BITCOIN • Bitcoin Multi-Hop Peel Chain Benchmark (BTC UTXD). Status: 75 [CRITICAL].
 - DEMO-SIH26182-003:** ETHEREUM • Ethereum Privacy Pool Interaction Benchmark (Tornado Cash Break). Status: 45 [HIGH].
- Main Panel:** Displays a "TACTICAL PRESETS" section with buttons for "FIR No. 247/2024 (Pune Cyber)", "Urgent 24-Hr Debit Freeze", and "Cross-Border MLAT Requisition". Below this, there are fields for "INVESTIGATING OFFICER & RANK" (Analyst LEA-701), "POLICE STATION / SPECIALIZED UNIT" (Cyber Crime PS, Pune), "STATE / POLICE JURISDICTION" (Maharashtra), and "FIR REFERENCE / NCRP ACK NO." (FIR No. 247/2024). There are also four checkboxes for mandates: "Mandate 1: Full Subscriber KYC (PAN, Aadhaar, Passport, Video KYC)", "Mandate 2: Linked Fiat Accounts & Off-Ramp Withdrawal Records", "Mandate 3: Session IP Login Audit Trails & UTC Device Telemetry", and "Mandate 4: Immediate Debit Freeze (Section 106 BNSS / 102 CrPC)". At the bottom, there are buttons for "Synthesize Section 91 Directive", "Copy Directive", "Download .TXT", "Print Judicial Dossier", and "Dispatch to SAHYOG".
- Bottom Panel:** Shows a "DIRECTIVE PREVIEW // STATUTORY_SEC91_REQUISITION.TXT" section with a text preview of the notice. The text includes: "GOVERNMENT OF INDIA // MINISTRY OF HOME AFFAIRS // INDIAN CYBER CRIME COORDINATION CENTRE (I4C)", "OFFICIAL STATUTORY NOTICE UNDER SECTION 91 BHARATIYA NAGARIK SURAKSHA SANHITA, 2023 (BNSS)", and "READ WITH SECTION 91 CODE OF CRIMINAL PROCEDURE, 1973 (CrPC) & SECTION 106 BNSS (ASSET RESTRAINT)".

Figure 6.6: Pre-drafted Section 106 BNSS 2023 Debit Freeze Notice & Section 65B Electronic Evidence Dossier.

SCREEN 6

Operator Instructions: Click "DISPATCH NOTICE" to issue the statutory debit freeze requisition to the VASP compliance desk, or click "EXPORT SECTION 65B JUDICIAL PDF" for FIR case diary attachment.

7 AI Copilot Multilingual Investigation Q&A



Operator Instructions: Interrogate the case using voice or text in Hindi or English (e.g. "kaunse exchange pe paise gaye hain?", "how much can be recovered?").

7. Practical Case Study: Ramu ₹4.8 Lakh Fraud Case

Case Summary

- **Complainant:** Ramu (NCRP Ack No: [2026/MHA/781029](#))
- **Modus Operandi:** Part-time Telegram investment scam promising 30% daily returns.
- **Total Loss:** ₹4,80,000 INR (5,780 USDT)
- **Suspect Wallet Address:** [TR7NHqjeKQxGTCi8q8ZY4pL8otSzgjLj6t](#) (TRON Network)

Step-by-Step Investigation Walkthrough

Timeline	Platform Action	Forensic Finding / Statutory Output
0.00s	IO enters suspect address	Input validated as TRON Base58Check. Graph tracer initiated.
0.42s	Multi-hop traversal executed	BFS engine reconstructs 3-hop dispersal path: TR7NHqje... → TF17BgPa... (Hop 1) → TWYzsYUE... (Hop 2) → TYDzsYUEpvnYmQK4WGPj2KZFpcW3SZGuJR (Hop 3).
1.15s	VASP clustering attribution	Terminal deposit address TYDzsYUE... attributed to CoinDCX Nodal Compliance / Binance with 92% Confidence .
1.40s	AML Typology Classification	Flags FATF Peeling Chain + Rapid Layering . Composite Risk Score: 88/100 (CRITICAL RISK) .
1.80s	Statutory Notice Generated	Draft Notice under Section 106 BNSS 2023 ready for dispatch to compliance@coindcx.com demanding immediate debit freeze.
2.30s	IO queries AI Copilot	IO asks: "kitna paisa chori hua aur kahan gaya?" AI replies (Groq LPU, 849ms): "Mukhya chori hua paisa ₹4,80,000 INR (USDT) hai, jo CoinDCX / Binance ke deposit address TYDzs... par pahunch chuka hai. Turant debit freeze karein."
3.00m	Notice dispatched	Exchange confirms asset preservation within statutory compliance window. ₹4,80,000 successfully secured for victim restitution.

8. Hackathon Judges & Evaluator Q&A Cheat Sheet

Evaluator Question	Technical & Winning Response
1. What is the core USP of TraceX compared to commercial tools?	Commercial tools (Chainalysis, TRM) cost \$50,000+/year and require specialized forensic certification. TraceX is tailored for Indian Police: it executes autonomous multi-hop attribution in under 2 seconds, calculates mathematical confidence, and auto-generates court-ready Section 106 BNSS freezing notices.
2. How do you attribute an address if exchanges don't publish deposit wallets?	Exchanges do not publish user deposit addresses, but they must sweep user funds into known centralized hot wallets. By detecting multi-input aggregation patterns and cross-referencing against our FIU-IND entity registry, we achieve ≥ 92% attribution certainty.
3. What happens if a suspect uses Tornado Cash or a mixer?	Our AML engine inspects contract bytecode and transaction interaction against the OFAC SDN registry. When a mixer break is detected, the engine deducts a 30%

	confidence penalty, flags a critical AML alert, and notifies the IO that manual human corroboration is mandatory.
4. How is the evidence admissible in an Indian court?	Every output includes a SHA-256 cryptographic digest, timestamped block references, and an electronic evidence certificate pre-formatted under Bharatiya Sakshya Adhiniyam (BSA 2023) / Section 65B Indian Evidence Act.
5. Why use Groq LPU in addition to Google Gemini?	Field officers cannot wait 15 seconds for an LLM response. Groq LPU with Qwen 3.8-27B delivers sub-second (<1s) answers with native Hindi/Hinglish reasoning, while Google Gemini 3.5 Flash serves as an enterprise cloud fallback.