

```
!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Adoption Process</title>

  <style>

    body {

      background-color: #0f2249;

      font-family: Arial, sans-serif;

      color: white;

      margin: 0;

      padding: 20px;

    }


    .container {

      display: flex;

      flex-direction: column;

      align-items: center;

    }


    .step {

      background-color: #d9d9d9;

      padding: 20px;

      border-radius: 8px;

      margin: 10px 0;

      width: 80%;

      text-align: center;

    }


    .step h1 {
```

```
    margin: 0 0 10px;
}
```

```
.buttons {
    margin-top: 5px;
}
```

```
.btn {
    background-color: #e98074;
    border: none;
    color: white;
    padding: 10px 20px;
    margin: 5px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 16px;
    cursor: pointer;
    border-radius: 4px;
}
```

```
.btn-disabled {
    background-color: #a4b5f0;
    cursor: not-allowed;
}
```

```
input[type="file"] {
    display: none;
}
```

```
.file-input-label {
```

```
        cursor: pointer;

        color: #4CAF50;

        text-decoration: underline;
    }
</style>
</head>
<body>

<div class="container">

    <div class="step" id="step1">

        <h2>Step 1: Submit Application</h2>

        <label for="file1" class="file-input-label">Add File Submission</label>

        <input type="file" id="file1" onchange="enableNextStep('step2')">

        <div class="buttons">

            <button class="btn" id="step1Btn" onclick="goToPage('step1')">Go to Page</button>

            <button class="btn btn-disabled" id="step2Btn" disabled>Go to Next Step</button>

        </div>

    </div>

    <div class="step" id="step2">

        <h2>Step 2: Background Check</h2>

        <label for="file2" class="file-input-label">Add File Submission</label>

        <input type="file" id="file2" onchange="enableNextStep('step3')">

        <div class="buttons">

            <button class="btn" id="step2Btn" onclick="goToPage('step2')>Go to
Page</button>

            <button class="btn btn-disabled" id="step3Btn" disabled>Go to Next Step</button>

        </div>

    </div>

    <div class="step" id="step3">
```

```
<h2>Step 3: Home Study</h2>

<label for="file3" class="file-input-label">Add File Submission</label>

<input type="file" id="file3" onchange="enableNextStep('step4')">

<div class="buttons">

    <button class="btn" id="step3Btn" onclick="goToPage('step3')" disabled>Go to
Page</button>

    <button class="btn btn-disabled" id="step4Btn" disabled>Go to Next Step</button>

</div>

</div>

<div class="step" id="step4">

    <h2>Step 4: Final Approval</h2>

    <label for="file4" class="file-input-label">Add File Submission</label>

    <input type="file" id="file4" onchange="enableNextStep('step5')">

    <div class="buttons">

        <button class="btn" id="step4Btn" onclick="goToPage('step4')" disabled>Go to
Page</button>

        <button class="btn btn-disabled" id="step5Btn" disabled>Go to Next Step</button>

    </div>

</div>

<div class="step" id="step5">

    <h2>Step 5: Adoption Finalization</h2>

    <label for="file5" class="file-input-label">Add File Submission</label>

    <input type="file" id="file5" onchange="enableNextStep('step6')">

    <div class="buttons">

        <button class="btn" id="step5Btn" onclick="goToPage('step5')" disabled>Go to
Page</button>

        <button class="btn btn-disabled" id="step6Btn" disabled>Go to Next Step</button>

    </div>

</div>
```

</div>

<script>

// Enable the next step if a file is uploaded for the current step

function enableNextStep(stepId) {

 const nextStepId = getNextStepId(stepId);

 const nextBtnId = nextStepId + "Btn";

 // Enable the button for the next step

 document.getElementById(nextBtnId).disabled = false;

}

// Get the next step's ID based on the current step ID

function getNextStepId(currentStepId) {

 const steps = ['step1', 'step2', 'step3', 'step4', 'step5'];

 const currentIndex = steps.indexOf(currentStepId);

 return steps[currentIndex + 1]; // Returns the next step ID

}

// Simulate the navigation to the respective page

function goToPage(stepId) {

 alert("Navigating to " + stepId + " page...");

 // Here you would typically redirect to a new page, like:

 // window.location.href = "/path/to/" + stepId;

}

</script>

</body>

</html>