
CROP RECOMMENDATION


1. N. P, K COMPARISON






2. Rainfall, Temperature, humidity. ph COMPARISON

Comparison between Rainfall, Temperature, Humidity, and pH




3. most and least nitrogen needed crops






4. most and least potassium needed crops






5. most and least phosphorous needed crops

hosphorus (P





6. using xg boost classifier


Classification				
	precision	recall	f1-score	support
apple	1.00	1.00	1.00	20
banana	1.00	1.00	1.00	20
blackgram	1.00	0.97	0.98	30
chickpea	1.00	1.00	1.00	20
coconut	1.00	1.00	1.00	30
coffee	1.00	0.95	0.97	20
cotton	1.00	1.00	1.00	20
grapes	1.00	1.00	1.00	20
jute	0.97	0.97	0.97	30
kidneybeans	1.00	1.00	1.00	20
lentil	1.00	1.00	1.00	20
maize	0.97	1.00	0.98	30
mango	1.00	0.95	0.97	20
mothbeans	0.95	1.00	0.98	20
mungbean	1.00	1.00	1.00	20
muskmelon	1.00	1.00	1.00	20
orange	1.00	1.00	1.00	20
papaya	1.00	1.00	1.00	20
pigeonpeas	1.00	1.00	1.00	20
pomegranate	1.00	1.00	1.00	20
rice	0.97	1.00	0.98	30
watermelon	1.00	1.00	1.00	20
accuracy			0.99	490
macro avg	0.99	0.99	0.99	490
weighted avg	0.99	0.99	0.99	490

7. sample data

	N	P	K	temperature	humidity	ph	rainfall	label
0	90	42	43	20.879744	82.002744	6.502985	202.935536	rice
1	85	58	41	21.770462	80.319644	7.038096	226.655537	rice
2	60	55	44	23.004459	82.320763	7.840207	263.964248	rice
3	74	35	40	26.491096	80.158363	6.980401	242.864034	rice
4	78	42	42	20.130175	81.604873	7.628473	262.717340	rice

FERTILIZER RECOMMENDATION

1. model used and its accuracy comparison



2. soil classification

Original	
Black	0
Clayey	1
Loamy	2
Red	3
Sandy	4

3. crop classification

Original	
Barley	0
Cotton	1
Ground Nuts	2
Maize	3
Millets	4
Oil seeds	5
Paddy	6
Pulses	7
Sugarcane	8
Tobacco	9
Wheat	10
coffee	11
kidneybeans	12
orange	13
pomegranate	14
rice	15
watermelon	16

4. fertilizer classification

Original	
10-10-10	0
10-26-26	1
14-14-14	2
14-35-14	3
15-15-15	4
17-17-17	5
20-20	6
28-28	7
DAP	8
Potassium chloride	9
Potassium sulfate.	10
Superphosphate	11
TSP	12
Urea	13

5. sample dataset


	Temparature	Humidity	Moisture	Soil_Type	Crop_Type	Nitrogen	Potassium	Phosphorous	Fertilizer
0	20	83	26	Clayey	rice	90	49	36	Urea
1	25	84	32	Loamy	rice	66	59	36	Urea
2	33	64	50	Loamy	Wheat	41	0	0	Urea
3	34	65	54	Loamy	Wheat	38	0	0	Urea
4	38	72	51	Loamy	Wheat	39	0	0	Urea

6. model classification report

	-			
RF's Accuracy	is: 1.0 1.0			
	precision	recall	f1-score	support
0	1.00	1.00	1.00	4
1	1.00	1.00	1.00	10
2	1.00	1.00	1.00	1
3	1.00	1.00	1.00	12
4	1.00	1.00	1.00	4
5	1.00	1.00	1.00	6
6	1.00	1.00	1.00	13
7	1.00	1.00	1.00	14
8	1.00	1.00	1.00	16
9	1.00	1.00	1.00	1
10	1.00	1.00	1.00	2
11	1.00	1.00	1.00	3
12	1.00	1.00	1.00	7
13	1.00	1.00	1.00	18
accuracy			1.00	111
macro avg	1.00	1.00	1.00	111
weighted avg	1.00	1.00	1.00	111

PLANT DISEASE DETECTION

1. the model accuracy, epoch trained vs accuracy score in training and validation



2. the epoch and the train vs validation score based on loss

