

Exp – 2
Router Configuration





## Ping Responses:

```
- - X
PC0
  Physical Config Desktop Programming
                                      Attributes
  Command Prompt
                                                                                                               Х
   Packet Tracer PC Command Line 1.0
   C:\>ipconfig
   FastEthernet0 Connection: (default port)
      Link-local IPv6 Address.....: FE80::20C:CFFF:FE81:BDC1
      IP Address..... 10.0.0.10
      Subnet Mask..... 255.0.0.0
      Default Gateway..... 10.0.0.1
   Bluetooth Connection:
      Link-local IPv6 Address....: ::
      IP Address..... 0.0.0.0
      Subnet Mask..... 0.0.0.0
      Default Gateway..... 0.0.0.0
   C:\>ping 10.0.0.10
   Pinging 10.0.0.10 with 32 bytes of data:
   Reply from 10.0.0.10: bytes=32 time=6ms TTL=128 Reply from 10.0.0.10: bytes=32 time=4ms TTL=128
   Reply from 10.0.0.10: bytes=32 time<1ms TTL=128
   Reply from 10.0.0.10: bytes=32 time<1ms TTL=128
   Ping statistics for 10.0.0.10:
   Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds:
      Minimum = Oms, Maximum = 6ms, Average = 2ms
   C:\>
Тор
```

