
Lab-3

Configuring default route to the router

Topology:



Ping Responses



Config Desktop Programming Physical Attributes Command Prompt Packet Tracer PC Command Line 1.0 C:\>ping 40.0.0.21 Pinging 40.0.0.21 with 32 bytes of data: Reply from 40.0.0.21: bytes=32 time=23ms TTL=125 Reply from 40.0.0.21: bytes=32 time=13ms TTL=125 Reply from 40.0.0.21: bytes=32 time=12ms TTL=125 Reply from 40.0.0.21: bytes=32 time=13ms TTL=125 Ping statistics for 40.0.0.21: Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 12ms, Maximum = 23ms, Average = 15ms C:\>ping 40.0.0.20 Pinging 40.0.0.20 with 32 bytes of data: Request timed out. Reply from 40.0.0.20: bytes=32 time=18ms TTL=125 Reply from 40.0.0.20: bytes=32 time=13ms TTL=125 Reply from 40.0.0.20: bytes=32 time=17ms TTL=125 Ping statistics for 40.0.0.20: Packets: Sent = 4, Received = 3, Lost = 1 (25% loss), Approximate round trip times in milli-seconds: Minimum = 13ms, Maximum = 18ms, Average = 16ms C:\>ping 10.0.0.11 Pinging 10.0.0.11 with 32 bytes of data: Reply from 10.0.0.11: bytes=32 time=12ms TTL=128 Reply from 10.0.0.11: bytes=32 time<1ms TTL=128 Reply from 10.0.0.11: bytes=32 time<1ms TTL=128 Reply from 10.0.0.11: bytes=32 time=3ms TTL=128 Ping statistics for 10.0.0.11: Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 0ms, Maximum = 12ms, Average = 3ms



Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0

C:\>ping 10.0.0.11

Pinging 10.0.0.11 with 32 bytes of data:

Request timed out.

Reply from 10.0.0.11: bytes=32 time=3ms TTL=125

Reply from 10.0.0.11: bytes=32 time=2ms TTL=125

Reply from 10.0.0.11: bytes=32 time=2ms TTL=125

Ping statistics for 10.0.0.11:

Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),

Approximate round trip times in milli-seconds:

Minimum = 2ms, Maximum = 3ms, Average = 2ms

C:\>
```