







- 1 SELECT * FROM mn1236.customer;
- 2 delete from customer where cust_id='a01';

Re	sult Grid	**	Filter Rows:			Edit:	<u> </u>	-	Export/Imp	ort:	
	cust_id	fname	Iname	area	phone						
	a02	vandana	ray	mu	5560379						
	a03	pramada	jauguste	da	4560389						
	a04	basti	navindi	ba	6125401						
	a05	ravi	shridhar	na	NULL						
	a06	rukmini	ajyer	gh	5125274						
6	NULL	NULL	NULL	NULL	NULL						

```
SELECT * FROM mn1236.customer;
 1 •
        delete from customer where cust_id='a02';
 3
 4
                                       Edit: 🚣 🖶 Export/Import:
cust_id
          fname
                  Iname
                                phone
                          area
                               6125467
  a01
         ivan
                 ross
                          Sa
         pramada
                 jauguste
  a03
                         da
                               4560389
```

5125274

NULL

NULL

a04

a05

a06

NULL

basti

ravi

NULL

rukmini

navindi

shridhar

ajyer

NULL


ba


na


gh


NULL


Re	Result Grid							
	eid	ename	ebasic	designation				
	1	Rohit	6700	Trainee				
	2	Sunil	6200	Trainee				
	3	Payal	6300	Trainee				
	4	Kunal	6700	Trainee				
	5	Sunita	6230	Trainee				
	6	Bimal	7000	Trainee				





















```
Limit to 1000 rows

| SELECT * FROM w1236.movie;
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='mc';
| Select cust_id from movie where star = 'jc'or star='tc' or star='tc' or
```



- III 7 7 1 1000 rows
 - 1 SELECT * FROM w1236.movie;
- 2 update movie set price=3000 where mv_no=9;

4

9

10

NULL

a03

a05

NULL

Re	sult Grid	***	Filter Rows:		E	dit: 🍊		Export/
	mv_no	cust_id	title	star	price			
	4	a06	home alone	mc	150			
	5	a05	the fugitive	mf	200			
	6	a03	coma	md	100			
	7	a02	dracula	go	150			
	8	a06	quick change	bm	100			

jc

lp

NULL

3000

100

NULL

gone with the cb

carry on doctor

NULL

