




TN CHENNAI DISTRICT STATEBOARD QUESTION PAPER 2024 - 2025

Follow For
More Updates





Class : 11



COMMON QUARTERLY EXAMINATION - 2024 - 25

Time Allowed : 3.00 Hours]

COMPUTER SCIENCE

[Max. Marks : 70

PART - I

15X1 = 15

Note : i) Answer All the questions.

ii) Choose the most appropriate answer from the given four alternatives and write the corresponding answer.

- Expand POST
 - Post on self Test
 - Power on Software Test
 - Power on Self Test
 - Power on Self Text
- The Octal equivalent of decimal number 35 is
 - 34
 - 43
 - 100011
 - 23
- NAND is a combination of?
 - NOT(OR)
 - NOT(AND)
 - NOT(NOT)
 - NOT(NOR)
- Display devices are connected to the computer through
 - Ps/2 port
 - USB port
 - VGA connector
 - SCSI port
- Interactive Operating System provides
 - Graphics User Interface
 - Data Distribution
 - Security Management
 - Real Time Processing
- The keyboard shortcut to save a file is
 - Ctrl + S
 - Alt + S
 - Alt + Ctrl + S
 - Alt + Winkey + S
- Suppose u, v = 5, 10 before the assignment. What are the values of u and v after the sequence of assignments?
 - 1 u := v
 - 2 v := u
 - u, v = 5, 5
 - u, v = 5, 10
 - u, v = 10, 5
 - u, v = 10, 10
- If C is false just before the loop, the control flows through
 - 1 S1
 - 2 while C
 - 3 S2
 - 4 S3
 - S1;S3
 - S1;S2;
 - S1;S2;S2;S3
 - S1;S2;S2;S2;S3
- How many categories of data types are available in C++?
 - 5
 - 4
 - 3
 - 2
- Which of the following operator is extraction operator in C++?
 - >>
 - <<
 - <>
 - ^
- How many times the following loop will execute? for(int x=0; x<5; x++)
 - 0
 - 5
 - 4
 - 6
- The values associated with a symbolic variable -----
 - R-Value
 - L-Value
 - H-Value
 - Both (A) and (B)
- Iteration statements supported by C++
 - for
 - while
 - do-while
 - All of these
- A loop that contains another loop inside its body:
 - Nested loop
 - Inner loop
 - Inline loop
 - Nesting of loop
- #include <iostream>
using namespace std;
main()
{
 int x=1, sum=5;
 for(;x<=5;x++)
 sum += x;
 cout << sum;
}

The output for the above snippet is:
(a) 10 (b) 20 (c) 25 (d) 30

PART - II

Answer any SIX of the following. Question number 24 is compulsory.

6×2=12

- Differentiate Input and output unit.
- What are called standard icons?
- What is meant by a token? Name the token available in C++.
- Write a while loop that displays numbers 2, 4, 6, 8, 20.
- What is a GUI?
- Define an algorithm.



22. Convert the following if-else statement into conditional statement.
if (marks $\geq$ 60)
 Grade = 'A';
Else
 Grade = 'B';

23. Write the output for the following C++ program:

```
#include<iostream>
using namespace std;
main()
{
    double var = 87.25255;
    cout << (float)var << endl;
    cout << (int) var;
}
```

24. for(int m=1; m<=9; m+=2)
 cout << m;

- (i) How many times the loop will be executed? (ii) Write the output of the above snippet.

PART - III

Answer any SIX of the following. Question number 33 is compulsory.

6×3=18

25. Convert (150)₁₀ into Binary, then convert that Binary number to Octal.
26. Write down the classifications of microprocessors based on the instruction set.
27. Write a note on Recycle bin.
28. What is the format of the specification of an algorithm?
29. Draw a flowchart for 3 case analysis using alternative statements.
30. Differentiate "=" and "=="
31. Write the syntax and purpose of switch statement.
32. Write the difference between Break and Continue.
33. Write a C++ program to display numbers from 1 to 10. Except 5 using 'for' and 'continue' statement.

PART - IV

Answer all questions:

5×5=25

34. (a) Explain the basic components of a computer with a neat diagram. (OR)
(b) What is an entry control loop? Explain any one of the entry controlled loop with suitable example.
35. (a) Find 1's Complement and 2's Complement for the following Decimal numbers
(i) -98 (ii) -135 (OR)
(b) List Arithmetic, Relational and Logical operators of C++.
36. (a) Explain the characteristics of a microprocessor. (OR)
(b) Write the differences between if-else and switch statement.
37. (a) Explain the process management algorithms in Operating System. (OR)
(b) Debug the given C++ program to get the following output:

Output :

```
Count : 1
Count : 2
Count : 3
```

Program :

```
#include (iostream)
using Namespace;
int Main[ ];
{
    int count = 1;
    do( )
    {
        cout >> "Count : " << Count << endl;
        If( count <= 3)
        {
            BREAK;
        }
        count--;
    }While(count < 20)
}
```

Return 10;

38. (a) Explain the versions of Windows Operating System. (OR)
(b) Evaluate the following C++ expressions where x, y, z are integers and m, n are floating point numbers. The value of x = 5, y = 4 and m=2.5;
(i) n = x + y; (ii) z = m * x + y; (iii) z *= x * m + x;