


Functional Genomics Overview

RORY STARK
PRINCIPAL BIOINFORMATICS ANALYST
CRUK – CAMBRIDGE INSTITUTE
18 SEPTEMBER 2017

Agenda

- What is Functional Genomics?
- RNA Transcription/Gene Expression
- Measuring Gene Expression
 - Microarrays
 - High-throughput Sequencing
- Transcriptional Regulation
 - Transcription factors
 - Epigenetics
 - Post-transcriptional regulation

The Genome



- Each cell contains a complete copy of the genome, distributed along chromosomes (compressed and entwined DNA)
- 3×10^9 (3Gb) base pairs in human DNA: 6 meters in each cell!
- Encodes blueprint for all cellular structures and activities and which cells go where (somehow...)


Functional Genomics: Sequence vs. Function



What accounts for the difference in phenotype?




Different Genomes!






CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

What accounts for the difference in phenotype?



Different Functions!



UNIVERSITY OF
CAMBRIDGE


6



CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

The Central Dogma of Molecular Biology



CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

So, what is functional genomics?

- Where *sequence-based genomics* looks at the structure and components of genomes, and analyses the similarities and differences between genomes...
- *Functional genomics* looks at **how genomes result in cellular phenotypes**, and analyses differences in how the same genome functions differently in different cells, and how changes in genomes alter function


Gene Expression (RNA Transcripts)



Gene expression experiments

- Measure the **expression** levels of many genes in parallel
- Ideally, we'd measure all protein levels
- However, proteomics is difficult!
- Instead, use mRNA ("transcript") levels as a **proxy** for protein levels
- (How good a proxy is RNA?)
- Several good ways to measure RNA
- Analyses:
 - Expression levels
 - **Differences in expression levels (DE)**
 - Patterns of expression
 - Splicing and isoforms

mRNA vs Protein levels in Yeast
 $R=0.44$



Ghaemmaghami et al *Nature* 2003

What kinds of samples are we interested in?


- Different **tissues**, same organism
 - human brain/human liver
- Same tissue, different **organism**
 - human liver/mouse liver
 - wt/ko
- Same tissue, same organism, different **condition**
 - benign/tumour
 - treated/untreated
- Time course (effect of treatment over time)
- *In vivo* vs *In vitro*
- ...

Measuring Gene Expression



Reverse transcription (mRNA -> cDNA)

- Most RNA-seq involves large **populations** of cells (10^{6-7})
- Most RNA-seq involves sequencing **cDNA** synthesized using reverse transcription
- Most RNA-seq involves significant **amplification** of cDNA molecules via PCR




Measuring cDNA: Microarrays

Use hybridization to measure abundance of mRNA transcripts


Fix “probes” to a solid support

Hybridize labeled samples of mRNA to probes

Use labels to measure hybridization intensity




Microarrays: Scanning



Typically less than 1 inch width, spot diameter ! 0.1 mm


Measuring cDNA: RNA-seq

- High-throughput sequencing allows us to sequence a representative **sample** of the cDNA population “directly”
- Each sequence “read” is **aligned** back to a reference genome/transcriptome to see where it was transcribed from
- We can **count** how many transcripts came from each gene





Trends in Transcriptomics

- Single-cell sequencing



- Nanopore Sequencing

- Full-length transcript sequencing
- Direct RNA sequencing



CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

Beyond Gene Expression: Transcriptional Regulation



UNIVERSITY OF
CAMBRIDGE

18




CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

Transcriptional Regulation

DNA



Transcription

Gene Expression


RNA



Translation

Post-
transcriptional
regulation

Proteins



Genes

Genomes

ACGT

Transcripts

Transcriptomes

ACGU

Function

Proteome

Amino Acids


HKDESTNQCUGPAVILMFYW



CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

Transcriptional regulatory elements



CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE

Regulatory elements of interest include...

TRANSCRIPTION FACTORS

- ChIP

HISTONE MARKS

- ChIP

DNA METHYLATION

- RRBS
- MeDIP

OPEN CHROMATIN



- DNase Hypersensitivity
- ATAC

CHROMATIN STRUCTURE


- HiC

RNA POLYMERASE

- Pol II ChIP




Cell differentiation




And Beyond...

- Post-transcriptional Regulation



- Translational Efficiency

- DATA INTEGRATION



Acknowledgements

Former lecturers who
contributed to these
lecture notes:

Benilton S Carvalho

Nuno Barbosa-Morais

Stephen J Eglan

Natalie Thorne



UNIVERSITY OF
CAMBRIDGE



CANCER
RESEARCH
UK

CAMBRIDGE
INSTITUTE