Scale documentation index

This is the entry point for new readers. The Typst sources under `docs/` are the central documentation; Markdown copies are retired. Non-canonical design notes and historical briefs live under `Notes/` and are not normative.

Start here

Kind	Where
Session start	`docs/now.typ` — read this first; current state and read order
Guided introduction	`docs/introduction.typ` — a whole-language tour for experienced programmers
Backlog dependency graph	`docs/backlog-graph.typ` — the ground-up order for the remaining work
Project overview	`README.typ` at the repository root
Language specification	`docs/specification.typ` — normative, with per-feature status
Architecture invariants	`docs/INVARIANTS.typ` — the project constitution
Abstraction index	`docs/irs.typ` — every abstraction, its logic, and the dependency graph
Architecture data	`docs/architecture.edn` — the EDN source for the generated views
Generated architecture table	`docs/architecture-table.typ`
Generated architecture graph	`docs/architecture-graph.typ`
Generated specification status	`docs/specification-status.typ`
Performance plan	`docs/performance.typ` — hot paths and the optimization stages
Benchmark baseline	`docs/performance-baseline.typ` — the JIT baseline snapshot
Critical review	`docs/critical-review.typ` — the honest current state
Test strategy	`docs/test-strategy.typ` — coverage investigation and priorities
Commitments and status	`docs/commitments-ledger.typ`
Roadmap	`docs/roadmap.typ` — current pointers and read budget
Roadmap archive	`docs/roadmap-archive.typ` — completed history; read by section, not end to end
Decision index	`docs/decision-index.typ` — every decision by number
Decisions	`docs/decision-records.typ` — full history; read one section on demand

Language and surface

Kind	Where
Prose surface	`docs/prose-surface.typ` — design and first slice
Prose as a shell	`docs/prose-as-shell.typ` — script runner and Stage 1a shell effects
Books and spells	`docs/books-and-spells.typ` — packages, casts, and spell CLIs
Recursion plan	`docs/recursion.typ` — `define` markers, F# package classification, and diagnostics

Kind	Where
Callable contract	`docs/callable-contract.typ` — R0, call versus reference in the lowered path
Recursion design	`docs/recursion-design.typ` — UnitGroup/Unit, image and ABI versioning, the F# abstraction
Root registry	`docs/root-registry.typ` — the one enumeration of execution roots
Prose sentence grammar	`docs/prose-grammar.typ` and `docs/prose-foundations.typ` — the historical foundations
Set-theoretic typing	`docs/set-theoretic-typing.typ`
Verification type lattice	`docs/type-lattice.typ` — D25
Type inference (P4)	`docs/type-inference.typ`
Types in Scale	`docs/type-map.typ` — the five type-like notions and their boundaries
Function values and currying	`docs/function-values.typ`
Language-feature IRs	`docs/language-feature-ir.typ`
General IR	`docs/general-ir.typ`
Typed term IR	`docs/term-ir.typ`
Cell system	`docs/cell-system.typ`
Memory model	`docs/memory-model.typ`
Memory and Go transpiler	`docs/memory-and-go-transpiler.typ`

Kernel, ports, and adapters

Kind	Where
Kernel inventory	`docs/kernel-inventory.typ`
Kernel ABI	`docs/kernel/abi.typ` and `components/kernel/scale_abi.h`
Prelude port map	`docs/prelude-port.typ` and `docs/prelude/README.typ`
Native .NET port	`docs/native-dotnet-port.typ`
NativeAOT	`docs/nativeaot.typ`
Actor IPC	`docs/actor-ipc.typ`
Actor wire protocol	`docs/binary-format.typ`
Host adapters	`docs/adapters/README.typ` and `adapters/elixir`
Evaluator slicing and scheduler	`docs/evaluator-slicing-and-scheduler.typ`
DSPy-shaped programs	`docs/dspy.typ`
Repair model analysis	`docs/repair-model-analysis.typ`
Nu integration and Gaia-on-ImSim	`docs/nu-gaia-imsim.typ` — plan

Tooling and process

Kind	Where
SageFs	`docs/sagefs.typ`
Jujutsu workspaces	`docs/jj-workspaces.typ` — the sparse `Scale-code` workspace

Kind	Where
.NET MCP	`docs/dotnet-mcp.typ`
Vestige	`docs/vestige.typ`
Agent setup	`docs/agent-setup.typ`
F# engineering rules	`docs/rules-for-fsharp.typ`
Decision models	`docs/decision-models.typ`
Glossary	`docs/glossary.typ`
Line counts	`docs/line-counts.typ` — generated by `just line-counts`
Technical-debt register	`docs/technical-debt-register.typ`

Rejected and historical ideas

Kind	Where
Unified Julia/Elixir language	`docs/rejected-ideas/unified-language.typ`
BEAM compatibility	`docs/rejected-ideas/beam-compatibility.typ`
Rejected and reserved designs	`docs/rejected-ideas/rejected-designs.typ`

Non-canonical notes and historical briefs are kept under `Notes/` (for example `Notes/multi-platform-port.md` and `Notes/Pattern-matching.md`); they are not normative and are not part of this index. If a note becomes normative, convert it to Typst under `docs/` and add it here.

If a new kind of documentation is introduced, add it here and to the file-layout section of `AGENTS.md` in the same change.