Canonical	Code	Role / Documentation
`ExpressionLogic`	`ExpressionAst.Expression`	General expression abstraction: literals, words, calls, partials, holes, pipelines, quotations, blocks, let, lambda, if, match, declarations, conditions, restarts, generics, messages. `docs/general-ir.typ`
`PatternLogic`	`PatternAst.Pattern`	Pattern abstraction: wildcard, role-carrying variables, literals, constructors, typed patterns; templates elaborate to closed patterns. `docs/general-ir.typ`
`PackageLogic`	`PackageAst.PackageDocument`	Package and unit abstraction: identity, source hash, imports, exports, capabilities, kinds, `docs/general-ir.typ`

Canonical	Code	Role
		Documentation predicates, ordered units.
`SymbolicAbstraction`	`TermIr.Term`	`docs/term-ir.typ` interpreter's symbolic term list and quotation body: literal, word, quote, branch, slot, closure, fail.
`LoweredAbstraction`	`LoweredInstructions.Instruction` + `LoweredAbstraction`	`docs/native-dotnet-port.typ` lowered instruction abstraction and VM: literals, slots, calls, closures, tensor operations, branches, failure.
`TypeRetrieval`	`TypeInference`	`docs/type-inference.typ` Retrieves and elaborates types against a signature table; not a type checker.
`Portable documents`	`TermProgram`, `ExpressionDocument`, `PatternDocument`, `PackageDocument`	`docs/general-ir.typ` Canonical schema-1 JSON forms

Canonical	Code	Role
		Documentation used at the image, ABI, persistence, and package boundaries.
`DomainExpression and SMT`	`DomainExpression, Smt`	`docs/type-lattice.typ` Verification abstraction: typed domain expressions, sorts, guards, obligations, and SMT encodings.
`Image values`	`Tensor, EntryIdentity, Store, Lexicon`	`docs/memory-model.typ` Runtime value model; not code, but the representation every abstraction lowers into.
`Execution state`	`KernelState, EvaluationState`	`docs/evaluator-slicing-and-scheduler.typ` State, not code: store, stack, program, roots, frames, scheduler, and effects.