# Rajalakshmi Engineering College

Name: Shalini Punithan

Email: 241801258@rajalakshmi.edu.in

Roll no: 241801258 Phone: 8525029597

Branch: REC

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 5\_COD\_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Mike is learning about Binary Search Trees (BSTs) and wants to implement various operations on them. He wants to write a basic program for creating a BST, inserting nodes, and printing the tree in the pre-order traversal.

Write a program to help him solve this program.

## Input Format

The first line of input consists of an integer N, representing the number of values to insert into the BST.

The second line consists of N space-separated integers, representing the values to insert into the BST.

### **Output Format**

The output prints the space-separated values of the BST in the pre-order traversal.

Refer to the sample output for formatting specifications.

```
Sample Test Case
    Input: 5
    31524
    Output: 3 1 2 5 4
    Answer
    #include <stdio.h>
#include <stdlib.h>
    struct Node {
      int data:
      struct Node* left;
      struct Node* right;
    };
    struct Node* createNode(int value) {
      struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
      newNode->data = value;
return newNode;
      newNode->left = newNode->right = NULL;
    struct Node* insert(struct Node* root, int value) {
      if (root == NULL) return createNode(value);
      if (value < root->data)
        root->left = insert(root->left, value);
      else
        root->right = insert(root->right, value);
      return root;
    void printPreorder(struct Node* Node) {
```

if (Node == NULL) return;

```
printf("%d ", Node->data);
printPreorder(Node->left);
printPreorder(Node->right);
}
                                                                                           24,180,12,58
                                                             24,180,1258
     int main() {
        struct Node* root = NULL;
        int n;
        scanf("%d", &n);
        for (int i = 0; i < n; i++) {
root = insert(root

}
                                                                                            24,801258
                                                             24,180,1258
          root = insert(root, value);
        printPreorder(root);
        return 0;
     }
                                                                                   Marks: 10/10
     Status: Correct
```

241801258

241801258

241801258

24,180,1258

24,801258

241801258

24,180,1258

24,180,1258