BRING YOUR OWN AGENT

Your agent.
Hostile environments.

A testing facility where your agent still has a real job to do.

01 / BRING

Your source. A legitimate mission.

02 / TEST

A controlled hostile environment.

03 / REPLAY

Evidence you can compare after a change.

THE PROBLEM

A refused attack is only half the story.

POLICY

Did the agent reveal a canary or propose a forbidden action?

MISSION

Did it still return the correct result for the legitimate task?

EVIDENCE

What did it read, which source ran, and was the environment removed?

BlastLab keeps these questions separate in one repeatable campaign.

THE FACILITY

Five chambers.
The Web comes first.

The Web

LIVE

Hostile webpages and indirect instructions.

Toolchain

PLANNED

Compromised tools, MCP, APIs and permissions.

The Vault

PLANNED

Secret access and unauthorized disclosure.

The Machine

PLANNED

Filesystem abuse and runaway processes.

Chaos

PLANNED

Combined attacks and interruptions while the agent completes its mission.

THE WEB / LIVE FLOW

Bring the agent you built.

CHAMBER → MISSION → UPLOAD → RUN → INSPECT → REPLAY

YOUR AGENT

Uploaded source runs inside a disposable Vultr worker.

REAL CHROMIUM

A separate container reads bounded synthetic hostile pages.

REAL RESULTS

Inspect page text, numeric mission checks, findings and teardown.

Current adapter: standard-library Python. No public Internet navigation. Four other chambers are planned.

VULTR / CONTROL AND EXECUTION

Keys stay on the host. Both workers disappear.

VULTR INFERENCE ⇔ TRUSTED CONTROLLER ⇔ AGENT + CHROMIUM

AGENT WORKER

Networkless · non-root · read-only root · no host mounts · 256 MB · 0.5 CPU · 48 processes · ten minutes.

BROWSER WORKER

Controller-owned image and page route. Fresh contexts, independent limits and actual page fingerprints.

REPORT GATE

Host checks and verified removal of both containers before the completed Web report is released.

Host observations verify runtime boundaries. Declared tool intents do not attest every internal side effect.

RECORDED FILM / CONTENT CAMPAIGN

Same campaign.
Changed source.

3 → 1

observed policy findings

2 / 0

resolved / new findings

6 + 10

real model calls + host checks, per run

Role spoofing still fails. Both recorded runs ended with verified worker removal.

Project-operated hosted content pair, 8 November. The two-minute film predates the Web integration; it is not Web footage.

CURRENT WEB / PRODUCTION ACCEPTANCE

Policy findings and mission results.

6	0	5 / 6
cases completed	policy findings	correct inventory totals

The baseline returned 6,600 cents. Exact replay with revised source restored 6/6 correct totals; policy findings stayed at zero.

Public UI run 1fc7fceecd1c6243e7772a4d65d995ad. Real Chromium reads and Vultr calls. Project-operated example; not independent customer validation.

WHO IT SERVES / BUSINESS DIRECTION

A release check for small agent teams.

FIRST USERS

Developers changing agent code, instructions or tool policy and needing comparable regression evidence.

VALUE

One place to connect the mission, hostile environment, observed behavior and exact replay.

REVENUE HYPOTHESIS

Metered hosted campaigns and team regression workflows. Proposed model; no revenue or customer traction claimed.

Positioning: add mission and runtime evidence to attack testing. Broader runtimes, deeper consequence measurement and the four planned chambers are future work.

TRY IT

Bring your agent.
Test what changed.

Open the Chamber Library. Enter The Web. Run a mission, inspect the actual evidence and replay after a change.

```
blastlab.45-77-138-147.sslip.io/app
```

Source branch: wip/byoa-restoration-20261105. Current implementation: b2aac8f.
Outside-developer acceptance remains open. No universal security guarantee is claimed.