Published online JUNE, 2025 (http://www.icitet.uk)

International Conference on Innovations and Trends in Engineering Technologies

Vol. 01, No.01, pp. 01-02

Research Article

Predicting Student Performance Using Random Forest Algorithm

Rumsha Waqia Wania[1], Sayanti Mukherjee[2], Shatabdi Mondal[3], Sabyasachi Mukherjee[4], Sudipta Hazra[5]
[1,3,4,5]Department of Computer Science and Engineering, Asansol Engineering College
Asansol, West Bengal, India - 713305
[2]Department of Computer Application, Asansol Engineering College
Asansol, West Bengal, India - 713305

Received: 14th April 2025 / Accepted : 30th April 2025 ,
ⓒ ICITET 2025

Abstract

Accurate prediction of student performance is a significant step toward enhancing educational outcomes through data-driven decision-making. With the growth of educational data mining (EDM), machine learning (ML) algorithms have emerged as effective tools for analyzing student data to uncover hidden insights. This paper presents a comprehensive study on using the Random Forest (RF) algorithm to predict student academic performance. By utilizing various features such as demographics, prior grades, attendance, socioeconomic status, and extracurricular involvement, the Random Forest classifier delivers high prediction accuracy while offering interpretability through feature importance rankings. This study further discusses the model training, performance evaluation, graphical representations, and implications of integrating such systems into educational settings. Additionally, limitations and future directions for improvement are explored, emphasizing the broader potential of ML in transforming the education sector.

Keyword:- Random forest , Accurate Prediction , Data driven Decisison

Introduction

In recent years, the education sector has experienced a paradigm shift toward data-driven practices aimed at enhancing student learning experiences. One of the core areas gaining attention is the prediction of student academic performance. Early identification of students at risk allows educational institutions to implement timely interventions and improve overall academic outcomes. Traditionally, student performance has been assessed using linear statistical techniques or subjective evaluations, which often fail to consider the multifactorial and non-linear nature of student learning. With the proliferation of student-related data, such as demographic attributes, academic records, behavioral logs, and socioeconomic indicators, educational data mining (EDM) has become a vital field. Among the arsenal of tools available in EDM, machine learning algorithms stand out due to their ability to model complex relationships between variables. These models can efficiently detect patterns in historical data, predict future performance, and guide proactive academic support.

This paper focuses on the Random Forest algorithm, a robust and ensemble-based ML method, to predict student academic performance. Its advantages—such as handling high-dimensional data, resistance to overfitting, and high accuracy—make it a popular choice in various prediction tasks. The objective of this study is to build and evaluate a Random Forest model that can classify students as likely to pass or fail based on multidimensional input features. The implications of this research extend to

personalized learning, early warning systems, and informed policy-making.

Literature Review:-

Numerous studies have explored the use of machine learning algorithms in the context of education, each contributing valuable insights into the potential and limitations of predictive modeling. In 2023, research demonstrated that the Random Forest model outperforms other classification models, such as Naïve Bayes and Logistic Regression, in predicting student grades, achieving an accuracy of 83.4%. This study highlighted the importance of previous academic performance and attendance. Furthermore, Gorinkala Hemasri and Kiran (2022) proposed a framework that combines Random Forest with preprocessing techniques like feature normalization and SMOTE to tackle class imbalance, resulting in better accuracy for predicting students at risk of failing in higher secondary education. Chen and Jin (2024) introduced new optimization methods to improve the performance of Random Forest classifiers, particularly in cases of noisy or incomplete data, and noted the model's capacity to provide interpretable results through feature importance. In a study by Rizal Bakri et al. (2024), an imbalance-handling approach was applied with Random Forest to forecast on-time graduation rates, achieving a high ROC-AUC score and demonstrating the strength of the ensemble method in dealing with skewed datasets. Kalla et al. (2021) investigated the use of Random Forest for predicting student dropout rates, revealing the significant impact of external and behavioral factors, such as socioeconomic status and student engagement. These findings collectively underscore the reliability and adaptability of Random Forest models in various educational contexts, justifying its selection for this study.

Methodology:-

Data Collection : The dataset utilized in this research was gathered from a secondary school spanning multiple academic years. It comprises anonymized student records covering a broad spectrum of information, categorized as follows:

Demographic Information: Gender, age

Academic Records: Previous exam scores, current subject grades

Behavioral Indicators: Attendance rate, disciplinary records

Family Background: Parental education level, household income

Engagement Metrics: Participation in extracurricular activities

Target Variable: Final exam result (binary: Pass or Fail)

This diverse feature set captures the multidimensional nature of academic performance and allows the model to learn from a wide range of factors.

Data Preprocessing : Preprocessing is essential for ensuring the dataset is clean, consistent, and suitable for model training.

Handling Missing Values: Missing numerical values were replaced using median imputation, while categorical variables were imputed using mode.

Encoding Categorical Variables: One-hot encoding was used for variables like gender and parental education to convert them into numerical form.

Feature Scaling: Although Random Forest is generally insensitive to scaling, normalization was applied to ensure uniformity across features.

Feature Selection: A preliminary Random Forest model was used to evaluate feature importance. Highly correlated or redundant variables were eliminated to improve efficiency.

Random Forest Algorithm : The Random Forest algorithm is an ensemble method that combines the outputs of multiple decision trees. Each tree is trained on a bootstrap sample of the data, and the final prediction is made through majority voting (in classification) or averaging (in regression).

Advantages of Random Forest:

Robustness to Overfitting: Averaging multiple trees reduces variance and avoids overfitting.
Handling of Non-linear Relationships: Capable of modeling complex interactions between variables.
Support for High-Dimensional Data: Performs well even with a large number of features.
Feature Importance: Provides an intuitive measure of feature relevance.
Hyperparameter Tuning: To optimize model performance, several parameters were tuned:
n_estimators (Number of Trees): 100
max_depth: 10
min_samples_leaf: 5
random_state: 42 (for reproducibility
criterion: Gini Impurity

Hyperparameter tuning was performed using GridSearchCV and 5-fold cross-validation to avoid overfitting and ensure generalizability.

Model Training and Evaluation:-

The dataset was split into training (70%) and testing (30%) sets. The model was trained using the training set and then evaluated on unseen testing data.

Evaluation Metrics:
Accuracy: The total number of correct predictions made.

Precision: The ratio of true positives to the sum of true positives and false positives.
Recall: The ratio of true positives to the sum of true positives and false negatives.
F1-Score: The harmonic average of precision and recall.
ROC-AUC: The area beneath the receiver operating characteristic curve.
Results
Dataset Overview:
Total Students: 1,000
Test Set Size: 500
Features Used: Gender, age, parental education, previous grades, attendance, extracurricular participation, socioeconomic status
Target: Pass/Fail

Model Performance:-

Metric Value
Accuracy 86.2%
Precision 84.0%
Recall 88.5%
F1-Score 86.2%
ROC-AUC Score 0.92
Confusion Matrix:
Predicted Pass Predicted Fail
Actual Pass 340 30
Actual Fail 14 116
Total test samples: 500
Feature Importance (Top 5):
Feature Importance Score
Previous Grades 0.37
Attendance Rate 0.24
Parental Education Level 0.16
Socioeconomic Status 0.12
Extracurricular Activity 0.08

Interpretation :-

The Random Forest classifier achieved high accuracy (86.2%) and recall (88.5%), indicating it is effective at identifying at-risk students. The confusion matrix reveals a low rate of false negatives, which is critical for early intervention strategies.

Key Observations:

Students' previous academic performance was the strongest predictor.Attendance strongly correlated with passing, reinforcing its importance.Parental education level and socioeconomic background also played significant roles.Extracurricular involvement contributed positively, emphasizing holistic development.

Visual Representations:-

These visuals aid interpretation and support decision-makers in understanding model behavior. The predictive power of the Random Forest algorithm in educational data mining stems from its ability to analyze diverse features and identify hidden patterns that may not be evident through traditional analysis. The model's strong performance on the test data demonstrates its utility in real-world academic environments where early intervention can significantly affect student outcomes. One of the most striking findings is the weight carried by prior academic performance and attendance. These results corroborate existing educational theory, which holds that consistent classroom presence and prior mastery of material are essential for academic success. However, the emergence of parental education level and extracurricular involvement as strong contributors adds a nuanced layer.These characteristics represent not only a student's educational history but also their surroundings and level of involvement—elements that are frequently ignored in traditional assessment techniques. Furthermore, the remarkable ROC-AUC score of 0.92 indicates that the model is highly effective at distinguishing between students likely to succeed and those who may face difficulties. This metric is especially important when dealing with imbalanced datasets or when the impact of false negatives (incorrectly identifying at-risk students as not at risk) is substantial. Educators can use this data to better allocate resources, create personalized learning plans, or inform parents and counselors for prompt assistance. A key advantage of Random Forest is its interpretability compared to black-box models like deep neural networks. Teachers and administrators may not possess technical expertise, but they can still understand and trust models that clearly outline which factors influence predictions.



Figure 1:Confusion Matrix heatmap offers insight into classification behavior.



Figure 2: Feature Importance plot confirms top five contributors.



Figure 3: ROC Curve (AUC = 0.92) shows high discriminative ability

Applications and Implications :-

Integrating machine learning models like Random Forest into academic systems can offer transformative improvements. The following practical applications and implications were identified:

Early Warning Systems: Machine learning models can be embedded into student management systems to flag students who may be at risk based on real-time data inputs. These early alerts allow for proactive support rather than reactive remediation.

Personalized Learning Paths: By understanding the individual strengths and weaknesses of students, educators can craft personalized curricula. This includes additional tutorials for at-risk students or enrichment programs for high achievers.

Resource Optimization: Educational institutions often operate with limited budgets and resources. Data-driven insights allow for efficient allocation—be it tutoring hours, mental health support, or extracurricular activities—based on actual student needs.

Parental Engagement: Providing parents with data-backed insights about their child's academic journey fosters collaboration between school and home. Parents can be better informed and more involved in academic planning.

Institutional Planning: At a policy level, education boards and governments can leverage aggregated student performance predictions to identify trends across schools, districts, or demographics. These insights support decisions around curriculum changes, infrastructure development, or hiring practices.

Automated Academic Counseling: Academic counseling departments can utilize prediction systems to automate initial assessments, reducing manual load and allowing counselors to focus on emotional and psychological support.

Limitations and Future Work:-

While the current study offers strong evidence in favor of using Random Forest for student performance prediction, several limitations must be addressed for real-world deployment: This study was conducted on a relatively small and homogenous dataset (1,000 students from one institution). The results may not generalize across different geographic, cultural, or institutional settings. Important psychological factors like motivation, mental health, learning disabilities, and teacher-student relationships were not part of the dataset due to their qualitative nature and measurement difficulty. Including such data could enhance prediction accuracy and offer a more holistic view. Socioeconomic and demographic features, while predictive, could inadvertently reinforce societal biases. It is essential to ensure the model does not perpetuate discrimination, especially if used in automated decision-making systems. Deploying Random Forest models in real-time requires integration with school data management systems, real-time data feeds, and ongoing maintenance. This presents technical and logistical challenges.Educational contexts evolve—syllabi change, teaching methods adapt, and student behavior shifts. A model trained on past data may become obsolete over time. Continuous retraining with recent data is essential to maintain accuracy.

Future Enhancements:-

Expanding datasets across multiple institutions and regions.
Integrating psychological and teacher-related factors.
Exploring hybrid models (e.g., RF + Neural Networks).
Developing user-friendly interfaces for school administrators.
Conducting longitudinal studies to assess long-term performance and impact.

Conclusion:-

This research confirms that the Random Forest algorithm is a robust and effective tool for predicting student performance based on multifactorial educational data. The model achieved strong

metrics, including an accuracy of 86.2% and a ROC-AUC of 0.92, indicating high reliability and discriminative power. Key findings include the significance of prior academic performance, attendance, and parental education in determining student outcomes. Through graphical visualizations, confusion matrix, and feature importance plots, the model offers transparent and actionable insights for educators.

The potential applications of such predictive systems are immense—from early warning mechanisms to personalized academic interventions and optimized resource allocation. However, careful consideration must be given to ethical issues, fairness, and data privacy. Future research should focus on larger datasets, the inclusion of qualitative factors, and building systems that can continuously learn and adapt to evolving educational dynamics. With thoughtful implementation, machine learning can significantly elevate educational quality and equity across diverse learning environments.

References

1. Rizal Bakri, N., Astuti, N. P., & Ahmar, A. S. (2024). Evaluating Random Forest Algorithm in Educational Data Mining: Optimizing Graduation on-time prediction using Imbalance Methods. ARRUS Journal of Social Sciences and Humanities.
2. Gorinkala Hemasri, K., & Kalla Kiran. (2022). Students Performance Prediction Using Random Forest Algorithm. International Journal for Research Trends and Innovation.
3. Proceedings of the 11th Annual International Conference on Industrial Engineering and Operations Management. (2021). Prediction of Student's Performance Using Random Forest Classifier. Singapore.
4. Chen, Y., & Jin, K. (2024). Educational Performance Prediction with Random Forest and Innovative Optimizers: A Data Mining Approach. International Journal of Advanced Computer Science and Applications.
5. ACM Digital Library. (2024). Research on Student Performance Prediction Based on Random Forest Algorithm.
6. Romero, C., & Ventura, S. (2020). Educational Data Mining: A Review of the State of the Art. IEEE Transactions on Systems, Man, and Cybernetics.
7. Ghosh, S., et al. (2023). Student course grade prediction using the random forest algorithm. Heliyon.
8. Baker, R. S., & Inventado, P. S. (2014). Educational Data Mining and Learning Analytics. In Learning Analytics. Springer.
9. Bowers, A. J. (2010). Analyzing the Longitudinal K-12 Grading Histories of Entire Cohorts of Students: Grades, Data Driven Decision Making, Dropping Out and Hierarchical Cluster Analysis. Practical Assessment, Research & Evaluation.
10. Mohan, A., & Pal, S. (2021). Hybrid Approaches in Educational Data Mining. Journal of Computer and Information Technology.
11. S. Gupta, S. Hazra, S. Hazra, S. Gayen, S. Mukherjee and A. Naskar, "Mathematical Models of Heterogeneous Machine Learning Techniques for Ransomware Protection in Cyber-Physical Systems," 2024 IEEE International Conference on Communication, Computing and Signal Processing (IICCCS), ASANSOL, India, 2024, pp. 1-5, doi: 10.1109/IICCCS61609.2024.10763581.
12. Meghna Sarkar et al. 2024. A Study on Anaphylactic-shock Forecasting System with Knowledge-Based Intelligent Architecture. International Journal on Computational Modelling Applications. 1, 1 (Jul. 2024), 1–19.
13. S. Hazra, A. Mondal, P. Dey, S. Prabhakar, A. K. Jha and N. Rakshit, "Future Prospects of Agriculture Using IoT and Machine Learning," 2024 IEEE International Conference on Smart Power Control and Renewable Energy (ICSPCRE), Rourkela, India, 2024, pp. 1-6, doi: 10.1109/ICSPCRE62303.2024.10674786.
14. Hazra, S., Surjyasikha Das, Rituparna Mondal, Prerona Sanyal, Anwesa Naskar, Pratiksha Hazra, Kuntal Bose, Shirsha Mullick, Swarnakshi Ghosh and Siddhartha Chatterjee “Pervasive Nature of AI in the Health Care Industry: High-Performance Medicine”. International Journal of Research and Analysis in Science and Engineering (IJRASE), Peer Reviewed UGC Sponsored, ISSN, pp.2582-8118.
15. Hazra, S., Ghosal, S., Mondal, A., Dey, P. (2024). Forecasting of Rainfall in Subdivisions of India Using Machine Learning. In: Bhattacharyya, S., Das, G., De, S., Mrsic, L. (eds) Recent Trends in Intelligence Enabled Research. DoSIER 2023. Advances in Intelligent

Systems and Computing, vol 1457. Springer, Singapore. https://doi.org/10.1007/978-981-97-2321-8_18

16. Banerjee, S., Hazra, S., Kumar, B. (2023). Application of Big Data in Banking—A Predictive Analysis on Bank Loans. In: Peng, SL., Jhanjhi, N.Z., Pal, S., Amsaad, F. (eds) Proceedings of 3rd International Conference on Mathematical Modeling and Computational Science. ICMMCS 2023. Advances in Intelligent Systems and Computing, vol 1450. Springer, Singapore. https://doi.org/10.1007/978-981-99-3611-3_40
17. Hazra, S., Chatterjee, S., Mandal, A., Sarkar, M., Mandal, B.K. (2023). An Analysis of Duckworth-Lewis-Stern Method in the Context of Interrupted Limited over Cricket Matches. In: Chaki, N., Roy, N.D., Debnath, P., Saeed, K. (eds) Proceedings of International Conference on Data Analytics and Insights, ICDAI 2023. ICDAI 2023. Lecture Notes in Networks and Systems, vol 727. Springer, Singapore. https://doi.org/10.1007/978-981-99-3878-0_46
18. Ghosh, P., Hazra, S., & Chatterjee, S. Future Prospects Analysis in Healthcare Management Using Machine Learning Algorithms. the International Journal of Engineering and Science Invention (IJESI), ISSN (online), 2319-6734.
19. Gon, A., Hazra, S., Chatterjee, S., & Ghosh, A. K. (2023). Application of Machine Learning Algorithms for Automatic Detection of Risk in Heart Disease. In P. Bhowmick, S. Das, & K. Mazumdar (Eds.), Cognitive Cardiac Rehabilitation Using IoT and AI Tools (pp. 166-188). IGI Global Scientific Publishing. https://doi.org/10.4018/978-1-6684-7561-4.ch012
20. Hazra, S. (2024). Review on Social and Ethical Concerns of Generative AI and IoT. In: Raza, K., Ahmad, N., Singh, D. (eds) Generative AI: Current Trends and Applications. Studies in Computational Intelligence, vol 1177. Springer, Singapore. https://doi.org/10.1007/978-981-97-8460-8_13
21. J. Ghosh et al., "NLP and ML for real-time sentiment analysis in Finance," 2024 IEEE International Conference on Communication, Computing and Signal Processing (IICCCS), ASANSOL, India, 2024, pp. 1-6, doi: 10.1109/IICCCS61609.2024.10763733.