

Self-supervised Learning in Time Series

NorwAI

May 2026

Kazeem Shamba
Doctoral Researcher (PhD), NorwAI

Supervisors: Prof. Kerstin Bach & Gavin Taylor

NorwAI

Norwegian Research Center
for AI Innovation



Time Series / Sensor Data





Self-Supervised Learning Motivation

dataset (no labels)



dataset (with labels)



Supervised learning

- Relies on large labeled datasets
- Expensive and domain-specific annotations
- Limited generalization

Self-Supervised learning

- Learns representations directly from data
- Scalable (unlabeled data is abundant)
- Improves transferability to downstream tasks

Self-supervised Learning in Time Series

- Seeing Through Time, NAIIIC 2024 (*Best Poster Award*)
- eMargin, LDD Workshop ECAI, 2025
- Contrast All The Time (CaTT), Main Track ECAI, 2025
- Divide and Contrast (Di-COT), Main Track ICML 2026
- Learning by Shifting (ShiFT), Main Track ECML 2026 (*Best Paper Award*)
- Context Prediction (C-Pred), NeurIPS 2026 (*Under review*)

Success criteria

- No augmentation and less domain specific assumptions
- Improved accuracy and generalization
- Substantial reduction in training time
- Compact (clusters) and transferable representations



Self-supervised Learning in Time Series

- Seeing Through Time, NAIIC 2024 (*Best Poster Award*)
- eMargin, LDD Workshop ECAI, 2025
- Contrast All The Time (CaTT), Main Track ECAI, 2025
- Divide and Contrast (Di-COT), Main Track ICML 2026
- Learning by Shifting (ShiFT), Main Track ECML 2026 (*Best Paper Award*)
- Context Prediction (C-Pred), NeurIPS 2026 (*Under review*)

Success criteria


- No augmentation and less domain specific assumptions
- Improved accuracy and generalization
- Substantial reduction in training time
- Compact (clusters) and transferable representations




Divide and Contrast

Learning Robust Temporal Features without Augmentation

ECG




HARTH



Dataset	Train set	Test set	Subject	Sequence Length	Channel	Class
ECG	59,922	16,645	23	2,500	2	4
HARTH	23,025	2,785	22	500	6	18
PAMAP2	51,192	11,590	9	100	52	18
SKODA	22,587	5,646	1	50	64	11
SLEEP	25,612	8,910	20	3,000	1	5
WISDM2	134,614	14,421	29	40	3	6


SleepEEG



source: <https://nhuopen.ntnu.no/ntnu-xmlui/handle/11250/3181556>, <https://norvinja.com/what-is-affib/>, U-sleep dataset


Divide and Contrast

Learning Robust Temporal Features without Augmentation



Divide and Contrast


Learning Robust Temporal Features without Augmentation




Divide and Contrast

Learning Robust Temporal Features without Augmentation


Random Init.




SimMTM



Supervised (*backbone*)




Di-COT (ours)



- Cleanly separates the challenging **red** and **gray** classes
- Supervised Backbone with access to full labeled train data (Limited generalization!)
- Translational invariance is *almost* all you need!

Divide and Contrast

Learning Robust Temporal Features without Augmentation




- 1% of Labeled Data
- Highest Average Accuracy
- Fastest among self-supervised method


Divide and Contrast

Learning Robust Temporal Features without Augmentation

Random Init.




Di-COT (ours)




Divide and Contrast

Learning Robust Temporal Features without Augmentation

Random Init.



Di-COT (ours)



- Saves time and resources for annotations
- Improves classification performance
- Potential for anomaly detection
- Uncover hidden patterns in data without human/expert intervention

- Time series foundation model (Cluster Everything!)

Read more!



**Kazeem
Shamba**

Doctoral Researcher,
NTNU

Abdulkks@ntnu.no

NorwAI

Norwegian Research Center
for AI Innovation



 **NTNU**



Norwegian Centre
for Research-based
Innovation