NAME:P.SHAMRUDHA VARSHINI   **ROLLNO:231901048**

11.PL SQL PROGRAMS

PROGRAM 1

Write a PL/SQL block to calculate the incentive of an employee whose ID is 110.

```
declare a
employees.employee_id%type;
b employees.salary%type; begin
Select salary into a from employees where employee_id = 110;
b:=0.05*a; dbms_output.put_line('Salary after incentive :
'||(a+b)); end;
```

```
Salary after incentive : 6300

Statement processed.

0.01 seconds
```

PROGRAM 2

Write a PL/SQL   show an invalid case-insensitive reference to a quoted and without quoted user-defined identifier.

```
declare non_quoted_variable varchar2(10) := 'Hi';
"quoted_variable" varchar2(10) := 'Hello'; begin
```

```
                    block to
dbms_output.put_line(NON_QUOTED_VARI ABLE);
dbms_output.put_line("quoted_variable");
dbms_output.put_line("QUOTED_VARIABLE
"); end;
```

```
Hi
Hello

Statement processed.
```

```
ORA-06550: line 7, column 23:
PLS-00201: identifier 'QUOTED_VARIABLE' must be declared
ORA-06550: line 7, column 1:
PL/SQL: Statement ignored
```

PROGRAM 3

Write a PL/SQL block to adjust the salary of the employee whose
                              ID
122. Sample table: employees

```sql
declare old_salary
employees.salary%type;
new_salary
employees.salary%type; begin
new_salary:= :sal;
Select salary into old_salary from employees where employee_id = 122;
dbms_output.put_line('Before updation: '||old_salary);
Update employees set salary = salary + new_salary where employee_id = 122;
Select salary into new_salary from employees where employee_id = 122;
dbms_output.put_line('After updation: '||new_salary); end;
```

```
Before updation: 8000
After updation: 9000

Statement processed.
```

0.00 seconds

PROGRAM 4

Write a PL/SQL   create a procedure using the "IS [NOT] NULL Operator" and show
AND operator returns TRUE if and only if both operands are TRUE.

block to

```
TRUE
FALSE
NULL VALUES in arguments

Statement processed.

0.00 seconds
```

PROGRAM 5

Write a PL/SQL block to

```
Create or replace procedure proc1( a boolean, b boolean) IS
BEGIN
if(a is not null) and (b is not null) then if(a
= TRUE and b = TRUE) then
dbms_output.put_line('TRUE'); else
dbms_output.put_line('FALSE'); end if; else
dbms_output.put_line('NULL VALUES in arguments');
end if; end proc1;


BEGIN
proc1(TRUE,TRUE); proc1(TRUE,FALSE);
proc1(NULL,NULL);
end;
```

describe the usage of LIKE operator including wildcard characters and escape character.

```
Name starts with "D"
Name contains "Dan" followed by one character
Name contains "Daniel_Andrea"

Statement processed.
```

Declare   name
varchar2(20); num
number(3);   Begin
num := :n;
Select first_name into name from employees where
employee_id=num; if name like 'D%' then
dbms_output.put_line('Name starts with "D"'); end if;
if name like 'Dan_el%' then dbms_output.put_line('Name contains "Dan"
followed by one character'); end if;
name := 'Daniel_Andrea'; if name like
'Daniel_Andrea' escape '\' then
dbms_output.put_line('Name contains
"Daniel_Andrea"'); end if; end;

block to
PROGRAM 7

Write a PL/SQL PROGRAM

6

Write a   program to arrange the number of two variable in such a way that the small number will store in num_small variable and large number will store in num_large variable.

```
declare a number(2); b
number(2);
num_small
number(2); num_large
number(2);
begin a := :s; b := :l;
dbms_output.put_line('Value in a : '||a);
dbms_output.put_line('Value in b : '||b);
if a>b then num_small := b;
num_large := a;
else num_small
:=a; num_large
:=b;
end if; dbms_output.put_line('Smaller number is
'||num_small); dbms_output.put_line('Larger number is
'||num_large); end;
```

```
Value in a : 10
Value in b : 5
Smaller number is 5
Larger number is 10

Statement processed.

0.00 seconds
```
procedure to calculate the incentive on a target achieved
and display
the message either the record updated or not.

PL/SQL

```
Create or replace procedure calc_incen(emp_id number,achievement number,target number)
AS
incentive number; rowcount
number; Begin if
achievement > target then
incentive:= achievement*0.2;
else incentive:=0; end if;
Update employees set salary = salary + incentive where employee_id =
emp_id; rowcount:= SQL%ROWCOUNT; if rowcount>0 then
dbms_output.put_line('Record(s) updated'); else dbms_output.put_line('No
Record(s) updated'); end if; end;

Declare id number;
achievement number;
target number; Begin id :=
:emp_id; achievement
:= :achieve; target :=
:target_;
calc_incen(id,achievement,target); end;
```

```
Record(s) updated

Statement processed.
```

PROGRAM 8

Write a   procedure to calculate incentive achieved according to the specific sale limit.
PROGRAM 9

Write a PL/SQL

PROGRAM 8

Write a PL/SQL program to

```
Create or replace procedure calc_incen(emp_id number,sales number)
AS incentive number; rowcount number; Begin if sales < 1000 then
incentive:= 0; elsif sales > 1000 and sales < 2000 then incentive :=
sales * 0.2; else incentive := sales
* 0.5;
end if;
Update employees set salary = salary + incentive where employee_id =
emp_id; rowcount:= SQL%ROWCOUNT; if rowcount>0 then
dbms_output.put_line('Record(s) updated'); else dbms_output.put_line('No
Record(s) updated'); end if; end;

Declare id
number; sales
number; sal
number;
Begin id :=
:emp_id; sales
:= :sale;
select salary into sal from employees where employee_id = id;
dbms_output.put_line('Before incentive calculation: '||sal);
calc_incen(id,sales); select salary into sal from employees
where employee_id = id; dbms_output.put_line('After
incentive calculation: '||sal); end;
```

```
Before incentive calculation: 21000
Record(s) updated
After incentive calculation: 23500

Statement processed.
```

count number of employees in department 50 and check whether
this department have any vacancies or not. There are 45 vacancies in this department.

```
declare emp_count
number; vacancy
number := 20; begin
Select count(*) into emp_count from employees where department_id = 10;
dbms_output.put_line('Total seats : '||vacancy); dbms_output.put_line('Number of
employees in Department 50 : '||emp_count); if emp_count>vacancy then
dbms_output.put_line('No vacancies available'); else
dbms_output.put_line('Available vacancies : '||(vacancy-emp_count)); end if; end;
```

```
Total seats : 20
Number of employees in Department 50 : 3
Available vacancies : 17

Statement processed.
```

PROGRAM 11

Write a PL/SQL program to display the

PROGRAM 10

Write a PL/SQL program to
count number of employees in a specific department and check
whether this department have any vacancies or not. If any vacancies, how many vacancies
are in that department.

```
Total seats : 10
Number of employees in Department : 2
Available vacancies : 8

Statement processed.
```

PROGRAM 11

Write a PL/SQL program to display the

```
declare dept_id
number; emp_count
number; vacancy
number := 10;
begin
dept_id := :id;
Select count(*) into emp_count from employees where department_id = dept_id;
dbms_output.put_line('Total seats : '||vacancy); dbms_output.put_line('Number of
employees in Department : '||emp_count); if emp_count>vacancy then
dbms_output.put_line('No vacancies available'); else
dbms_output.put_line('Available vacancies : '||(vacancy-emp_count)); end if; end;
```

PROGRAM 12

Write a PL/SQL program to   employee IDs, names, job titles, hire dates, and salaries of all employees.

```
begin for i in (select employee_id, first_name, job_id, hire_date, salary from
employees) loop dbms_output.put_line('employee id: ' || i.employee_id);
dbms_output.put_line('name: ' || i.first_name); dbms_output.put_line('job title: ' ||
i.job_id); dbms_output.put_line('hire date: ' || to_char(i.hire_date, 'dd-monyyyy'));
dbms_output.put_line('salary: ' || i.salary); dbms_output.put_line('-----------------------
------'); end loop; end;
```

```
employee id: 101
name: John
job title: IT_PROG
hire date: 01-jan-1994
salary: 6020
-------------------------------
employee id: 176
name: Jane
job title: HR_REP
hire date: 20-feb-2019
salary: 12500
-------------------------------
employee id: 103
name: Mike
job title: SA_MAN
hire date: 01-mar-1998
salary: 7200
-------------------------------
employee id: 104
name: Emily
job title: AC_ACCOUNT
hire date: 01-jan-1998
salary: 15000
-------------------------------
employee id: 105
name: Robert
job title: ST_CLERK
hire date: 25-jul-2018
salary: 6200
-------------------------------
```

PROGRAM 13

Write a PL/SQL program to display the employee IDs, names, and department names of all employees.

```
begin for i in (select e.employee_id, e.first_name, e.job_id from
employees e) loop dbms_output.put_line('employee id: ' ||
i.employee_id); dbms_output.put_line('name: ' || i.first_name);
dbms_output.put_line('department name: ' || i.job_id);
dbms_output.put_line('------------------------------'); end loop; end;
```

```
employee id: 101
name: John
department name: IT_PROG
--------------------------------
employee id: 176
name: Jane
department name: HR_REP
--------------------------------
employee id: 103
name: Mike
department name: SA_MAN
--------------------------------
employee id: 104
name: Emily
department name: AC_ACCOUNT
--------------------------------
employee id: 105
name: Robert
department name: ST_CLERK
--------------------------------
```

program to display the

PROGRAM 13

Write a   job IDs, titles, and minimum salaries of all jobs.

```
Begin for i in (select job_id,job_title,min_salary
from jobs)
loop
dbms_output.put_line('job id: ' || i.job_id);
dbms_output.put_line('job title: ' || i.job_title);
dbms_output.put_line('minimum salary: ' || i.min_salary);
dbms_output.put_line('-----------------------------'); end
loop; end;
```

```
job id: 101
job title: Software Engineer
minimum salary: 60000
-----------------------------------
job id: 102
job title: Data Analyst
minimum salary: 50000
-----------------------------------
job id: 103
job title: Project Manager
minimum salary: 70000
-----------------------------------
job id: 104
job title: HR Manager
minimum salary: 55000
-----------------------------------
job id: 105
job title: Marketing Specialist
minimum salary: 45000
-----------------------------------
```

PL/SQL program to display the

PROGRAM 14

Write a PL/SQL employee IDs, names, and job history start dates of all employees.

```
Begin
for i in (select employee_id,employee_name,start_date from
job_history) loop dbms_output.put_line('employee id: ' ||
i.employee_id); dbms_output.put_line('name: ' || i.employee_name);
dbms_output.put_line('start date: ' ||to_char(i.start_date, 'dd-monyyyy'));
dbms_output.put_line('------------------------------'); end loop; end;
```

```
employee id: 201
name: James
start date: 01-jan-2010
---------------------------------
employee id: 202
name: King
start date: 01-jan-2012
---------------------------------
employee id: 203
name: Smith
start date: 01-jan-2013
---------------------------------
employee id: 204
name: Steve
start date: 01-jan-2014
---------------------------------
employee id: 205
name: Robert
start date: 01-jan-2015
---------------------------------
```

PROGRAM 15

Write a PL/SQL program to display the employee IDs, names, and job history end dates of all employees.

```
Begin for i in (select employee_id,employee_name,end_date from job_history)
loop dbms_output.put_line('employee id: ' || i.employee_id);
dbms_output.put_line('name: ' || i.employee_name);
dbms_output.put_line('end date: ' ||to_char(i.end_date, 'dd-mon-yyyy'));
dbms_output.put_line('------------------------------'); end loop; end;
```

```
employee id: 201
name: James
end date: 10-oct-2015
--------------------------------
employee id: 202
name: King
end date: 15-sep-2016
--------------------------------
employee id: 203
name: Smith
end date: 20-mar-2017
--------------------------------
employee id: 204
name: Steve
end date: 05-apr-2018
--------------------------------
employee id: 205
name: Robert
end date: 12-may-2019
--------------------------------
```