**REC-CIS** 

# **CS23333-Object Oriented Programming Using Java-2023**

Dashboard / My courses / CS23333-OOPUJ-2023 / Lab-11-Set, Map / Lab-11-Logic Building

Quiz navigation



Show one page at a time Finish review

Status Finished Started Tuesday, 12 November 2024, 1:55 PM Completed Tuesday, 12 November 2024, 1:59 PM **Duration** 3 mins 37 secs

Question 1 Correct Marked out of

Flag question

Java HashSet class implements the Set interface, backed by a hash table which is actually a HashMap instance.

No guarantee is made as to the iteration order of the hash sets which means that the class does not guarantee the constant order of elements over time. This class permits the null element.

The class also offers constant time performance for the basic operations like add, remove, contains, and size assuming the hash function disperses the elements properly among the buckets.

### Java HashSet Features

A few important features of HashSet are mentioned below:

- Implements Set Interface.
- The underlying data structure for HashSet is Hashtable.
- As it implements the Set Interface, duplicate values are not allowed.
- Objects that you insert in HashSet are not guaranteed to be inserted in the same order. Objects are inserted based on their hash code.
- · NULL elements are allowed in HashSet.
- HashSet also implements Serializable and Cloneable interfaces.

```
public class HashSet<E> extends AbstractSet<E> implements Set<E>, Cloneable, Serializable
Sample Input and Output:
45
78
78
Sample Output:
78 was found in the set.
Sample Input and output:
Sample Input and output:
5 was not found in the set.
```

Answer: (penalty regime: 0 %)

```
Reset answer
```

```
import java.util.HashSet;
      import java.util.Scanner;
      public class HashSetExample {
          public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
    HashSet<Integer> set = new HashSet<>)();
                int n = sc.nextInt();
for (int i = 0; i < n; i++) {</pre>
                    set.add(sc.nextInt());
10
                int num = sc.nextInt();
11
12
                if (set.contains(num)) {
                System.out.println(num + " was found in the set.");
} else {
13
14
                     System.out.println(num + " was not found in the set.");
15
16
17
18
                sc.close();
19
```

Test	Input	Expected	Got
1	5 90 56 45 78 25 78	78 was found in the set.	78 was found in the set.
2	3 -1 2 4 5	5 was not found in the set.	5 was not found in the set.

Passed all tests!

Question 2 Correct Marked out of 1.00

Flag question

Write a Java program to compare two sets and retain elements that are the same

Sample Input and Output:

5 Football

Hockey

```
Cricket
Vollevball
Basketball
7 // HashSet 2:
Golf
Cricket
Badminton
Football
Hockey
Volleyball
Handball
SAMPLE OUTPUT:
Football
Hockey
Cricket
Volleyball
Basketball
Answer: (penalty regime: 0 %)
```

```
1 import java.util.HashSet;
              import java.util.Scanner;
import java.util.Set;
public class SetIntersection {
                      public class SetIntersection {
  public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
    Set<String> set1 = new HashSet<>();
    Set<String> set2 = new HashSet<>();
    int n1 = sc.nextIn();
    sc.nextLine();
    for (int i = 0; i < n1; i++) {
        set1.add(sc.nextLine());
    }
}</pre>
10
11
12
                                    }
int n2 = sc.nextInt();
14
                                    sc.nextLine();
for (int i = 0; i < n2; i++) {
    set2.add(sc.nextLine());</pre>
16
17
18
                                    set1.retainAll(set2);
for (String sport : set1) {
    System.out.println(sport);
19
20
21
22
23
24
                                    sc.close();
25
```

Test	Input	Expected	Got
1	5 Football Hockey Cricket Volleyball Basketball 7 Golf Cricket Badminton Football Hockey Volleyball Throwball	Cricket Hockey Volleyball Football	Cricket Hockey Volleyball Football
2	4 Toy Bus Car Auto 3 Car Bus Lorry	Bus Car	Bus Car

Passed all tests!

# Question 3

Correct

Marked out of 1.00

Flag question

## Java HashMap Methods

containsKey() Indicate if an entry with the specified key exists in the map

containsValue() Indicate if an entry with the specified value exists in the map

putlfAbsent() Write an entry into the map but only if an entry with the same key does not already exist

remove() Remove an entry from the map

replace() Write to an entry in the map only if it exists

size() Return the number of entries in the map

Your task is to fill the incomplete code to get desired output

Answer: (penalty regime: 0 %)

#### Reset answer

```
1 import java.util.HashMap;
     import java.util.Map.Entry;
import java.util.Set;
     import java.util.Scanner;
     class prog {
    public static void main(String[] args) {
        HashMap<String, Integer> map = new HashMap<String, Integer>();

                 String name;
int num;
```

```
11
 12
13
14
15
                               map.put(name, num);
16
17
18
                         Set<Entry<String, Integer>> entrySet = map.entrySet();
for (Entry<String, Integer> entry : entrySet) {
    System.out.println(entry.getKey() + " : " + entry.getValue());
}
19
20
21
                        }
System.out.println("-----");
HashMap<String, Integer> anotherMap = new HashMap<String, Integer>();
anotherMap.put("SIX", 6);
anotherMap.put("SEVEN", 7);
anotherMap.putAll(map);
entrySet = anotherMap.entrySet();
for (Entry<String, Integer> entry : entrySet) {
    System.out.println(entry.getKey() + " : " + entry.getValue());
}
22
23
24
25
26
27
28
29
30
31
                        32
33
34
35
36
37
38
39
40
41
                         System.out.println(map.containsKey("ONE"));
                        System.out.println(map.containsValue(3));
System.out.println(map.size());
42
```

Test	Input	Expected	Got
1	3	ONE : 1	ONE : 1
	ONE	TWO : 2	TWO : 2
	1	THREE : 3	THREE : 3
	TWO		
	2	SIX: 6	SIX: 6
	THREE	ONE : 1	ONE : 1
	3	TWO : 2	TWO : 2
		SEVEN : 7	SEVEN : 7
		THREE : 3	THREE : 3
		2	2
		true	true
		true	true
		4	4

Passed all tests!

Finish review

■ Lab-11-MCQ

Jump to...

TreeSet example >

\$