Ex. No.: 4(a) **Date:** ***08.02.2025***

NAME:SHAMRUDHA VARSHINI.P **ROLLNO:231901048**

EMPLOYEE AVERAGE PAY

Aim:

To find out the average pay of all employees whose salary is more than 6000 and the number of days worked is more than 4.

Algorithm:

1. Create a flat file emp.dat containing employee records with the fields: name, salary per day, and number of days worked.
2. Create an AWK script file emp.awk.
3. For each employee record:
   - o If salary per day is greater than 6000 **and** number of days worked is greater than 4:
     - Print the employee name and the total salary earned.
     - Accumulate total pay and count of such employees.
4. At the end of the script:
   - o Display the total number of qualified employees. o Display the total pay.
   - o Display the average pay.

Program Code:

emp.dat – Input File

JOE 8000 5

RAM 6000 5

TIM 5000 6

BEN 7000 7 AMY 6500 6

emp.awk – AWK Script

```
BEGIN {     print
"EMPLOYEES DETAILS"
count = 0     total = 0
}
{
```

```
   name = $1
   salary = $2     days = $3     if
(salary > 6000 && days > 4) {
pay = salary * days         print
name, pay         count++
total += pay
   }
}
END {     print "no of employees are=
" count     print "total pay= " total     if
(count > 0)         print "average pay= "
total / count
   else
       print "average pay= 0"
}
```

Sample Input and Output:

[student@localhost ~]$ vi emp.dat

[student@localhost ~]$ vi emp.awk

[student@localhost ~]$ gawk -f emp.awk emp.dat

EMPLOYEES DETAILS

JOE 40000

BEN 49000

AMY 39000

no of employees are= 3 total

pay= 128000

average pay= 42666.7

Result:

The AWK script was successfully implemented to calculate the average pay of employees whose salary is greater than 6000 and who worked more than 4 days. The script executed correctly and the output was verified.