Name: Sadamhusian Shamsi

F/name: Zalmai

Department: IT

Semester: 7

Lab Assignment: Introduction to Object-Oriented PHP

Lab Topic

Practicing Classes, Objects, Constructors, Access Modifiers, and Inheritance

Part A — Simple Class and Object

```
<?php class Student {
function sayHello() { echo
'Hello I am a student.':
}
}
                    // Create an object here
$student1 = new student():
                    // Call the method here
$student1 ->sayHello():
?>
```

*** According to this code, I have created a class, object, method and called the method.

Part B — Class with Constructor

```
<?php
class Student {
public $name;
public $studentId;
public $department;

function __construct($name, $studentId, $department) {
 // Store the values in the properties
$this ->name = $name;
$this ->studentid = $studentid;
$this ->department = $department;
 }
function showInfo() {
 // Display student information
Echo ‘name; ’. $this ->name .
‘<br>’;
Echo ‘student id; ’. $this ->student id .
‘<br>’;
Echo ‘department; ’. $this department;
}
}
$student1 = new Student( "Ahmad", 1001, "Computer Science" );
$student1->showInfo();
?>
```

Expected Output

Name: Ahmad Student ID: 1001 Department: Computer Science

Part C — Create Another Object

Using the same Student class, create another student.

$student2 = new student('Sara', 1002, 'information system');

$student2 ->showInfo();

Expected Output

Name: Sara Student ID: 1002 Department: Information Systems How many classes did you create?

Answer: 1 class, I created 1 class called student and multiple object from it.

How many objects did you create?

Answer: 2 objects I have created, called $student1, $student2

Part D — Access Modifiers

```
<?php class
BankAccount {
public $ownerName;
private $balance;
function __construct($ownerName, $balance) {
 // Store the values
$this ->ownerName = $ownerName;
```

```
$this ->balance = $balance;
 }
function showBalance() {
// Display the balance
Echo ‘balance; ’. $this ->balance;
}
}
$account1 = new BankAccount( "Ahmad", 5000 ); echo
"Owner: " . $account1->ownerName .
 "<br>";
$account1->showBalance();
?>
```

Expected Output

Owner: Ahmad Balance: 5000

Expected Output

Owner: Ahmad

Balance: 5000

Try this;

After running the program successfully, try:

```
echo $account1->balance;
```

Question

Does it work?

Yes / No Answer:

No Why?

Because balance is defined private , we cannot access to that from outside the class.