

Cucumber Report

Aug 22, 2024, 9:24:56 AM

Start : Aug 22, 9:24:15.965 AM

End : Aug 22, 9:24:55.573 AM

Duration : 39.608 s

Features







PASSED - 5
FAILED - 6
SKIPPED - 0

Scenarios

PASSED - 89
FAILED - 41
SKIPPED - 0

Steps

PASSED - 383
FAILED - 41
SKIPPED - 28



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>User Admin Post Request</u>	4.892 s	1	1	0	0	3	3	0	0	
<u>Dietitian Positive Flow</u>	4.335 s	6	6	0	0	18	18	0	0	
<u>Patient Module Positive</u>	5.631 s	17	7	10	0	68	45	10	13	
<u>Morbidity Module Positive with Admin Token</u>	0.339 s	2	2	0	0	6	6	0	0	
<u>Morbidity Module Dietician Token</u>	0.306 s	2	2	0	0	6	6	0	0	
<u>User Admin Post Request Negative</u>	0.738 s	4	3	1	0	12	9	1	2	
<u>Dietitian Negative Flow</u>	3.817 s	20	18	2	0	60	58	2	0	
<u>Patient Module Negative</u>	14.251 s	45	21	24	0	180	143	24	13	
<u>Morbidity Module Negative feature</u>	2.048 s	14	12	2	0	42	40	2	0	
<u>All Modules Delete and logout Modules Negative</u>	2.073 s	14	12	2	0	42	40	2	0	
<u>All Modules Delete and logout Modules Positive</u>	0.862 s	5	5	0	0	15	15	0	0	

#	Feature Name	Scenario Name
1	<u>Patient Module Positive</u>	<u>Check dietician able to create patient with valid data and token</u>
2		<u>Check user able to login as Patient with valid data(Patient token)</u>
3		<u>Check dietician able to update patient with existing file by not attaching new file</u>
4		<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>
5		<u>Check dietician able to add new reports without vitals for existing patient with valid data</u>
6		<u>Check dietician able to add new reports with only valid additional details for existing patient</u>
7		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>
8		<u>Check dietician able to retrieve patients by file Id with Dietician Token</u>
9		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>

#	Feature Name	Scenario Name
10	<u>Patient Module Positive</u>	<u>Check Patient able to retrieve patients by field Id with Patient Token</u>
11	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>
12	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>
13		<u>Check admin able to retrieve dietician by invalid id</u>
14	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>
15		<u>Check dietician able to create patient with valid data</u>
16		<u>Check patient able to create patient with valid data and patient token</u>
17		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>
18		<u>Check dietician able to update patient with invalid data</u>
19		<u>Check dietician able to update patient with valid data and invalid endpoint</u>

#	Feature Name	Scenario Name
20	<u>Patient Module Negative</u>	<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>
21		<u>Check admin able to update patient with valid data and admin token</u>
22		<u>Check patient able to update patient with valid data and patient token</u>
23		<u>Check patient unable to add new reports with patient bearer token</u>
24		<u>Check dietician unable to add new reports with invalid data</u>
25		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>
26		<u>Check dietician unable to add new reports using an invalid endpoint</u>
27		<u>Check dietician unable to add new reports with invalid content type</u>
28		<u>Check patient unable to retrieve patients with patient bearer token</u>
29		<u>Check dietician unable to retrieve all patients with invalid HTTP method</u>
30		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>
31		<u>Check admin is able to retrieve patients morbidity details by patient ID</u>

#	Feature Name	Scenario Name
32	<u>Patient Module Negative</u>	<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>
33		<u>Check dietician able to retrieve patients by field</u>
34		<u>Check admin is able to retrieve patients by field</u>
35		<u>Check dietician able to retrieve patients by field with invalid method</u>
36		<u>Check dietician able to retrieve patients by invalid fileld</u>
37		<u>Check dietician able to retrieve patients by field with invalid endpoint</u>
38	<u>Morbidity Module Negative feature</u>	<u>Check pateint is able to retrieve all morbidities details</u>
39		<u>Check pateint is able to retrieve morbidity condition by test name</u>
40	<u>All Modules Delete and logout Modules Negative</u>	<u>Check patient able to logout with invalid method</u>
41		<u>Check admin able to delete dietician by invalid id</u>


	TAG	Scenario				Feature				
		Name	T	P	F	S	T	P	F	
	@tag01		1	1	0	0	1	1	0	0
	@Test01		9	8	1	0	9	4	5	0
	@tag02		6	6	0	0	1	1	0	0
	@Positive_01_Post		2	2	0	0	1	1	0	0
	@Positive_02_Post		1	1	0	0	1	1	0	0
	@Positive_03_Get		1	1	0	0	1	1	0	0
	@Positive_04_Get		1	1	0	0	1	1	0	0
	@Positive_05_Put		1	1	0	0	1	1	0	0
	@tag03		17	7	10	0	1	0	1	0
	@Test02		8	7	1	0	8	3	5	0
	@Test03		6	5	1	0	6	1	5	0
	@Test04		6	4	2	0	6	1	5	0
	@Test05		4	3	1	0	4	0	4	0
	@Test06		4	3	1	0	4	0	4	0
	@Test07		2	2	0	0	2	0	2	0
	@Test08		3	0	3	0	3	0	3	0
	@Test09		3	3	0	0	3	0	3	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test10	3	1	2	0	3	0	3	0
	@Test11	4	3	1	0	4	0	4	0
	@Test12	4	2	2	0	4	0	4	0
	@Test13	4	4	0	0	4	0	4	0
	@Test14	4	3	1	0	4	0	4	0
	@Test15	2	0	2	0	2	0	2	0
	@Test16	2	0	2	0	2	0	2	0
	@Test17	2	1	1	0	2	0	2	0
	@tag04	2	2	0	0	1	1	0	0
	@tag05	2	2	0	0	1	1	0	0
	@tag06	4	3	1	0	1	0	1	0
	@Negative_01_Post	6	5	1	0	1	0	1	0
	@tag07	20	18	2	0	1	0	1	0
	@Negative_02_Post	1	1	0	0	1	0	1	0
	@Negative_03_Post	1	1	0	0	1	0	1	0
	@Negative_05_Post	1	1	0	0	1	0	1	0
	@Negative_06_Post	1	1	0	0	1	0	1	0


	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Negative_08_GET	1	1	0	0	1	0	1	0
	@Negative_09_GET	1	1	0	0	1	0	1	0
	@Negative_10_GET	1	0	1	0	1	0	1	0
	@Negative_11_GET	1	1	0	0	1	0	1	0
	@Negative_12_GET	1	1	0	0	1	0	1	0
	@Negative_13_GET	1	1	0	0	1	0	1	0
	@Negative_14_PUT	1	1	0	0	1	0	1	0
	@Negative_15_PUT	1	1	0	0	1	0	1	0
	@Negative_16_PUT	1	1	0	0	1	0	1	0
	@Negative_17_PUT	1	1	0	0	1	0	1	0
	@tag08	45	21	24	0	1	0	1	0
	@Test18	1	0	1	0	1	0	1	0
	@Test19	1	0	1	0	1	0	1	0
	@Test20	1	1	0	0	1	0	1	0
	@Test21	1	1	0	0	1	0	1	0
	@Test22	1	1	0	0	1	0	1	0
	@Test23	1	1	0	0	1	0	1	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test24	1	1	0	0	1	0	1	0
	@Test25	1	1	0	0	1	0	1	0
	@Test26	1	0	1	0	1	0	1	0
	@Test27	1	0	1	0	1	0	1	0
	@Test28	1	0	1	0	1	0	1	0
	@Test29	1	1	0	0	1	0	1	0
	@Test30	1	0	1	0	1	0	1	0
	@Test31	1	0	1	0	1	0	1	0
	@Test32	1	1	0	0	1	0	1	0
	@Test33	1	1	0	0	1	0	1	0
	@Test34	1	0	1	0	1	0	1	0
	@Test35	1	0	1	0	1	0	1	0
	@Test36	1	0	1	0	1	0	1	0
	@Test37	1	1	0	0	1	0	1	0
	@Test38	1	0	1	0	1	0	1	0
	@Test39	1	1	0	0	1	0	1	0
	@Test40	1	0	1	0	1	0	1	0


	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test41	1	1	0	0	1	0	1	0
	@Test42	1	0	1	0	1	0	1	0
	@Test43	1	0	1	0	1	0	1	0
	@Test44	1	0	1	0	1	0	1	0
	@Test45	1	0	1	0	1	0	1	0
	@Test46	1	0	1	0	1	0	1	0
	@tag09	14	12	2	0	1	0	1	0
	@tag10	14	12	2	0	1	0	1	0
	@Negative_07_Delete	1	1	0	0	1	0	1	0
	@Negative_08_Delete	1	1	0	0	1	0	1	0
	@Negative_09_Delete	1	0	1	0	1	0	1	0
	@Negative_10_Delete	1	1	0	0	1	0	1	0
	@tag11	5	5	0	0	1	1	0	0
	@Positive_05_Delete	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	1	1	0	0	4.892 s
2	<u>Dietitian Positive Flow</u>	6	6	0	0	4.335 s
3	<u>Patient Module Positive</u>	17	7	10	0	5.631 s
4	<u>Morbidity Module Positive with Admin Token</u>	2	2	0	0	0.339 s
5	<u>Morbidity Module Dietician Token</u>	2	2	0	0	0.306 s
6	<u>User Admin Post Request Negative</u>	4	3	1	0	0.738 s
7	<u>Dietitian Negative Flow</u>	20	18	2	0	3.817 s
8	<u>Patient Module Negative</u>	45	21	24	0	14.251 s
9	<u>Morbidity Module Negative feature</u>	14	12	2	0	2.048 s
10	<u>All Modules Delete and logout Modules Negative</u>	14	12	2	0	2.073 s




#	Feature Name	T	P	F	S	Duration
11	All Modules Delete and logout Modules Positive	5	5	0	0	0.862 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	<u>Check user able to login as admin with valid data</u>	3	3	0	0	4.887 s
2	<u>Dietitian Positive Flow</u>	<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.782 s
3		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.401 s
4		<u>Check admin able to create dietician with valid data and token</u>	3	3	0	0	0.257 s
5		<u>Check admin able to retrieve all dietician</u>	3	3	0	0	2.362 s
6		<u>Check admin able to retrieve dietician by ID</u>	3	3	0	0	0.158 s
7		<u>Check admin able to update dietician with valid data , dietician id and token</u>	3	3	0	0	0.249 s
8	<u>Patient Module Positive</u>	<u>Check dietician able to create patient with valid data and token</u>	4	2	1	1	1.025 s
9		<u>Check dietician able to create patient only with valid mandatory details</u>	4	4	0	0	0.522 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Patient Module Positive</u>	<u>Check user able to login as Patient with valid data(Patient token)</u>	4	3	1	0	0.226 s
11		<u>Check dietician able to update patient with existing file by not attaching new file</u>	4	1	1	2	0.011 s
12		<u>Check dietician able to update patient with valid data, patient id and token</u>	4	4	0	0	0.577 s
13		<u>Check dietician able to update patient only with valid mandatory details</u>	4	4	0	0	0.339 s
14		<u>Check dietician able to add new reports with vitals for existing patient with valid data</u>	4	4	0	0	0.782 s
15		<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>	4	3	1	0	0.378 s
16		<u>Check dietician able to add new reports with only valid mandatory details for existing patient</u>	4	4	0	0	0.568 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Patient Module Positive</u>	<u>Check dietician able to add new reports without vitals for existing patient with valid data</u>	4	1	1	2	0.006 s
18		<u>Check dietician able to add only new vitals without reports for existing patient with existing report</u>	4	4	0	0	0.766 s
19		<u>Check dietician able to add new reports with only valid additional details for existing patient</u>	4	1	1	2	0.009 s
20		<u>Check dietician able to retrieve all patients with valid dietician token</u>	4	4	0	0	0.154 s
21		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>	4	1	1	2	0.010 s
22		<u>Check dietician able to retrieve patients by file Id with Dietician Token</u>	4	2	1	1	0.011 s
23		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>	4	1	1	2	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Patient Module Positive</u>	<u>Check Patient able to retrieve patients by field Id with Patient Token</u>	4	2	1	1	0.008 s
25	<u>Morbidity Module Positive with Admin Token</u>	<u>Check admin able to retrieve all morbidities details with admin token</u>	3	3	0	0	0.181 s
26		<u>Check admin able to retrieve morbidity condition by test name with admin token</u>	3	3	0	0	0.148 s
27	<u>Morbidity Module Dietician Token</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.159 s
28		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.138 s
29	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with invalid credential</u>	3	3	0	0	0.280 s
30		<u>Check user able to login as admin with valid credential and invalid method</u>	3	3	0	0	0.198 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31		<u>Check user able to login as admin with valid credential and invalid endpoint</u>	3	3	0	0	0.184 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>	3	0	1	2	0.042 s
33	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>	3	2	1	0	0.229 s
34		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.201 s
35		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.197 s
36		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.260 s
37		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.218 s
38		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.232 s
39		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.183 s
40		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.221 s
41		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.182 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with valid data and dietician token</u>	3	3	0	0	0.187 s
43		<u>Check admin able to retrieve all dietician with invalid method</u>	3	3	0	0	0.156 s
44		<u>Check admin able to retrieve dietician by id with invalid method</u>	3	3	0	0	0.147 s
45		<u>Check admin able to retrieve dietician by invalid id</u>	3	2	1	0	0.133 s
46		<u>Check admin able to retrieve dietician by id with invalid endpoint</u>	3	3	0	0	0.134 s
47		<u>Check admin able to retrieve all dietician with no auth</u>	3	3	0	0	0.148 s
48		<u>Check admin able to retrieve dietician by ID with no auth</u>	3	3	0	0	0.141 s
49		<u>Check admin able to update dietician with invalid data and dietician id</u>	3	3	0	0	0.152 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50		<u>Check admin able to update dietician with valid data and invalid dietician id</u>	3	3	0	0	0.160 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Dietitian Negative Flow</u>	<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.168 s
52		<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.167 s
53	<u>Patient Module Negative</u>	<u>Check dietician able to create patient only with valid additional details</u>	4	4	0	0	0.211 s
54		<u>Check dietician able to create patient with invalid data (mandatory details)</u>	4	4	0	0	0.561 s
55		<u>Check dietician able to create patient with valid mandatory fields and invalid data (additional details)</u>	4	4	0	0	0.591 s
56		<u>Check dietician able to create patient with valid data and invalid method</u>	4	4	0	0	0.557 s
57		<u>Check dietician able to create patient with valid data and invalid endpoint</u>	4	4	0	0	0.605 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>	4	2	1	1	0.121 s
59		<u>Check dietician able to create patient with valid data</u>	4	2	1	1	0.549 s
60		<u>Check admin able to create patient with valid data and admin token</u>	4	4	0	0	0.524 s
61		<u>Check patient able to create patient with valid data and patient token</u>	4	3	1	0	0.522 s
62		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>	4	3	1	0	0.493 s
63		<u>Check dietician able to update patient with invalid data</u>	4	3	1	0	0.488 s
64		<u>Check dietician able to update patient with valid data and invalid patient id in path parameter</u>	4	4	0	0	0.563 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
65		<u><i>Check dietician able to update patient with valid data and invalid method</i></u>	4	4	0	0	0.437 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
66	<u>Patient Module Negative</u>	<u>Check dietician able to update patient with valid data and invalid endpoint</u>	4	3	1	0	0.464 s
67		<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>	4	2	1	1	0.169 s
68		<u>Check dietician able to update patient with valid data</u>	4	4	0	0	0.414 s
69		<u>Check admin able to update patient with valid data and admin token</u>	4	3	1	0	0.537 s
70		<u>Check patient able to update patient with valid data and patient token</u>	4	3	1	0	0.539 s
71		<u>Check Patient able to login as admin with invalid credential</u>	4	4	0	0	0.223 s
72		<u>Check Patient able to login as admin with valid credential and invalid method</u>	4	4	0	0	0.135 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
73		<u>Check Patient able to login as admin with valid credential and invalid endpoint</u>	4	4	0	0	0.134 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Patient Module Negative</u>	<u>Check Patient able to login as admin with valid credential and invalid content type</u>	4	4	0	0	0.260 s
75		<u>Check dietician unable to add new reports with no authorization</u>	4	4	0	0	0.735 s
76		<u>Check admin unable to add new reports with admin bearer token</u>	4	4	0	0	0.480 s
77		<u>Check patient unable to add new reports with patient bearer token</u>	4	3	1	0	0.464 s
78		<u>Check dietician unable to add new reports with invalid data</u>	4	3	1	0	0.491 s
79		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>	4	3	1	0	0.463 s
80		<u>Check dietician unable to add new reports using POST method instead of PUT</u>	4	4	0	0	0.391 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
81		<i>Check dietician unable to add new reports using an invalid endpoint</i>	4	3	1	0	0.392 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
82	<u>Patient Module Negative</u>	<u>Check dietician unable to add new reports with invalid content type</u>	4	2	1	1	0.209 s
83		<u>Check dietician unable to retrieve all patients with no authorization</u>	4	4	0	0	0.130 s
84		<u>Check admin unable to retrieve patients with admin bearer token</u>	4	4	0	0	0.129 s
85		<u>Check patient unable to retrieve patients with patient bearer token</u>	4	3	1	0	0.136 s
86		<u>Check dietician unable to retrieve all patients with invalid HTTP method</u>	4	3	1	0	0.187 s
87		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>	4	2	1	1	0.005 s
88		<u>Check dietician able to retrieve patients morbidity details by patient ID</u>	4	4	0	0	0.131 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Patient Module Negative</u>	<u>Check admin is able to retrieve patients morbidity details by patient ID</u>	4	1	1	2	0.003 s
90		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid method</u>	4	4	0	0	0.135 s
91		<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>	4	2	1	1	0.010 s
92		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint</u>	4	4	0	0	0.185 s
93		<u>Check dietician able to retrieve patients by field</u>	4	2	1	1	0.004 s
94		<u>Check admin is able to retrieve patients by field</u>	4	2	1	1	0.004 s
95		<u>Check dietician able to retrieve patients by field with invalid method</u>	4	2	1	1	0.005 s
96		<u>Check dietician able to retrieve patients by invalid field</u>	4	2	1	1	0.005 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
97		<i>Check dietician able to retrieve patients by field with invalid endpoint</i>	4	2	1	1	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>Morbidity Module Negative feature</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.124 s
99		<u>Check patient is able to retrieve all morbidities details</u>	3	2	1	0	0.136 s
10-0		<u>Check admin able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.133 s
10-1		<u>Check admin able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.142 s
10-2		<u>Check dietician able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.136 s
10-3		<u>Check dietician able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.130 s
10-4		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.143 s
10-5		<u>Check patient is able to retrieve morbidity condition by test name</u>	3	2	1	0	0.136 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-6		<u>Check admin able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.133 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Morbidity Module Negative feature</u>	<u>Check admin able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.137 s
10-8		<u>Check admin able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.141 s
10-9		<u>Check dietician able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.139 s
11-0		<u>Check dietician able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.138 s
11-1		<u>Check dietician able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.147 s
11-2	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by id with invalid method</u>	3	3	0	0	0.134 s
11-3		<u>Check dietician able to delete patient by invalid id</u>	3	3	0	0	0.139 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4		<i>Check dietician able to delete patient by id with invalid endpoint</i>	3	3	0	0	0.135 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by ID</u>	3	3	0	0	0.134 s
11-6		<u>Check patient able to logout with invalid method</u>	3	2	1	0	0.132 s
11-7		<u>Check patient able to logout</u>	3	3	0	0	0.138 s
11-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.149 s
11-9		<u>Check admin able to delete dietician by id with invalid method</u>	3	3	0	0	0.142 s
12-0		<u>Check admin able to delete dietician by invalid id</u>	3	2	1	0	0.129 s
12-1		<u>Check admin able to delete dietician by id with invalid endpoint</u>	3	3	0	0	0.153 s
12-2		<u>Check dietician able to logout with invalid method</u>	3	3	0	0	0.134 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-3		<i>Check dietician able to logout</i>	3	3	0	0	0.149 s
12-4		<i>Check admin able to logout with invalid method</i>	3	3	0	0	0.133 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check admin able to logout</u>	3	3	0	0	0.132 s
12-6	<u>All Modules Delete and logout Modules Positive</u>	<u>Check dietician able to delete patient by ID</u>	3	3	0	0	0.218 s
12-7		<u>Check patient able to logout</u>	3	3	0	0	0.135 s
12-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.195 s
12-9		<u>Check dietician able to logout</u>	3	3	0	0	0.135 s
13-0		<u>Check admin able to logout</u>	3	3	0	0	0.138 s

User Admin Post Request




Check user able to login as admin with valid data




#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	2.787 s
2	When User send POST HTTP request with endpoint	PASSED	2.007 s
3	Then User receives 200 created with response body	PASSED	0.004 s

Dietitian Positive Flow




Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 1	PASSED	0.107 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.267 s
3	Then Admin receives 201 created and with response body	PASSED	0.399 s

Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 2	PASSED	0.069 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.263 s
3	Then Admin receives 201 created and with response body	PASSED	0.061 s

Check admin able to create dietician with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request and get the token	PASSED	0.005 s
2	When Admin send POST "Post_UserDieticianLoginurl" request with endpoint	PASSED	0.223 s
3	Then Admin receives dietician token	PASSED	0.023 s

Check admin able to retrieve all dietician




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.018 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	2.341 s
3	Then Admin receives 200 afterGet and with response body	PASSED	0.000 s

Check admin able to retrieve dietician by ID




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.002 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.152 s
3	Then Admin receives 200 afterGet and with response body	PASSED	0.001 s

Check admin able to update dietician with valid data , dietician id and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 1	PASSED	0.070 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.175 s
3	Then Admin receives 200 afterPost and with response body	PASSED	0.000 s

Patient Module Positive




Check dietician able to create patient with valid data and token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Dietician creates POST request by entering valid data. (Mandatory and additional details) into the form-data key and value fields.	PASSED	0.000 s
3	<p>When Dietician send POST http request with endpoint</p> <pre>java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ("^a-zA-Z0-9+\$") level: "error" schema: {"\$loadingURI": "file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/PatientModule/PostreqPatient.json#", "pointer": "/properties/FileMorbidity"} instance: {"pointer": "/FileMorbidity"} domain: "validation" keyword: "required" required: ["^a-zA-Z0-9+\$"] missing: ["^a-zA-Z0-9+\$"] error: object has missing required properties ("^a-zA-Z0-9+\$") level: "error" schema: {"\$loadingURI": "file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/PatientModule/PostreqPatient.json#", "pointer": "/properties/FileMorbidityCondition"} instance: {"pointer": "/FileMorbidityCondition"} domain: "validation" keyword: "required" required: ["^a-zA-Z0-9+\$"] missing: ["^a-zA-Z0-9+\$"] error: object has missing required properties ("^a-zA-Z0-9+\$") level: "error" schema: {"\$loadingURI": "file:/C:/Users/shanj/vino-workspace/Team01_API_Ninja/target/test-classes/Schema/PatientModule/PostreqPatient.json#", "pointer": "/properties/Vitals"} instance: {"pointer": "/Vitals"} domain: "validation" keyword: "required" required: ["^a-zA-Z0-9+\$"] missing: ["^a-zA-Z0-9+\$"] Actual: {"patientId": 1534, "FirstName": "Sam", "LastName": "Kay", "ContactNumber": "8628649282", "Email": "KAY1126@gmail.com", "Allergy": "SOY", "FoodPreference": "Vegan", "CuisineCategory": "Indian", "FileMorbidity": {"\$66c73c0a2ae2eb2cd1e466ce": {"T3": "6.3 ng/mL", "T4": "15.7 µg/dL", "TSH": "0.016 µIU/mL"}}, "FileMorbidityCondition": {"\$66c73c0a2ae2eb2cd1e466ce": "Thyroid: Hyperthyroidism \nBlood Pressure: Hypotension \n"}, "DateOfBirth": "1983-11-15", "DieticianId": 3438, "Vitals": {"\$66c73c0a2ae2eb2cd1e466ce": {"Weight": 0.0, "Height": 0.0, "Temperature": 0.0, "SP": 0, "DP": 0}}, "LastVisitDate": "2024-08-22T13:24:26.722+00:00"} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</pre>	FAILED	1.007 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint(PatientModule.java:68) at ?.Dietician send POST http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:11) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 201 created and with response body. (Auto created dietician ID and login password)	SKIPPED	0.002 s

Check dietician able to create patient only with valid mandatory details




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates POST request only by valid mandatory details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send POST http request with endpoint only with valid mandatory details	PASSED	0.514 s
4	Then Dietician receives 201 created and with response body. (Auto created dietician ID and login password)	PASSED	0.000 s

Check user able to login as Patient with valid data(Patient token)




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given User creates Patient Post request with request body	PASSED	0.004 s
3	When User send Patient POST HTTP request with endpoint	PASSED	0.215 s
4	Then Patient receives 200 created with response body java.lang.AssertionError: expected:<401> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.patient_recieves_created_with_response_body(PatientModule.java:129) at ?.Patient recieves 200 created with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check dietician able to update patient with existing file by not attaching new file




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by not attaching any file into the form-data key and value fields. java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByNotAttachingAnyFileIntoTheFormDataKeyAndValueFields(PatientModule.java:183) at ?.Dietician creates PUT request by not attaching any file into the form-data key and value fields.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:30) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	When Dietician send PUT http request with endpoint with existing file by not attaching new file	SKIPPED	0.000 s
4	Then Dietician receives 200 ok and with updated response body	SKIPPED	0.001 s

Check dietician able to update patient with valid data, patient id and token

PASSED	DURATION - 0.577 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:27.219 AM // 9:24:27.796 AM /				
Patient Module Positive				
@Test05 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data. (Mandatory and additional details) into the form-data key and value fields.	PASSED	0.007 s
3	When Dietician send PUT http request with endpoint with valid data	PASSED	0.563 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.001 s

Check dietician able to update patient only with valid mandatory details

PASSED	DURATION - 0.339 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:27.809 AM // 9:24:28.148 AM /				
Patient Module Positive				
@Test06 @tag03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint only valid mandatory details	PASSED	0.332 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.000 s

Check dietician able to add new reports with vitals for existing patient with valid data



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data(Mandatory and additional details) into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint by add new reports with vitals for existing patient with valid data	PASSED	0.774 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.001 s


Check dietician able to add only new vitals without reports for existing patient without existing report



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID without reports for existing patient without existing report	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID without reports for existing patient without existing report	PASSED	0.372 s
4	Then Dietician receives 200 OK and the response body contains updated details java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_ok_and_the_response_body_contains_updated_details(PatientModule.java:753) at ?.Dietician receives 200 OK and the response body contains updated details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:58) * Not displayable characters are replaced by '?'		

Check dietician able to add new reports with only valid mandatory details for existing patient




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data (Mandatory only) into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid mandatory details	PASSED	0.561 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.000 s

Check dietician able to add new reports without vitals for existing patient with valid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except valid vitals data and valid patient ID java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataIntoTheFormDataKeyAndValueFieldsExceptValidVitalsDataAndValidPatientId(PatientModule.java:722) at ?.Dietician creates PUT request by entering valid data into the form-data key and value fields except valid vitals data and valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:76) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
3	When Dietician send PUT http request to the endpoint with valid patient ID	SKIPPED	0.000 s
4	Then Dietician receives 200 ok and with updated response body contains updated details	SKIPPED	0.001 s

Check dietician able to add only new vitals without reports for existing patient with existing report



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID	PASSED	0.761 s
4	Then Dietician receives 200 OK and the response body contains updated details	PASSED	0.000 s


Check dietician able to add new reports with only valid additional details for existing patient



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and valid patient ID java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataAdditionalDetailsOnlyIntoTheFormDataKeyAndValueFieldsAndValidPatientId(PatientModule.java:785)	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	at ?.Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:90) * Not displayable characters are replaced by '?'.		
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid additional details	SKIPPED	0.001 s
4	Then Dietician receives 200 OK and the response body contains updated details	SKIPPED	0.001 s

Check dietician able to retrieve all patients with valid dietician token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates GET request to the endpoint	PASSED	0.001 s
3	When Dietician sends GET HTTP request to the endpoint with dietician bearer token	PASSED	0.148 s
4	Then Dietician receives 200 OK with response body containing patient details	PASSED	0.000 s


Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request patients morbidity details by endpoint as patient	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule.dietician_create_get_request_patients_morbidity_details_by_endpoint_as_patient(PatientModule.java:1020) at ?.Dietician create GET request patients morbidity details by endpoint as patient(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:105) * Not displayable characters are replaced by '?'.</pre>		
3	When Dietician send GET http request with endpoint by endpoint as patient	SKIPPED	0.000 s
4	Then Dietician receives 200 ok with details morbidity details by endpoint as patient	SKIPPED	0.001 s


Check dietician able to retrieve patients by file Id with Dietician Token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request by field Id with Dietician Token	PASSED	0.002 s
3	<p>When Dietician create GET request patients morbidity details by endpoint as patient File id</p> <p>java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>at api.stepdefinitions.PatientModule.dietician_create_get_request_patients_morbidity_details_by_endpoint_as_patient_file_id(PatientModule.java:1045) at ?.Dietician create GET request patients morbidity details by endpoint as patient File id(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:113) * Not displayable characters are replaced by '?'.</p>		
4	Then Dietician receives 200 ok with details of the patient id by field with Dietician Token	SKIPPED	0.001 s


Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	<p>Given Patient create GET request retrieve patients morbidity details by patient Endpoint with Patient Token</p> <p>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. patient_create_get_request_retrieve_patients_morbidity_details_by_patient_endpoint_with_patient_token(PatientModule.java:1057) at ?.Patient create GET request retrieve patients morbidity details by patient Endpoint with Patient Token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:119) * Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
3	When Patient send GET http request with retrieve patients morbidity details by patient Endpoint with Patient Token	SKIPPED	0.000 s
4	Then Patient receives 200 ok with retrieve patients morbidity details by patient Endpoint with Patient Token	SKIPPED	0.001 s

Check Patient able to retrieve patients by field Id with Patient Token





#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Check patient is able to retrieve patients morbidity details by File ID with Patient Token	PASSED	0.001 s
3	When Patient create GET request patients morbidity details by endpoint as patient java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.patient_create_get_request_patients_morbidity_details_by_endpoint_as_patient(PatientModule.java:1080) at ?.Patient create GET request patients morbidity details by endpoint as patient(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:127) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
4	Then Patient receives 200 ok with details of the patient id by field with Patient Token	SKIPPED	0.000 s

Morbidity Module Positive with Admin Token





Check admin able to retrieve all morbidities details with admin token

PASSED	DURATION - 0.181 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:31.022 AM // 9:24:31.203 AM /				
Morbidity Module Positive with Admin Token				
@Test01 @tag04				

#	Step / Hook Details	Status	Duration
1	Given admin create GET request with all morbidities details admin token	PASSED	0.001 s
2	When admin send GET http request with all morbidities details endpoint	PASSED	0.166 s
3	Then admin receives 200 ok with all morbidities details patient id	PASSED	0.010 s

Check admin able to retrieve morbidity condition by test name with admin token


PASSED	DURATION - 0.148 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:31.213 AM // 9:24:31.361 AM /				
Morbidity Module Positive with Admin Token				
@Test02 @tag04				

#	Step / Hook Details	Status	Duration
1	Given admin create GET request with morbidity condition by test name with admin token	PASSED	0.001 s
2	When admin send GET http request with morbidity condition by test name endpoint	PASSED	0.137 s
3	Then admin receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.008 s

Morbidity Module Dietician Token




Check dietician able to retrieve all morbidities details



#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve all morbidities details	PASSED	0.002 s
2	When Dietician send GET http request with endpoint to retrieve all morbidities details	PASSED	0.154 s
3	Then admin receives 200 ok with details of the patient id to retrieve all morbidities details	PASSED	0.000 s

Check dietician able to retrieve morbidity condition by test name




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve morbidity condition by test name	PASSED	0.001 s
2	When Dietician send GET http request with morbidity condition by test name to retrieve morbidity condition by test name	PASSED	0.128 s

#	Step / Hook Details	Status	Duration
3	Then Dietician receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.005 s

User Admin Post Request Negative




Check user able to login as admin with invalid credential





#	Step / Hook Details	Status	Duration
1	Given User creates Post request with invalid credential	PASSED	0.052 s
2	When User send POST HTTP request with invalid credential and endpoint	PASSED	0.224 s
3	Then User receives 401 unauthorized	PASSED	0.000 s

Check user able to login as admin with valid credential and invalid method





#	Step / Hook Details	Status	Duration
1	Given User creates GET request with request body.	PASSED	0.044 s
2	When User send GET HTTP request with endpoint	PASSED	0.151 s
3	Then User receives 405 method not allowed	PASSED	0.001 s

Check user able to login as admin with valid credential and invalid endpoint

PASSED	DURATION - 0.184 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:32.196 AM // 9:24:32.380 AM /				
User Admin Post Request Negative				
@Test03 @tag06				

#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	0.044 s
2	When User send POST HTTP request with invalid endpoint	PASSED	0.138 s
3	Then User receives 401 unauthorized	PASSED	0.000 s

Check user able to login as admin with valid credential and invalid content type

FAILED	DURATION - 0.042 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:24:32.391 AM // 9:24:32.433 AM /				
User Admin Post Request Negative				
@Test04 @tag06				


#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body and invalid content type. java.lang.IllegalArgumentException: Cannot serialize because cannot determine how to serialize content-type text/html at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.038 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.mapping.ObjectMapping.serialize(ObjectMapping.groovy:180) at io.restassured.internal.mapping.ObjectMapping\$serialize.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:770) at api.stepdefinitions.UserAdminLogin.userCreatesPostRequestWithRequestBodyAndInvalidContentType(UserAdminLogin.java:106) at ?.User creates Post request with request body and invalid content type.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/06_UserAdminLoginNegative.feature:25) * Not displayable characters are replaced by '?'.		
2	When User send POST HTTP request with invalid content type endpoint	SKIPPED	0.000 s
3	Then User receives 415 unsupported media type	SKIPPED	0.001 s

Dietitian Negative Flow




Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 3	PASSED	0.025 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.138 s
3	Then Admin receives 400 created and with response body org.junit.ComparisonFailure: expected:<[Dietician's contact number is required!]> but was:<[Contact number should contain 10 digits]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at api.stepdefinitions.DietitianPost.admin_recieves_created_and_with_response_body(DietitianPost.java:222) at ?.Admin receives 400 created and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:8) * Not displayable characters are replaced by '?'. 	FAILED	0.061 s

Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 4	PASSED	0.024 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.132 s
3	Then Admin receives 400 created and with response body	PASSED	0.041 s

Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 5	PASSED	0.023 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.127 s
3	Then Admin receives 400 created and with response body	PASSED	0.043 s

Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 6	PASSED	0.018 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.137 s
3	Then Admin receives 400 created and with response body	PASSED	0.101 s

Check admin able to create dietician with invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 7	PASSED	0.021 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.141 s
3	Then Admin receives 400 created and with response body	PASSED	0.053 s

Check admin able to create dietician with invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 8	PASSED	0.027 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.135 s
3	Then Admin receives 400 created and with response body	PASSED	0.068 s

Check admin able to create dietician with valid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 9	PASSED	0.021 s
2	When Admin send PUT "Post_CreateDietitian" request with endpoint	PASSED	0.143 s
3	Then Admin receives 405 created and with response body	PASSED	0.015 s

Check admin able to create dietician with valid data

PASSED	DURATION - 0.221 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:34.058 AM // 9:24:34.279 AM /				
Dietitian Negative Flow				
@Negative_03_Post @tag07				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 10	PASSED	0.018 s
2	When Admin send POST "Post_CreateDietitianInvalidEndpoint" request with endpoint	PASSED	0.190 s
3	Then Admin receives 404 created and with response body	PASSED	0.010 s

Check admin able to create dietician with valid data

PASSED	DURATION - 0.182 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:34.292 AM // 9:24:34.474 AM /				
Dietitian Positive Flow				
@Positive_05_Post @tag07				



#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with no auth "DietitianPost", 12	PASSED	0.025 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.144 s
3	Then Admin receives 401 created and with response body	PASSED	0.010 s

Check admin able to create dietician with valid data and dietician token

PASSED	DURATION - 0.187 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:34.485 AM // 9:24:34.672 AM /				
Dietitian Negative Flow				
@Negative_06_Post @tag07				


#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with dietitian token "DietitianPost", 12	PASSED	0.019 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.149 s
3	Then Admin receives 403 created and with response body	PASSED	0.014 s

Check admin able to retrieve all dietician with invalid method

PASSED	DURATION - 0.156 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:34.681 AM // 9:24:34.837 AM /				
Dietitian Negative Flow				
@Negative_08_GET @tag07				


#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send PUT "Get_AllDietitian" request with GetRequest endpoint	PASSED	0.140 s
3	Then Admin receives 405 afterGet and with response body	PASSED	0.012 s

Check admin able to retrieve dietician by id with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send POST "Get_AllDietitianByID" request with GetRequest endpoint	PASSED	0.133 s
3	Then Admin receives 405 afterGet and with response body	PASSED	0.012 s

Check admin able to retrieve dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitianByID" request with "r4567"	PASSED	0.129 s
3	Then Admin receives 404 afterGet and with response body java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_get_and_with_response_body(DietitianPost.java:363) at ?.Admin recieves 404 afterGet and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:95) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check admin able to retrieve dietician by id with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send GET "Get_ALLDietitianInvalidEndpoint" request with invalid endpoint	PASSED	0.123 s
3	Then Admin receives 404 afterGet and with response body	PASSED	0.007 s

Check admin able to retrieve all dietician with no auth




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	0.135 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.011 s

Check admin able to retrieve dietician by ID with no auth





#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.129 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.009 s

Check admin able to update dietician with invalid data and dietician id





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 2	PASSED	0.018 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.132 s
3	Then Admin receives 400 afterPost and with response body	PASSED	0.000 s

Check admin able to update dietician with valid data and invalid dietician id

PASSED	DURATION - 0.160 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:35.762 AM // 9:24:35.922 AM /				
Dietitian Negative Flow				
@Negative_15_PUT @tag07				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 3	PASSED	0.021 s
2	When Admin send valid PUT "Put_Dietitian" request with "bhsgh4"	PASSED	0.137 s
3	Then Admin receives 400 afterPost and with response body	PASSED	0.000 s

Check admin able to update dietician with valid data, dietician id and invalid method

PASSED	DURATION - 0.168 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:35.935 AM // 9:24:36.103 AM /				
Dietitian Negative Flow				
@Negative_16_PUT @tag07				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 4	PASSED	0.018 s
2	When Admin send valid POST "Put_Dietitian" request with	PASSED	0.136 s
3	Then Admin receives 405 afterPost and with response body	PASSED	0.011 s

Check admin able to update dietician with valid data, dietician id and invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 5	PASSED	0.027 s
2	When Admin send valid PUT "Put_DietitianInvalidEndpoint" request with	PASSED	0.126 s
3	Then Admin receives 404 afterPost and with response body	PASSED	0.012 s

Patient Module Negative




Check dietician able to create patient only with valid additional details



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by valid additional details into the form-data key and value fields.	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	When Dietician send POST http request with endpoint only for valid additional details	PASSED	0.203 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

Check dietician able to create patient with invalid data (mandatory details)

PASSED	DURATION - 0.561 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:36.526 AM // 9:24:37.087 AM /				
Patient Module Negative				
@Test02 @tag08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by invalid mandatory details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send POST http request with endpoint only for invalid mandatory details	PASSED	0.555 s
4	Then Dietician receives 400 Bad request	PASSED	0.001 s

Check dietician able to create patient with valid mandatory fields and invalid data (additional details)

PASSED	DURATION - 0.591 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:37.096 AM // 9:24:37.687 AM /				
Patient Module Negative				
@tag08 @Test03				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request only by invalid additional details into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send POST http request with endpoint for valid mandatory fields and invalid additional details	PASSED	0.587 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

Check dietician able to create patient with valid data and invalid method

PASSED	DURATION - 0.557 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:37.696 AM // 9:24:38.253 AM /				
Patient Module Negative				
@Test04 @tag08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint	PASSED	0.553 s
4	Then Dietician receives 405 method not allowed	PASSED	0.000 s

Check dietician able to create patient with valid data and invalid endpoint

PASSED	DURATION - 0.605 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:38.269 AM // 9:24:38.874 AM /				
Patient Module Negative				
@Test05 @tag08				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician sent POST http request with invalid endpoint	PASSED	0.600 s
4	Then Dietician receives 404 not found	PASSED	0.001 s

Check dietician able to create patient with valid data and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.001 s
3	<p>When Dietician send POST http request with endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor293.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)</pre>	FAILED	0.117 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:328) at ?.Dietician send POST http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:41) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.000 s


Check dietician able to create patient with valid data



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.001 s
3	<p>When Dietician send POST http request with endpoint</p> <pre>java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ([{"Allergy","ContactNumber","CuisineCategory","DateOfBirth","DieticianId","Email","FileMorbidity","FileMorbidityCondition","FirstName","FoodPreference","LastName","LastVisitDate","Vitals","patientId"])] level: "error" schema: {"\$url": "http://localhost:8080/api/patients"} instance: {"pointer": "/"} domain: "validation" keyword: "required" required: ["Allergy","ContactNumber","CuisineCategory","DateOfBirth","DieticianId","Email","FileMorbidity","FileMorbidityCondition","FirstName","FoodPreference","LastName","LastVisitDate","Vitals","patientId"] missing: ["Allergy","ContactNumber","CuisineCategory","DateOfBirth","DieticianId","Email","FileMorbidity","FileMorbidityCondition","FirstName","FoodPreference","LastName","LastVisitDate","Vitals","patientId"] Actual: {"timestamp": "2024-08-22T13:24:40.012+00:00", "status": 401, "error": "Unauthorized", "path": "/dietician/patient"}</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p>	FAILED	0.544 s


#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint(PatientModule.java:68) at ?.Dietician send POST http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:53) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 401 unauthorized	SKIPPED	0.001 s

Check admin able to create patient with valid data and admin token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Admin send POST http request with endpoint	PASSED	0.521 s
4	Then Admin receives 403 forbidden	PASSED	0.000 s

Check patient able to create patient with valid data and patient token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Patient send POST http request with endpoint	PASSED	0.516 s
4	Then Patient receives 403 forbidden <code>java.lang.AssertionError: expected:<401> but was:<403></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at api.stepdefinitions.PatientModule.patient_recieves_forbidden(PatientModule.java:394)</code> <code>at ?.Patient receives 403 forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:68)</code> * Not displayable characters are replaced by '?'.	FAILED	0.002 s


Check dietician able to update patient with mandatory fields empty and only with valid additional details



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only valid additional details into the form-data key and value fields.	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	When Dietician send PUT http request with endpoint by mandatory fields empty only valid additional details	PASSED	0.487 s
4	<p>Then Dietician receives 400 Bad request</p> <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_recieves_bad_request(PatientModule.java:239) at ?.Dietician receives 400 Bad request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:75) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

Check dietician able to update patient with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only invalid additional details into the form-data key and value fields.	PASSED	0.002 s
3	When Dietician send PUT http request with endpoint by only invalid additional details	PASSED	0.482 s
4	<p>Then Dietician receives 400 Bad request</p> <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_recieves_bad_request(PatientModule.java:239) at ?.Dietician receives 400 Bad request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:81) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

Check dietician able to update patient with valid data and invalid patient id in path parameter

PASSED	DURATION - 0.563 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:41.656 AM // 9:24:42.219 AM /				
Patient Module Negative				
@Test13 @tag08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields with invalid patient id	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint by valid data and invalid patient id	PASSED	0.558 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

Check dietician able to update patient with valid data and invalid method

PASSED	DURATION - 0.437 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:42.230 AM // 9:24:42.667 AM /				
Patient Module Negative				
@tag08 @Test14				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields	PASSED	0.000 s
3	When Dietician send POST http request with endpoint entering valid data invalid method	PASSED	0.433 s
4	Then Dietician receives 405 method not allowed	PASSED	0.000 s

Check dietician able to update patient with valid data and invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields	PASSED	0.000 s
3	When Dietician sent PUT http request with invalid endpoint	PASSED	0.459 s
4	Then Dietician receives 404 not found <code>java.lang.AssertionError: expected:<200> but was:<404></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at api.stepdefinitions.PatientModule.dietician_recieves_not_found(PatientModule.java:317)</code> <code>at ?.Dietician receives 404 not found(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:99)</code> * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check dietician able to update patient with valid data, patient id and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	<p>When Dietician send PUT http request with endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor293.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)</pre>	FAILED	0.165 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:498) at ?.Dietician send PUT http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:104) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.001 s


Check dietician able to update patient with valid data



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.001 s
3	When Dietician send PUT http request with endpoint for sets no auth	PASSED	0.410 s
4	Then Dietician receives 401 unauthorized	PASSED	0.000 s

Check admin able to update patient with valid data and admin token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.002 s
3	When Admin send PUT http request with endpoint	PASSED	0.532 s
4	Then Admin receives 403 forbidden java.lang.AssertionError: expected:<403> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.admin_recieves_forbidden(PatientModule.java:374) at ?.Admin receives 403 forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/ 08_PatientModuleNegative.feature:119) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check patient able to update patient with valid data and patient token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Patient send PUT http request with endpoint	PASSED	0.534 s
4	Then Patient receives 403 forbidden <code>java.lang.AssertionError: expected:<401> but was:<403></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at api.stepdefinitions.PatientModule.patient_recieves_forbidden(PatientModule.java:394)</code> <code>at ?.Patient receives 403 forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:126)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s


Check Patient able to login as admin with invalid credential



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates Post request with invalid credential	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	When Patient send POST HTTP request with invalid credential and endpoint	PASSED	0.219 s
4	Then Patient receives 401 unauthorized	PASSED	0.000 s

Check Patient able to login as admin with valid credential and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates GET request with request body.	PASSED	0.000 s
3	When Patient send GET HTTP request with endpoint	PASSED	0.132 s
4	Then Patient receives 405 method not allowed	PASSED	0.001 s

Check Patient able to login as admin with valid credential and invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates Post request with request body.	PASSED	0.000 s
3	When Patient send POST HTTP request with invalid endpoint	PASSED	0.129 s
4	Then Patient receives 404 notfound	PASSED	0.001 s

Check Patient able to login as admin with valid credential and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates Post request with request body and invalid content type.	PASSED	0.001 s
3	When Patient send POST HTTP request with invalid content type endpoint	PASSED	0.256 s
4	Then Patient receives 415 unsupported media type	PASSED	0.001 s

Check dietician unable to add new reports with no authorization





#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with no authorization	PASSED	0.730 s
4	Then Dietician receives 401 Unauthorized	PASSED	0.001 s

Check admin unable to add new reports with admin bearer token

PASSED	DURATION - 0.480 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:46.415 AM // 9:24:46.895 AM /				
Patient Module Negative				
@tag08 @Test25				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Admin sends PUT HTTP request to the endpoint with admin bearer token	PASSED	0.477 s
4	Then Admin receives 403 Forbidden	PASSED	0.000 s


Check patient unable to add new reports with patient bearer token

FAILED	DURATION - 0.464 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 9:24:46.914 AM // 9:24:47.378 AM /				
Patient Module Negative				
@Test26 @tag08				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.000 s
3	When Patient sends PUT HTTP request to the endpoint with patient bearer token	PASSED	0.458 s
4	Then Patient receives 403 Forbidden java.lang.AssertionError: expected:<401> but was:<403> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.patient_receives_forbidden(PatientModule.java:861)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at ?.Patient receives 403 Forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:173) * Not displayable characters are replaced by '?'.		

Check dietician unable to add new reports with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering invalid data (Additional details only) into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID and with invalid data	PASSED	0.484 s
4	Then Dietician receives 400 Bad Request java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_bad_request(PatientModule.java:956) at ?.Dietician receives 400 Bad Request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:180) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check dietician unable to add new reports with valid data and invalid patient ID as path parameter




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and invalid patient ID	PASSED	0.000 s
3	When Dietician sends PUT HTTP request to the endpoint with invalid patient ID as path parameter	PASSED	0.458 s
4	Then Dietician receives 400 Bad Request <code>java.lang.AssertionError: expected:<400> but was:<404></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at api.stepdefinitions.PatientModule.dietician_receives_bad_request(PatientModule.java:956)</code> <code>at ?.Dietician receives 400 Bad Request(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:187)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check dietician unable to add new reports using POST method instead of PUT




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.001 s
3	When Dietician sends POST HTTP request to the endpoint and add new reports using POST method	PASSED	0.387 s
4	Then Dietician receives 405 Method Not Allowed	PASSED	0.001 s

Check dietician unable to add new reports using an invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.000 s
3	When Dietician sends PUT HTTP request to an invalid endpoint and unable to add new reports	PASSED	0.388 s
4	Then Dietician receives 404 Not Found java.lang.AssertionError: expected:<401> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_not_found(PatientModule.java:897) at ?.Dietician receives 404 Not Found(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:201) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check dietician unable to add new reports with invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID with invalid content type	PASSED	0.000 s
3	<p>When Dietician sends PUT HTTP request to the endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor293.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)</pre>	FAILED	0.203 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sends_put_http_request_to_the_endpoint_and_invalid_content_type(PatientModule.java:1008) at ?.Dietician sends PUT HTTP request to the endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:207) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 Unsupported Media Type	SKIPPED	0.000 s

Check dietician unable to retrieve all patients with no authorization

PASSED	DURATION - 0.130 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:49.377 AM // 9:24:49.507 AM /				
<i>Patient Module Negative</i>				
@Test32 @tag08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates GET request to the endpoint with no authorization	PASSED	0.001 s
3	When Dietician sends GET HTTP request to the endpoint with no authorization	PASSED	0.125 s
4	Then Dietician receives 401 Unauthorized	PASSED	0.001 s

Check admin unable to retrieve patients with admin bearer token

PASSED	DURATION - 0.129 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:49.513 AM // 9:24:49.642 AM /				
<i>Patient Module Negative</i>				
@Test33 @tag08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin creates GET request to the endpoint	PASSED	0.000 s
3	When Admin sends GET HTTP request to the endpoint with admin bearer token	PASSED	0.125 s
4	Then Admin receives 403 Forbidden	PASSED	0.000 s

Check patient unable to retrieve patients with patient bearer token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates GET request to the endpoint	PASSED	0.000 s
3	When Patient sends GET HTTP request to the endpoint with patient bearer token	PASSED	0.131 s
4	Then Patient receives 403 Forbidden <code>java.lang.AssertionError: expected:<401> but was:<403></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at api.stepdefinitions.PatientModule.patient_receives_forbidden(PatientModule.java:861)</code> <code>at ?.Patient receives 403 Forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:231)</code> * Not displayable characters are replaced by '?'.	FAILED	0.002 s


Check dietician unable to retrieve all patients with invalid HTTP method



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request to the endpoint	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	When Dietician sends PUT HTTP request to the endpoint with valid data	PASSED	0.183 s
4	<p>Then Dietician receives 405 Method Not Allowed</p> <pre>java.lang.AssertionError: expected:<401> but was:<405> at org.junit.Assert.failAssert(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_method_not_allowed(PatientModule.java:879) at ?.Dietician receives 405 Method Not Allowed(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:238) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

Check dietician unable to retrieve all patients with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician creates GET request to an invalid endpoint	PASSED	0.001 s
3	<p>When Dietician sends GET HTTP request to the invalid endpoint</p> <pre>java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key Get_InvalidGetallPatients at java.base/java.util.ResourceBundle.getObject(ResourceBundle.java:564) at java.base/java.util.ResourceBundle.getString(ResourceBundle.java:521) at api.stepdefinitions.PatientModule.dietician_sends_get_http_request_to_the_invalid_endpoint(PatientModule.java:891) at ?.Dietician sends GET HTTP request to the invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:244) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
4	Then Dietician receives 404 Not Found	SKIPPED	0.001 s

Check dietician able to retrieve patients morbidity details by patient ID



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create GET request with no auth to retrieve patients morbidity details by patient ID	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by patient ID	PASSED	0.128 s
4	Then Dietician receives 401 unauthorized to retrieve patients morbidity details by patient ID	PASSED	0.001 s


Check admin is able to retrieve patients morbidity details by patient ID



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin create GET request with Admin token java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule.admin_create_get_request_with_admin_token(PatientModule.java:1111) at ?.Admin create GET request with Admin token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:256) * Not displayable characters are replaced by '?'.		
3	When Admin send GET http request with endpoint to retrieve patients morbidity details by patient ID	SKIPPED	0.000 s
4	Then Admin receives 403 Forbidden to retrieve patients morbidity details by patient ID	SKIPPED	0.000 s

Check dietician able to retrieve patients morbidity details by patient ID with invalid method



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create POST request to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.000 s
3	When Dietician send POST http request with endpoint to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.133 s
4	Then Dietician receives 405 method not allowed to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.000 s

Check dietician able to retrieve patients morbidity details by invalid patient ID





#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create GET request to retrieve patients morbidity details by invalid patient ID	PASSED	0.001 s
3	<p>When Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID</p> <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: patientId=1535. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor277.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176)</pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		



#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_send_get_http_request_with_endpoint_to_retrieve_patients_morbidity_details_by_invalid_patient_id(PatientModule.java:1153) at ?.Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID(file:///C:/Users/shanj/vino- workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:269) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 404 not found to retrieve patients morbidity details by invalid patient ID	SKIPPED	0.000 s

Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint

PASSED	DURATION - 0.185 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:24:50.311 AM // 9:24:50.496 AM /				
Patient Module Negative				
@Test41 @tag08				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create GET request to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.001 s
3	When Dietician send GET http request with invalid endpoint to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.180 s
4	Then Dietician receives 404 not found to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.001 s


Check dietician able to retrieve patients by field

FAILED	DURATION - 0.004 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 9:24:50.503 AM // 9:24:50.507 AM /				
Patient Module Negative				
@Test42 @tag08				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request with no auth to retrieve patients by field	PASSED	0.000 s
3	When Dietician send GET http request with endpoint to retrieve patients by field java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.dietician_send_get_http_request_with_endpoint_to_retrieve_patients_by_fiel_id(PatientModule.java:1190) at ?.Dietician send GET http request with endpoint to retrieve patients by field(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	test/resources/features/08_PatientModuleNegative.feature:281 * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 401 unauthorized to retrieve patients by field	SKIPPED	0.000 s

Check admin is able to retrieve patients by field




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin create GET request to retrieve patients by field	PASSED	0.001 s
3	When Admin send GET http request with endpoint to retrieve patients by field java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.admin_send_get_http_request_with_endpoint_to_retrieve_patients_by_field_id(PatientModule.java:1208) at ?.Admin send GET http request with endpoint to retrieve patients by field(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:287) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
4	Then Admin receives 403 Forbidden to retrieve patients by field	SKIPPED	0.000 s

Check dietician able to retrieve patients by field with invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create POST request to retrieve patients by field with invalid method	PASSED	0.001 s
3	When Dietician send POST http request with endpoint to retrieve patients by field with invalid method java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule. dietician_send_post_http_request_with_endpoint_to_retrieve_patients_by_field_with_invalid_method(PatientModule.java:1226) at ?.Dietician send POST http request with endpoint to retrieve patients by field with invalid method(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:293) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
4	Then Dietician receives 405 method not allowed to retrieve patients by field with invalid method	SKIPPED	0.000 s

Check dietician able to retrieve patients by invalid fileld




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create GET request to retrieve patients by invalid fileld	PASSED	0.001 s
3	When Dietician send GET http request with endpoint to retrieve patients by invalid fileld java.lang.NullPointerException: Cannot invoke "String.concat(String)" because "api.utils.IdHolder.fileld" is null at api.stepdefinitions.PatientModule.dietician_send_get_http_request_with_endpoint_to_retrieve_patients_by_invalid_file_id(PatientModule.java:1247) at ?.Dietician send GET http request with endpoint to retrieve patients by invalid fileld(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:299) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
4	Then Dietician receives 404 not found to retrieve patients by invalid fileld	SKIPPED	0.001 s

Check dietician able to retrieve patients by field with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients by field with invalid endpoint	PASSED	0.000 s
3	When Dietician send GET http request to retrieve patients by field with invalid endpoint java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.dietician_send_get_http_request_to_retrieve_patients_by_field_with_invalid_endpoint(PatientModule.java:1265) at ?.Dietician send GET http request to retrieve patients by field with invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:305) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
4	Then Dietician receives 404 not found to retrieve patients by field with invalid endpoint	SKIPPED	0.000 s

Morbidity Module Negative feature





Check dietician able to retrieve all morbidities details

PASSED	DURATION - 0.124 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:50.562 AM // 9:24:50.686 AM /				
Morbidity Module Negative feature				
@Test01 @tag09				



#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to retrieve all morbidities details	PASSED	0.001 s
2	When Dietician send GET http request with no auth to retrieve all morbidities details	PASSED	0.119 s
3	Then Dietician receives 401 unauthorized with no auth all morbidities details	PASSED	0.000 s

Check patient is able to retrieve all morbidities details

FAILED	DURATION - 0.136 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:24:50.692 AM // 9:24:50.828 AM /				
Morbidity Module Negative feature				
@Test02 @tag09				



#	Step / Hook Details	Status	Duration
1	Given Patient create GET request with patient token to retrieve all morbidities details	PASSED	0.001 s
2	When Patient send GET http request with to retrieve all morbidities details endpoint	PASSED	0.133 s
3	Then Patient receives 403 Forbidden to retrieve all morbidities details java.lang.AssertionError: expected:<401> but was:<403> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.MorbidityGet.patient_recieves_forbidden_to_retrieve_all_morbidities_details(MorbidityGet.java:140) at ?.Patient recieves 403 Forbidden to retrieve all morbidities details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/09_MorbidityNegativeTc.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check admin able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:50.843 AM // 9:24:50.976 AM /				
Morbidity Module Negative feature				
@tag09 @Test03				



#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve all morbidities details with invalid method	PASSED	0.002 s
2	When admin send POST http request with endpoint to retrieve all morbidities details with invalid method	PASSED	0.130 s
3	Then admin receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.000 s

Check admin able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:50.983 AM // 9:24:51.125 AM /				
Morbidity Module Negative feature				
@tag09 @Test04				


#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.140 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check dietician able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.136 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:51.137 AM // 9:24:51.273 AM /				
Morbidity Module Negative feature				
@tag09 @Test05				



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.001 s
2	When Dietician send POST http requestto retrieve all morbidities details with invalid method	PASSED	0.133 s
3	Then Dietician recieves 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.001 s

Check dietician able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.130 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:51.280 AM // 9:24:51.410 AM /				
Morbidity Module Negative feature				
@tag09 @Test06				


#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s
2	When Dietician send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.128 s
3	Then Dietician recieves 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check dietician able to morbidity condition by test name

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:51.417 AM // 9:24:51.560 AM /				
Morbidity Module Negative feature				
@tag09 @Test07				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to morbidity condition by test name	PASSED	0.002 s
2	When Dietician send GET http request with morbidity condition by test name endpoint endpoint	PASSED	0.138 s
3	Then Dietician receives 401 unauthorized with morbidity condition by test name	PASSED	0.001 s



Check patient is able to retrieve morbidity condition by test name

FAILED	DURATION - 0.136 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:24:51.577 AM // 9:24:51.713 AM /				
Morbidity Module Negative feature				
@tag09 @Test08				

#	Step / Hook Details	Status	Duration
1	Given Patient create GET request to retrieve morbidity condition by test name	PASSED	0.001 s
2	When Patient send GET http request with morbidity condition by test name endpoint	PASSED	0.130 s
3	Then Patient receives 403 Forbidden to retrieve morbidity condition by test name io.cucumber.core.exception.CucumberException: Step [Patient receives 403 Forbidden to retrieve morbidity condition by test name] is defined with 1 parameters at 'api.stepdefinitions.MorbidityGet.patient_recieves_403_forbidden_to_retrieve_morbidity_condition_by_test_name(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: Patient receives 403 Forbidden to retrieve morbidity condition by test name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

Check admin able to retrieve morbidity condition by test name with invalid method

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:51.724 AM // 9:24:51.857 AM /				
Morbidity Module Negative feature				
@tag09 @Test09				



#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve morbidity condition by test name with invalid method	PASSED	0.001 s
2	When admin send POST http request morbidity condition by test name endpoint	PASSED	0.129 s
3	Then admin receives 405 method not allowed to retrieve morbidity condition by test name with invalid method	PASSED	0.000 s

Check admin able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.137 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:51.868 AM // 9:24:52.005 AM /				
Morbidity Module Negative feature				
@Test10 @tag09				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request with invalid test name endpoint	PASSED	0.133 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check admin able to retrieve morbidity condition by test name with invalid endpoint

PASSED	DURATION - 0.141 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:52.014 AM // 9:24:52.155 AM /				
Morbidity Module Negative feature				
@Test11 @tag09				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.136 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name with invalid method

PASSED	DURATION - 0.139 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:52.166 AM // 9:24:52.305 AM /				
Morbidity Module Negative feature				
@Test12 @tag09				



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.000 s
2	When Dietician send POST http request morbidity condition by test name with invalid method endpoint	PASSED	0.136 s
3	Then Dietician receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.138 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:52.315 AM // 9:24:52.453 AM /				
Morbidity Module Negative feature				
@Test13 @tag09				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When Dietician send GET http request with morbidity condition by invalid test name endpoint	PASSED	0.135 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name with invalid endpoint


PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:52.463 AM // 9:24:52.610 AM /				
Morbidity Module Negative feature				
@tag09 @Test14				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s
2	When Dietician send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.142 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

All Modules Delete and logout Modules Negative




Check dietician able to delete patient by id with invalid method



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request	PASSED	0.000 s
2	When Dietician send POST http to delete patient by id request with endpoint	PASSED	0.130 s
3	Then Dietici recieves 405 method not allowed	PASSED	0.001 s


Check dietician able to delete patient by invalid id



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request by invalid id	PASSED	0.001 s
2	When Dietician send DELETE http request with endpoint by invalid id	PASSED	0.136 s



#	Step / Hook Details	Status	Duration
3	Then Dietici recieves 401 unauthorized	PASSED	0.001 s

Check dietician able to delete patient by id with invalid endpoint

PASSED	DURATION - 0.135 s	 / 9:24:52.922 AM // 9:24:53.057 AM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
<i>All Modules Delete and logout Modules Negative</i>				
@tag10 @Test03				


#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request	PASSED	0.001 s
2	When Dietician send DELETE http request with invalid endpoint	PASSED	0.131 s
3	Then Dietici recieves 404 not found	PASSED	0.001 s

Check dietician able to delete patient by ID

PASSED	DURATION - 0.134 s	 / 9:24:53.069 AM // 9:24:53.203 AM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
<i>All Modules Delete and logout Modules Negative</i>				
@tag10 @Test04				


#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request with no auth	PASSED	0.001 s
2	When Dietician send DELETE http request with endpoint	PASSED	0.131 s
3	Then Dietici recieves 401 unauthorized	PASSED	0.001 s

Check patient able to logout with invalid method





#	Step / Hook Details	Status	Duration
1	Given patient creates POST request	PASSED	0.001 s
2	When patient send POST HTTP request with endpoint	PASSED	0.127 s
3	Then patient receives 405 method not allowed <i>java.lang.AssertionError: expected:<401> but was:<405></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at api.stepdefinitions.DeleteandLogoutModules.patient_recieves_method_not_allowed(DeleteandLogoutModules.java:175)</i> <i>at ?.patient receives 405 method not allowed(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:35)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.003 s

Check patient able to logout





#	Step / Hook Details	Status	Duration
1	Given patient creates GET request with noauth	PASSED	0.001 s
2	When patient send GET HTTP request with endpoint	PASSED	0.134 s
3	Then patient receives 401 unauthorized	PASSED	0.001 s

Check admin able to delete dietician by ID

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:53.505 AM // 9:24:53.654 AM /				
All Modules Delete and logout Modules Negative				
@tag10 @Negative_07_Delete				


#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request with no auth	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.135 s
3	Then Admin receives 401 afterDelete and with response body	PASSED	0.011 s

Check admin able to delete dietician by id with invalid method

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:53.665 AM // 9:24:53.807 AM /				
All Modules Delete and logout Modules Negative				
@tag10 @Negative_08_Delete				


#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.000 s
2	When Admin send POST "Delete_Dietitian" request with endpoint with DeleteRequest endpoint	PASSED	0.130 s
3	Then Admin receives 405 afterDelete and with response body	PASSED	0.010 s

Check admin able to delete dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with "bjbj8"	PASSED	0.125 s
3	Then Admin receives 404 afterDelete and with response body java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_delete_and_with_response_body(DietitianPost.java:504) at ?.Admin receives 404 afterDelete and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:61) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check admin able to delete dietician by id with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send POST "Delete_DietitianInvalidEndpoint" request with Invalidendpoint	PASSED	0.137 s
3	Then Admin receives 404 afterDelete and with response body	PASSED	0.013 s

Check dietician able to logout with invalid method




#	Step / Hook Details	Status	Duration
1	Given dietician creates POST request	PASSED	0.000 s
2	When dietician send POST HTTP request with endpoint	PASSED	0.130 s
3	Then dietician receives 405 method not allowed	PASSED	0.000 s

Check dietician able to logout




#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request with no auth	PASSED	0.000 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.145 s
3	Then dietician receives 401 unauthorized	PASSED	0.000 s

Check admin able to logout with invalid method



#	Step / Hook Details	Status	Duration
1	Given admin creates POST request	PASSED	0.001 s
2	When admin send POST HTTP request with endpoint	PASSED	0.131 s
3	Then admin receives 405 method not allowed	PASSED	0.000 s

Check admin able to logout




#	Step / Hook Details	Status	Duration
1	Given admin creates GET request with noauth	PASSED	0.000 s
2	When admin send GET HTTP request with noauth endpoint	PASSED	0.130 s
3	Then admin receives 401 unauthorized	PASSED	0.001 s

All Modules Delete and logout Modules Positive




Check dietician able to delete patient by ID



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request	PASSED	0.001 s
2	When Dietician send DELETE http request with endpoint	PASSED	0.214 s
3	Then Dietician receives 200 ok with details of the patient id	PASSED	0.000 s



Check patient able to logout



#	Step / Hook Details	Status	Duration
1	Given patient creates GET request	PASSED	0.001 s
2	When patient send GET HTTP request with endpoint	PASSED	0.131 s

#	Step / Hook Details	Status	Duration
3	Then patient receives 200 created with Logout successful message	PASSED	0.001 s



Check admin able to delete dietician by ID

PASSED	DURATION - 0.195 s	 / 9:24:55.083 AM // 9:24:55.278 AM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
		All Modules Delete and logout Modules Positive		

@tag11 @Positive_05_Delete

#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.192 s
3	Then Admin receives 200 afterDelete and with response body	PASSED	0.000 s


Check dietician able to logout

PASSED	DURATION - 0.135 s	 / 9:24:55.290 AM // 9:24:55.425 AM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
		All Modules Delete and logout Modules Positive		

@tag11 @Test03

#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request	PASSED	0.000 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.133 s
3	Then dietician receives 200 created with Logout successful message	PASSED	0.001 s

Check admin able to logout



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET request	PASSED	0.001 s
2	When Admin send GET HTTP request with endpoint	PASSED	0.135 s
3	Then Admin receives 200 created with Logout successful message	PASSED	0.001 s