

Cucumber Report

Aug 22, 2024, 12:10:50 PM

Start : Aug 22, 12:09:47.526 PM

End : Aug 22, 12:10:46.872 PM

Duration : 59.346 s

Features







PASSED - 5
FAILED - 6
SKIPPED - 0

Scenarios

PASSED - 75
FAILED - 55
SKIPPED - 0

Steps

PASSED - 344
FAILED - 55
SKIPPED - 53



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>User Admin Post Request</u>	8.281 s	1	1	0	0	3	3	0	0	
<u>Dietitian Positive Flow</u>	6.517 s	6	6	0	0	18	18	0	0	
<u>Patient Module Positive</u>	9.218 s	17	3	14	0	68	37	14	17	
<u>Morbidity Module Positive with Admin Token</u>	0.461 s	2	2	0	0	6	6	0	0	
<u>Morbidity Module Dietician Token</u>	0.398 s	2	2	0	0	6	6	0	0	
<u>User Admin Post Request Negative</u>	1.157 s	4	3	1	0	12	9	1	2	
<u>Dietitian Negative Flow</u>	5.373 s	20	19	1	0	60	59	1	0	
<u>Patient Module Negative</u>	20.062 s	45	10	35	0	180	111	35	34	
<u>Morbidity Module Negative feature</u>	3.043 s	14	12	2	0	42	40	2	0	
<u>All Modules Delete and logout Modules Negative</u>	3.049 s	14	12	2	0	42	40	2	0	
<u>All Modules Delete and logout Modules Positive</u>	1.050 s	5	5	0	0	15	15	0	0	

#	Feature Name	Scenario Name
1	<u>Patient Module Positive</u>	<u>Check dietician able to create patient with valid data and token</u>
2		<u>Check user able to login as Patient with valid data(Patient token)</u>
3		<u>Check dietician able to update patient with existing file by not attaching new file</u>
4		<u>Check dietician able to update patient with valid data, patient id and token</u>
5		<u>Check dietician able to add new reports with vitals for existing patient with valid data</u>
6		<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>
7		<u>Check dietician able to add new reports with only valid mandatory details for existing patient</u>
8		<u>Check dietician able to add new reports without vitals for existing patient with valid data</u>
9		<u>Check dietician able to add only new vitals without reports for existing patient with existing report</u>

#	Feature Name	Scenario Name
10	<u>Patient Module Positive</u>	<u>Check dietician able to add new reports with only valid additional details for existing patient</u>
11		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>
12		<u>Check dietician able to retrieve patients by file Id with Dietician Token</u>
13		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>
14		<u>Check Patient able to retrieve patients by field Id with Patient Token</u>
15	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>
16	<u>Dietitian Negative Flow</u>	<u>Check admin able to retrieve dietician by invalid id</u>
17	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with invalid data (mandatory details)</u>
18		<u>Check dietician able to create patient with valid mandatory fields and invalid data (additional details)</u>

#	Feature Name	Scenario Name
19	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid method</u>
20		<u>Check dietician able to create patient with valid data and invalid endpoint</u>
21		<u>Check dietician able to create patient with valid data and invalid content type</u>
22		<u>Check dietician able to create patient with valid data</u>
23		<u>Check admin able to create patient with valid data and admin token</u>
24		<u>Check patient able to create patient with valid data and patient token</u>
25		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>
26		<u>Check dietician able to update patient with invalid data</u>
27		<u>Check dietician able to update patient with valid data and invalid patient id in path parameter</u>
28		<u>Check dietician able to update patient with valid data and invalid method</u>
29		<u>Check dietician able to update patient with valid data and invalid endpoint</u>

#	Feature Name	Scenario Name
30	<u>Patient Module Negative</u>	<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>
31		<u>Check dietician able to update patient with valid data</u>
32		<u>Check admin able to update patient with valid data and admin token</u>
33		<u>Check patient able to update patient with valid data and patient token</u>
34		<u>Check dietician unable to add new reports with no authorization</u>
35		<u>Check admin unable to add new reports with admin bearer token</u>
36		<u>Check patient unable to add new reports with patient bearer token</u>
37		<u>Check dietician unable to add new reports with invalid data</u>
38		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>
39		<u>Check dietician unable to add new reports using POST method instead of PUT</u>
40		<u>Check dietician unable to add new reports using an invalid endpoint</u>

#	Feature Name	Scenario Name
41	<u>Patient Module Negative</u>	<u>Check dietician unable to add new reports with invalid content type</u>
42		<u>Check patient unable to retrieve patients with patient bearer token</u>
43		<u>Check dietician unable to retrieve all patients with invalid HTTP method</u>
44		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>
45		<u>Check admin is able to retrieve patients morbidity details by patient ID</u>
46		<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>
47		<u>Check dietician able to retrieve patients by field</u>
48		<u>Check admin is able to retrieve patients by field</u>
49		<u>Check dietician able to retrieve patients by field with invalid method</u>
50		<u>Check dietician able to retrieve patients by invalid fileld</u>
51		<u>Check dietician able to retrieve patients by field with invalid endpoint</u>
52	<u>Morbidity Module Negative feature</u>	<u>Check pateint is able to retrieve all morbidities details</u>

#	Feature Name	Scenario Name
53	<u>Morbidity Module Negative feature</u>	<u>Check pateint is able to retrieve morbidity condition by test name</u>
54	<u>All Modules Delete and logout Modules Negative</u>	<u>Check patient able to logout with invalid method</u>
55		<u>Check admin able to delete dietician by invalid id</u>


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@tag01		1	1	0	0	1	1	0	0
@Test01		9	8	1	0	9	4	5	0
@tag02		6	6	0	0	1	1	0	0
@Positive_01_Post		2	2	0	0	1	1	0	0
@Positive_02_Post		1	1	0	0	1	1	0	0
@Positive_03_Get		1	1	0	0	1	1	0	0
@Positive_04_Get		1	1	0	0	1	1	0	0
@Positive_05_Put		1	1	0	0	1	1	0	0
@tag03		17	3	14	0	1	0	1	0
@Test02		8	6	2	0	8	3	5	0
@Test03		6	4	2	0	6	1	5	0
@Test04		6	3	3	0	6	1	5	0
@Test05		4	1	3	0	4	0	4	0
@Test06		4	3	1	0	4	0	4	0
@Test07		2	1	1	0	2	0	2	0
@Test08		3	0	3	0	3	0	3	0
@Test09		3	1	2	0	3	0	3	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test10	3	1	2	0	3	0	3	0
	@Test11	4	2	2	0	4	0	4	0
	@Test12	4	2	2	0	4	0	4	0
	@Test13	4	3	1	0	4	0	4	0
	@Test14	4	2	2	0	4	0	4	0
	@Test15	2	0	2	0	2	0	2	0
	@Test16	2	0	2	0	2	0	2	0
	@Test17	2	0	2	0	2	0	2	0
	@tag04	2	2	0	0	1	1	0	0
	@tag05	2	2	0	0	1	1	0	0
	@tag06	4	3	1	0	1	0	1	0
	@Negative_01_Post	6	6	0	0	1	0	1	0
	@tag07	20	19	1	0	1	0	1	0
	@Negative_02_Post	1	1	0	0	1	0	1	0
	@Negative_03_Post	1	1	0	0	1	0	1	0
	@Negative_05_Post	1	1	0	0	1	0	1	0
	@Negative_06_Post	1	1	0	0	1	0	1	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Negative_08_GET		1	1	0	0	1	0	1	0
@Negative_09_GET		1	1	0	0	1	0	1	0
@Negative_10_GET		1	0	1	0	1	0	1	0
@Negative_11_GET		1	1	0	0	1	0	1	0
@Negative_12_GET		1	1	0	0	1	0	1	0
@Negative_13_GET		1	1	0	0	1	0	1	0
@Negative_14_PUT		1	1	0	0	1	0	1	0
@Negative_15_PUT		1	1	0	0	1	0	1	0
@Negative_16_PUT		1	1	0	0	1	0	1	0
@Negative_17_PUT		1	1	0	0	1	0	1	0
@tag08		45	10	35	0	1	0	1	0
@Test18		1	0	1	0	1	0	1	0
@Test19		1	0	1	0	1	0	1	0
@Test20		1	1	0	0	1	0	1	0
@Test21		1	1	0	0	1	0	1	0
@Test22		1	1	0	0	1	0	1	0
@Test23		1	1	0	0	1	0	1	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test24	1	0	1	0	1	0	1	0
	@Test25	1	0	1	0	1	0	1	0
	@Test26	1	0	1	0	1	0	1	0
	@Test27	1	0	1	0	1	0	1	0
	@Test28	1	0	1	0	1	0	1	0
	@Test29	1	0	1	0	1	0	1	0
	@Test30	1	0	1	0	1	0	1	0
	@Test31	1	0	1	0	1	0	1	0
	@Test32	1	1	0	0	1	0	1	0
	@Test33	1	1	0	0	1	0	1	0
	@Test34	1	0	1	0	1	0	1	0
	@Test35	1	0	1	0	1	0	1	0
	@Test36	1	0	1	0	1	0	1	0
	@Test37	1	1	0	0	1	0	1	0
	@Test38	1	0	1	0	1	0	1	0
	@Test39	1	1	0	0	1	0	1	0
	@Test40	1	0	1	0	1	0	1	0


	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Test41	1	1	0	0	1	0	1	0
	@Test42	1	0	1	0	1	0	1	0
	@Test43	1	0	1	0	1	0	1	0
	@Test44	1	0	1	0	1	0	1	0
	@Test45	1	0	1	0	1	0	1	0
	@Test46	1	0	1	0	1	0	1	0
	@tag09	14	12	2	0	1	0	1	0
	@tag10	14	12	2	0	1	0	1	0
	@Negative_07_Delete	1	1	0	0	1	0	1	0
	@Negative_08_Delete	1	1	0	0	1	0	1	0
	@Negative_09_Delete	1	0	1	0	1	0	1	0
	@Negative_10_Delete	1	1	0	0	1	0	1	0
	@tag11	5	5	0	0	1	1	0	0
	@Positive_05_Delete	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	1	1	0	0	8.281 s
2	<u>Dietitian Positive Flow</u>	6	6	0	0	6.517 s
3	<u>Patient Module Positive</u>	17	3	14	0	9.218 s
4	<u>Morbidity Module Positive with Admin Token</u>	2	2	0	0	0.461 s
5	<u>Morbidity Module Dietician Token</u>	2	2	0	0	0.398 s
6	<u>User Admin Post Request Negative</u>	4	3	1	0	1.157 s
7	<u>Dietitian Negative Flow</u>	20	19	1	0	5.373 s
8	<u>Patient Module Negative</u>	45	10	35	0	20.062 s
9	<u>Morbidity Module Negative feature</u>	14	12	2	0	3.043 s
10	<u>All Modules Delete and logout Modules Negative</u>	14	12	2	0	3.049 s




#	Feature Name	T	P	F	S	Duration
11	All Modules Delete and logout Modules Positive	5	5	0	0	1.050 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Admin Post Request</u>	<u>Check user able to login as admin with valid data</u>	3	3	0	0	8.257 s
2	<u>Dietitian Positive Flow</u>	<u>Check admin able to create dietician with valid data</u>	3	3	0	0	1.466 s
3		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.663 s
4		<u>Check admin able to create dietician with valid data and token</u>	3	3	0	0	0.296 s
5		<u>Check admin able to retrieve all dietician</u>	3	3	0	0	3.279 s
6		<u>Check admin able to retrieve dietician by ID</u>	3	3	0	0	0.182 s
7		<u>Check admin able to update dietician with valid data , dietician id and token</u>	3	3	0	0	0.339 s
8	<u>Patient Module Positive</u>	<u>Check dietician able to create patient with valid data and token</u>	4	2	1	1	1.617 s
9		<u>Check dietician able to create patient only with valid mandatory details</u>	4	4	0	0	0.988 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Patient Module Positive</u>	<u>Check user able to login as Patient with valid data(Patient token)</u>	4	3	1	0	0.300 s
11		<u>Check dietician able to update patient with existing file by not attaching new file</u>	4	1	1	2	0.023 s
12		<u>Check dietician able to update patient with valid data, patient id and token</u>	4	2	1	1	0.946 s
13		<u>Check dietician able to update patient only with valid mandatory details</u>	4	4	0	0	0.804 s
14		<u>Check dietician able to add new reports with vitals for existing patient with valid data</u>	4	2	1	1	1.121 s
15		<u>Check dietician able to add only new vitals without reports for existing patient without existing report</u>	4	3	1	0	0.896 s
16		<u>Check dietician able to add new reports with only valid mandatory details for existing patient</u>	4	2	1	1	0.932 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Patient Module Positive</u>	<u>Check dietician able to add new reports without vitals for existing patient with valid data</u>	4	1	1	2	0.024 s
18		<u>Check dietician able to add only new vitals without reports for existing patient with existing report</u>	4	2	1	1	0.886 s
19		<u>Check dietician able to add new reports with only valid additional details for existing patient</u>	4	1	1	2	0.012 s
20		<u>Check dietician able to retrieve all patients with valid dietician token</u>	4	4	0	0	0.175 s
21		<u>Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token</u>	4	1	1	2	0.016 s
22		<u>Check dietician able to retrieve patients by file Id with Dietician Token</u>	4	2	1	1	0.023 s
23		<u>Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token</u>	4	1	1	2	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Patient Module Positive</u>	<u>Check Patient able to retrieve patients by field Id with Patient Token</u>	4	2	1	1	0.010 s
25	<u>Morbidity Module Positive with Admin Token</u>	<u>Check admin able to retrieve all morbidities details with admin token</u>	3	3	0	0	0.264 s
26		<u>Check admin able to retrieve morbidity condition by test name with admin token</u>	3	3	0	0	0.174 s
27	<u>Morbidity Module Dietician Token</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.189 s
28		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.187 s
29	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with invalid credential</u>	3	3	0	0	0.425 s
30		<u>Check user able to login as admin with valid credential and invalid method</u>	3	3	0	0	0.257 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31		<u>Check user able to login as admin with valid credential and invalid endpoint</u>	3	3	0	0	0.275 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>User Admin Post Request Negative</u>	<u>Check user able to login as admin with valid credential and invalid content type</u>	3	0	1	2	0.142 s
33	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.374 s
34		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.305 s
35		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.342 s
36		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.388 s
37		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.306 s
38		<u>Check admin able to create dietician with invalid data</u>	3	3	0	0	0.355 s
39		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.228 s
40		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.257 s
41		<u>Check admin able to create dietician with valid data</u>	3	3	0	0	0.221 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Dietitian Negative Flow</u>	<u>Check admin able to create dietitian with valid data and dietitian token</u>	3	3	0	0	0.244 s
43		<u>Check admin able to retrieve all dietitian with invalid method</u>	3	3	0	0	0.172 s
44		<u>Check admin able to retrieve dietitian by id with invalid method</u>	3	3	0	0	0.165 s
45		<u>Check admin able to retrieve dietitian by invalid id</u>	3	2	1	0	0.155 s
46		<u>Check admin able to retrieve dietitian by id with invalid endpoint</u>	3	3	0	0	0.210 s
47		<u>Check admin able to retrieve all dietitian with no auth</u>	3	3	0	0	0.181 s
48		<u>Check admin able to retrieve dietitian by ID with no auth</u>	3	3	0	0	0.168 s
49		<u>Check admin able to update dietitian with invalid data and dietitian id</u>	3	3	0	0	0.209 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50		<u>Check admin able to update dietician with valid data and invalid dietician id</u>	3	3	0	0	0.204 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Dietitian Negative Flow</u>	<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.218 s
52		<u>Check admin able to update dietician with valid data, dietician id and invalid method</u>	3	3	0	0	0.255 s
53	<u>Patient Module Negative</u>	<u>Check dietician able to create patient only with valid additional details</u>	4	4	0	0	0.311 s
54		<u>Check dietician able to create patient with invalid data (mandatory details)</u>	4	2	1	1	0.706 s
55		<u>Check dietician able to create patient with valid mandatory fields and invalid data (additional details)</u>	4	2	1	1	0.604 s
56		<u>Check dietician able to create patient with valid data and invalid method</u>	4	2	1	1	0.608 s
57		<u>Check dietician able to create patient with valid data and invalid endpoint</u>	4	2	1	1	0.691 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>Patient Module Negative</u>	<u>Check dietician able to create patient with valid data and invalid content type</u>	4	2	1	1	0.297 s
59		<u>Check dietician able to create patient with valid data</u>	4	2	1	1	0.601 s
60		<u>Check admin able to create patient with valid data and admin token</u>	4	2	1	1	0.535 s
61		<u>Check patient able to create patient with valid data and patient token</u>	4	2	1	1	0.677 s
62		<u>Check dietician able to update patient with mandatory fields empty and only with valid additional details</u>	4	2	1	1	0.733 s
63		<u>Check dietician able to update patient with invalid data</u>	4	2	1	1	0.667 s
64		<u>Check dietician able to update patient with valid data and invalid patient id in path parameter</u>	4	2	1	1	0.562 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
65		<u><i>Check dietician able to update patient with valid data and invalid method</i></u>	4	2	1	1	0.777 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
66	<u>Patient Module Negative</u>	<u>Check dietician able to update patient with valid data and invalid endpoint</u>	4	2	1	1	0.767 s
67		<u>Check dietician able to update patient with valid data, patient id and invalid content type</u>	4	2	1	1	0.448 s
68		<u>Check dietician able to update patient with valid data</u>	4	2	1	1	0.706 s
69		<u>Check admin able to update patient with valid data and admin token</u>	4	2	1	1	0.484 s
70		<u>Check patient able to update patient with valid data and patient token</u>	4	2	1	1	0.500 s
71		<u>Check Patient able to login as admin with invalid credential</u>	4	4	0	0	0.230 s
72		<u>Check Patient able to login as admin with valid credential and invalid method</u>	4	4	0	0	0.155 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
73		<u>Check Patient able to login as admin with valid credential and invalid endpoint</u>	4	4	0	0	0.156 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Patient Module Negative</u>	<u>Check Patient able to login as admin with valid credential and invalid content type</u>	4	4	0	0	0.529 s
75		<u>Check dietician unable to add new reports with no authorization</u>	4	2	1	1	0.885 s
76		<u>Check admin unable to add new reports with admin bearer token</u>	4	2	1	1	0.807 s
77		<u>Check patient unable to add new reports with patient bearer token</u>	4	2	1	1	0.678 s
78		<u>Check dietician unable to add new reports with invalid data</u>	4	2	1	1	0.744 s
79		<u>Check dietician unable to add new reports with valid data and invalid patient ID as path parameter</u>	4	2	1	1	0.697 s
80		<u>Check dietician unable to add new reports using POST method instead of PUT</u>	4	2	1	1	0.927 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
81		<i>Check dietician unable to add new reports using an invalid endpoint</i>	4	2	1	1	0.840 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
82	<u>Patient Module Negative</u>	<u>Check dietician unable to add new reports with invalid content type</u>	4	2	1	1	0.332 s
83		<u>Check dietician unable to retrieve all patients with no authorization</u>	4	4	0	0	0.157 s
84		<u>Check admin unable to retrieve patients with admin bearer token</u>	4	4	0	0	0.146 s
85		<u>Check patient unable to retrieve patients with patient bearer token</u>	4	3	1	0	0.173 s
86		<u>Check dietician unable to retrieve all patients with invalid HTTP method</u>	4	3	1	0	0.179 s
87		<u>Check dietician unable to retrieve all patients with invalid endpoint</u>	4	2	1	1	0.024 s
88		<u>Check dietician able to retrieve patients morbidity details by patient ID</u>	4	4	0	0	0.175 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Patient Module Negative</u>	<u>Check admin is able to retrieve patients morbidity details by patient ID</u>	4	1	1	2	0.008 s
90		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid method</u>	4	4	0	0	0.172 s
91		<u>Check dietician able to retrieve patients morbidity details by invalid patient ID</u>	4	2	1	1	0.049 s
92		<u>Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint</u>	4	4	0	0	0.221 s
93		<u>Check dietician able to retrieve patients by field</u>	4	2	1	1	0.014 s
94		<u>Check admin is able to retrieve patients by field</u>	4	2	1	1	0.013 s
95		<u>Check dietician able to retrieve patients by field with invalid method</u>	4	2	1	1	0.017 s
96		<u>Check dietician able to retrieve patients by invalid field</u>	4	2	1	1	0.011 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
97		<i>Check dietician able to retrieve patients by field with invalid endpoint</i>	4	2	1	1	0.048 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>Morbidity Module Negative feature</u>	<u>Check dietician able to retrieve all morbidities details</u>	3	3	0	0	0.194 s
99		<u>Check patient is able to retrieve all morbidities details</u>	3	2	1	0	0.154 s
10-0		<u>Check admin able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.158 s
10-1		<u>Check admin able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.168 s
10-2		<u>Check dietician able to retrieve all morbidities details with invalid method</u>	3	3	0	0	0.152 s
10-3		<u>Check dietician able to retrieve all morbidities details with invalid endpoint</u>	3	3	0	0	0.162 s
10-4		<u>Check dietician able to retrieve morbidity condition by test name</u>	3	3	0	0	0.178 s
10-5		<u>Check patient is able to retrieve morbidity condition by test name</u>	3	2	1	0	0.334 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-6		<u>Check admin able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.179 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Morbidity Module Negative feature</u>	<u>Check admin able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.217 s
10-8		<u>Check admin able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.190 s
10-9		<u>Check dietician able to retrieve morbidity condition by test name with invalid method</u>	3	3	0	0	0.185 s
11-0		<u>Check dietician able to retrieve morbidity condition by invalid test name</u>	3	3	0	0	0.189 s
11-1		<u>Check dietician able to retrieve morbidity condition by test name with invalid endpoint</u>	3	3	0	0	0.202 s
11-2	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by id with invalid method</u>	3	3	0	0	0.202 s
11-3		<u>Check dietician able to delete patient by invalid id</u>	3	3	0	0	0.169 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4		<i>Check dietician able to delete patient by id with invalid endpoint</i>	3	3	0	0	0.176 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check dietician able to delete patient by ID</u>	3	3	0	0	0.177 s
11-6		<u>Check patient able to logout with invalid method</u>	3	2	1	0	0.166 s
11-7		<u>Check patient able to logout</u>	3	3	0	0	0.169 s
11-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.218 s
11-9		<u>Check admin able to delete dietician by id with invalid method</u>	3	3	0	0	0.196 s
12-0		<u>Check admin able to delete dietician by invalid id</u>	3	2	1	0	0.178 s
12-1		<u>Check admin able to delete dietician by id with invalid endpoint</u>	3	3	0	0	0.246 s
12-2		<u>Check dietician able to logout with invalid method</u>	3	3	0	0	0.229 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-3		<i>Check dietician able to logout</i>	3	3	0	0	0.181 s
12-4		<i>Check admin able to logout with invalid method</i>	3	3	0	0	0.157 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12-5	<u>All Modules Delete and logout Modules Negative</u>	<u>Check admin able to logout</u>	3	3	0	0	0.169 s
12-6	<u>All Modules Delete and logout Modules Positive</u>	<u>Check dietician able to delete patient by ID</u>	3	3	0	0	0.176 s
12-7		<u>Check patient able to logout</u>	3	3	0	0	0.162 s
12-8		<u>Check admin able to delete dietician by ID</u>	3	3	0	0	0.168 s
12-9		<u>Check dietician able to logout</u>	3	3	0	0	0.182 s
13-0		<u>Check admin able to logout</u>	3	3	0	0	0.237 s

User Admin Post Request

PASSED	DURATION - 8.281 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:09:47.526 PM // 12:09:55.807 PM /					

Check user able to login as admin with valid data


PASSED	DURATION - 8.257 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:09:47.550 PM // 12:09:55.807 PM /					
User Admin Post Request					
@tag01 @Test01					

#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	4.528 s
2	When User send POST HTTP request with endpoint	PASSED	3.472 s
3	Then User receives 200 created with response body	PASSED	0.009 s

Dietitian Positive Flow


PASSED	DURATION - 6.517 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 12:09:56.094 PM // 12:10:02.611 PM /					

Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 1	PASSED	0.274 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.324 s
3	Then Admin receives 201 created and with response body	PASSED	0.851 s

Check admin able to create dietician with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 2	PASSED	0.195 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.310 s
3	Then Admin receives 201 created and with response body	PASSED	0.140 s

Check admin able to create dietician with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request and get the token	PASSED	0.004 s
2	When Admin send POST "Post_UserDieticianLoginurl" request with endpoint	PASSED	0.263 s
3	Then Admin receives dietician token	PASSED	0.020 s

Check admin able to retrieve all dietician




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.041 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	3.221 s
3	Then Admin receives 200 afterGet and with response body	PASSED	0.007 s

Check admin able to retrieve dietician by ID




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.004 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.167 s
3	Then Admin receives 200 afterGet and with response body	PASSED	0.001 s

Check admin able to update dietician with valid data , dietician id and token




#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 1	PASSED	0.132 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.194 s
3	Then Admin receives 200 afterPost and with response body	PASSED	0.001 s

Patient Module Positive



Check dietician able to create patient with valid data and token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.017 s
2	Given Dietician creates POST request by entering valid data. (Mandatory and additional details) into the form-data key and value fields.	PASSED	0.000 s
3	<p>When Dietician send POST http request with endpoint</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238)</pre>	FAILED	1.562 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		


#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint(PatientModule.java:66) at ?.Dietician send POST http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:11) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 201 created and with response body. (Auto created dietician ID and login password)	SKIPPED	0.002 s

Check dietician able to create patient only with valid mandatory details




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates POST request only by valid mandatory details into the form-data key and value fields.	PASSED	0.003 s
3	When Dietician send POST http request with endpoint only with valid mandatory details	PASSED	0.969 s
4	Then Dietician receives 201 created and with response body. (Auto created dietician ID and login password)	PASSED	0.000 s

Check user able to login as Patient with valid data(Patient token)



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.009 s
2	Given User creates Patient Post request with request body	PASSED	0.002 s
3	When User send Patient POST HTTP request with endpoint	PASSED	0.275 s
4	Then Patient receives 200 created with response body java.lang.AssertionError: expected:<401> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.patient_recieves_created_with_response_body(PatientModule.java:131) at ?.Patient receives 200 created with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.002 s


Check dietician able to update patient with existing file by not attaching new file



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.005 s
2	Given Dietician creates PUT request by not attaching any file into the form-data key and value fields. java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByNotAttachingAnyFileIntoTheFormDataKeyAndValueFields(PatientModule.java:185) at ?.Dietician creates PUT request by not attaching any file into the form-data key and value fields.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:30) * Not displayable characters are replaced by '?'.		
3	When Dietician send PUT http request with endpoint with existing file by not attaching new file	SKIPPED	0.001 s
4	Then Dietician receives 200 ok and with updated response body	SKIPPED	0.001 s

Check dietician able to update patient with valid data, patient id and token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering valid data. (Mandatory and additional details) into the form-data key and value fields.	PASSED	0.012 s
3	When Dietician send PUT http request with endpoint with valid data java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134)	FAILED	0.917 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_with_valid_data(PatientModule.java:668) at ?.Dietician send PUT http request with endpoint with valid data(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:37) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 200 ok and with updated response body	SKIPPED	0.001 s

Check dietician able to update patient only with valid mandatory details

PASSED	DURATION - 0.804 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:10:06.733 PM // 12:10:07.537 PM /				
Patient Module Positive				
@Test06 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields.	PASSED	0.004 s
3	When Dietician send PUT http request with endpoint only valid mandatory details	PASSED	0.780 s
4	Then Dietician receives 200 ok and with updated response body	PASSED	0.003 s

Check dietician able to add new reports with vitals for existing patient with valid data

FAILED	DURATION - 1.121 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 12:10:07.566 PM // 12:10:08.687 PM /				
Patient Module Positive				
@tag03 @Test07				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data(Mandatory and additional details) into the form-data key and value fields and valid patient ID	PASSED	0.003 s
3	When Dietician send PUT http request with endpoint by add new reports with vitals for existing patient with valid data java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134)	FAILED	1.105 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_send_put_http_request_with_endpoint_by_add_new_reports_with_vitals_for_existing_patient_with_valid_data(PatientModule. java:211) at ?.Dietician send PUT http request with endpoint by add new reports with vitals for existing patient with valid data(file:///C:/Users/shanj/vino- workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:49) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 200 ok and with updated response body	SKIPPED	0.001 s

Check dietician able to add only new vitals without reports for existing patient without existing report



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID without reports for existing patient without existing report	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID without reports for existing patient without existing report	PASSED	0.882 s
4	Then Dietician receives 200 OK and the response body contains updated details java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_ok_and_the_response_body_contains_updated_details(PatientModule.java:755) at ?.Dietician receives 200 OK and the response body contains updated details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:58) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check dietician able to add new reports with only valid mandatory details for existing patient




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.006 s
2	Given Dietician creates PUT request by entering valid data (Mandatory only) into the form-data key and value fields and valid patient ID	PASSED	0.008 s
3	<p>When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid mandatory details</p> <pre>java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)</pre>	FAILED	0.898 s

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. </pre>		

#	Step / Hook Details	Status	Duration
	dietician_sends_put_http_request_to_the_endpoint_with_valid_patient_id_add_new_reports_with_only_valid_mandatory_details(PatientModule.java:781) at ?.Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid mandatory details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:64) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 200 OK and the response body contains updated details	SKIPPED	0.003 s


Check dietician able to add new reports without vitals for existing patient with valid data



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.006 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except valid vitals data and valid patient ID java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataIntoTheFormaDataKeyAndValueFieldsExceptValidVitalsDataAndValidPatient	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	_id(PatientModule.java:724) at ?.Dietician creates PUT request by entering valid data into the form-data key and value fields except valid vitals data and valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:76) * Not displayable characters are replaced by '?'.		
3	When Dietician send PUT http request to the endpoint with valid patient ID	SKIPPED	0.001 s
4	Then Dietician receives 200 ok and with updated response body contains updated details	SKIPPED	0.001 s

Check dietician able to add only new vitals without reports for existing patient with existing report




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields except file and valid patient ID	PASSED	0.002 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238)	FAILED	0.877 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sends_put_http_request_to_the_endpoint_with_valid_patient_id(PatientModule.java:750) at ?.Dietician sends PUT HTTP request to the endpoint with valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:84) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 200 OK and the response body contains updated details	SKIPPED	0.001 s


Check dietician able to add new reports with only valid additional details for existing patient



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>valid patient ID java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. dieticianCreatesPutRequestByEnteringValidDataAdditionalDetailsOnlyIntoTheFormDataContractKeyAndValueFieldsAndValidPatientId(PatientModule.java:787) at ?.Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and valid patient ID(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:90) * Not displayable characters are replaced by '?'.</pre>		
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID add new reports with only valid additional details	SKIPPED	0.001 s
4	Then Dietician receives 200 OK and the response body contains updated details	SKIPPED	0.001 s


Check dietician able to retrieve all patients with valid dietician token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates GET request to the endpoint	PASSED	0.002 s



#	Step / Hook Details	Status	Duration
3	When Dietician sends GET HTTP request to the endpoint with dietician bearer token	PASSED	0.167 s
4	Then Dietician receives 200 OK with response body containing patient details	PASSED	0.001 s

Check dietician able to retrieve patients morbidity details by patient Endpoint with Dietician Token





#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request patients morbidity details by endpoint as patient java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule.dietician_create_get_request_patients_morbidity_details_by_endpoint_as_patient(PatientModule.java:1022) at ?.Dietician create GET request patients morbidity details by endpoint as patient(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:105) * Not displayable characters are replaced by '?'.	FAILED	0.007 s
3	When Dietician send GET http request with endpoint by endpoint as patient	SKIPPED	0.000 s
4	Then Dietician recieves 200 ok with details morbidity details by endpoint as patient	SKIPPED	0.002 s

Check dietician able to retrieve patients by file Id with Dietician Token

FAILED	DURATION - 0.023 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 12:10:11.827 PM // 12:10:11.850 PM /				
Patient Module Positive				
@Test15 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician create GET request by field Id with Dietician Token	PASSED	0.003 s
3	When Dietician create GET request patients morbidity details by endpoint as patient File id java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.dietician_create_get_request_patients_morbidity_details_by_endpoint_as_patient_file_id(PatientModule.java:1047) at ?.Dietician create GET request patients morbidity details by endpoint as patient File id(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:113) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
4	Then Dietician receives 200 ok with details of the patient id by field with Dietician Token	SKIPPED	0.001 s


Check Patient able to retrieve patients morbidity details by patient Endpoint with Patient Token

FAILED	DURATION - 0.010 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 12:10:11.868 PM // 12:10:11.878 PM /				
Patient Module Positive				
@Test16 @tag03				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient create GET request retrieve patients morbidity details by patient Endpoint with Patient Token	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule. patient_create_get_request_retrieve_patients_morbidity_details_by_patient_endpoint_with_patient_token(PatientModule.java:1059) at ?.Patient create GET request retrieve patients morbidity details by patient Endpoint with Patient Token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:119) * Not displayable characters are replaced by '?'.</pre>		
3	When Patient send GET http request with retrieve patients morbidity details by patient Endpoint with Patient Token	SKIPPED	0.000 s
4	Then Patient receives 200 ok with retrieve patients morbidity details by patient Endpoint with Patient Token	SKIPPED	0.000 s

Check Patient able to retrieve patients by field Id with Patient Token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Check patient is able to retrieve patients morbidity details by File ID with Patient Token	PASSED	0.001 s
3	When Patient create GET request patients morbidity details by endpoint as patient java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at api.stepdefinitions.PatientModule.patient_create_get_request_patients_morbidity_details_by_endpoint_as_patient(PatientModule.java:1082) at ?.Patient create GET request patients morbidity details by endpoint as patient(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/03_PatientModulePositive.feature:127) * Not displayable characters are replaced by '?'.		
4	Then Patient receives 200 ok with details of the patient id by field with Patient Token	SKIPPED	0.000 s

Morbidity Module Positive with Admin Token





Check admin able to retrieve all morbidities details with admin token




#	Step / Hook Details	Status	Duration
1	Given admin create GET request with all morbidities details admin token	PASSED	0.002 s
2	When admin send GET http request with all morbidities details endpoint	PASSED	0.222 s
3	Then admin receives 200 ok with all morbidities details patient id	PASSED	0.034 s

Check admin able to retrieve morbidity condition by test name with admin token



PASSED	DURATION - 0.174 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:12.240 PM // 12:10:12.414 PM /				
Morbidity Module Positive with Admin Token				
@Test02 @tag04				

#	Step / Hook Details	Status	Duration
1	Given admin create GET request with morbidity condition by test name with admin token	PASSED	0.004 s
2	When admin send GET http request with morbidity condition by test name endpoint	PASSED	0.149 s
3	Then admin receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.016 s

Morbidity Module Dietician Token

PASSED	DURATION - 0.398 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:10:12.439 PM // 12:10:12.837 PM /					


Check dietician able to retrieve all morbidities details

PASSED	DURATION - 0.189 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:12.440 PM // 12:10:12.629 PM /				
Morbidity Module Dietician Token				
@Test01 @tag05				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve all morbidities details	PASSED	0.002 s
2	When Dietician send GET http request with endpoint to retrieve all morbidities details	PASSED	0.180 s


#	Step / Hook Details	Status	Duration
3	Then admin receives 200 ok with details of the patient id to retrieve all morbidities details	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with dietician token to retrieve morbidity condition by test name	PASSED	0.004 s
2	When Dietician send GET http request with morbidity condition by test name to retrieve morbidity condition by test name	PASSED	0.166 s
3	Then Dietician receives 200 ok with morbidity condition by test name endpoint details of the patient id	PASSED	0.009 s

User Admin Post Request Negative



Check user able to login as admin with invalid credential



#	Step / Hook Details	Status	Duration
1	Given User creates Post request with invalid credential	PASSED	0.124 s
2	When User send POST HTTP request with invalid credential and endpoint	PASSED	0.292 s
3	Then User receives 401 unauthorized	PASSED	0.001 s

Check user able to login as admin with valid credential and invalid method

PASSED	DURATION - 0.257 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:13.308 PM // 12:10:13.565 PM /				
User Admin Post Request Negative				
@Test02 @tag06				


#	Step / Hook Details	Status	Duration
1	Given User creates GET request with request body.	PASSED	0.084 s
2	When User send GET HTTP request with endpoint	PASSED	0.169 s
3	Then User receives 405 method not allowed	PASSED	0.002 s

Check user able to login as admin with valid credential and invalid endpoint

PASSED	DURATION - 0.275 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:13.588 PM // 12:10:13.863 PM /				
User Admin Post Request Negative				
@Test03 @tag06				

#	Step / Hook Details	Status	Duration
1	Given User creates Post request with request body	PASSED	0.095 s
2	When User send POST HTTP request with invalid endpoint	PASSED	0.175 s
3	Then User receives 401 unauthorized	PASSED	0.001 s

Check user able to login as admin with valid credential and invalid content type




#	Step / Hook Details	Status	Duration
1	<p>Given User creates Post request with request body and invalid content type.</p> <pre>java.lang.IllegalArgumentException: Cannot serialize because cannot determine how to serialize content-type text/html at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.mapping.ObjectMapping.serialize(ObjectMapping.groovy:180) at io.restassured.internal.mapping.ObjectMapping\$serialize.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:770) at api.stepdefinitions.UserAdminLogin.userCreatesPostRequestWithRequestBodyAndInvalidContentType(UserAdminLogin.java:106) at ?.User creates Post request with request body and invalid content type.(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/06_UserAdminLoginNegative.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.124 s
2	When User send POST HTTP request with invalid content type endpoint	SKIPPED	0.004 s
3	Then User receives 415 unsupported media type	SKIPPED	0.001 s

Dietitian Negative Flow




Check admin able to create dietician with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 3	PASSED	0.052 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.154 s
3	Then Admin receives 400 created and with response body	PASSED	0.148 s


Check admin able to create dietician with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 4	PASSED	0.047 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.146 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 created and with response body	PASSED	0.106 s

Check admin able to create dietician with invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 5	PASSED	0.064 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.153 s
3	Then Admin receives 400 created and with response body	PASSED	0.117 s

Check admin able to create dietician with invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 6	PASSED	0.045 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.141 s
3	Then Admin receives 400 created and with response body	PASSED	0.196 s

Check admin able to create dietician with invalid data

PASSED	DURATION - 0.306 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:15.597 PM // 12:10:15.903 PM /				
Dietitian Negative Flow				
@Negative_01_Post @tag07				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 7	PASSED	0.064 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.148 s
3	Then Admin receives 400 created and with response body	PASSED	0.088 s

Check admin able to create dietician with invalid data

PASSED	DURATION - 0.355 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:15.916 PM // 12:10:16.271 PM /				
Dietitian Negative Flow				
@Negative_01_Post @tag07				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with invalid additional details "DietitianPost", 8	PASSED	0.042 s
2	When Admin send POST "Post_CreateDietitianInvalidData" request with endpoint	PASSED	0.155 s
3	Then Admin receives 400 created and with response body	PASSED	0.153 s

Check admin able to create dietician with valid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 9	PASSED	0.043 s
2	When Admin send PUT "Post_CreateDietitian" request with endpoint	PASSED	0.161 s
3	Then Admin receives 405 created and with response body	PASSED	0.020 s

Check admin able to create dietician with valid data





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with valid data "DietitianPost", 10	PASSED	0.045 s
2	When Admin send POST "Post_CreateDietitianInvalidEndpoint" request with endpoint	PASSED	0.182 s
3	Then Admin receives 404 created and with response body	PASSED	0.021 s

Check admin able to create dietician with valid data

PASSED	DURATION - 0.221 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:16.829 PM // 12:10:17.050 PM /				
Dietitian Negative Flow				
@Negative_05_Post @tag07				


#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with no auth "DietitianPost", 12	PASSED	0.043 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.146 s
3	Then Admin receives 401 created and with response body	PASSED	0.026 s

Check admin able to create dietician with valid data and dietician token

PASSED	DURATION - 0.244 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:17.071 PM // 12:10:17.315 PM /				
Dietitian Negative Flow				
@Negative_06_Post @tag07				


#	Step / Hook Details	Status	Duration
1	Given Check admin able to create dietician with valid data with dietitian token "DietitianPost", 12	PASSED	0.057 s
2	When Admin send POST "Post_CreateDietitian" request with endpoint	PASSED	0.155 s
3	Then Admin receives 403 created and with response body	PASSED	0.030 s

Check admin able to retrieve all dietician with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.001 s
2	When Admin send PUT "Get_AllDietitian" request with GetRequest endpoint	PASSED	0.143 s
3	Then Admin receives 405 afterGet and with response body	PASSED	0.023 s

Check admin able to retrieve dietician by id with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.006 s
2	When Admin send POST "Get_AllDietitianByID" request with GetRequest endpoint	PASSED	0.139 s
3	Then Admin receives 405 afterGet and with response body	PASSED	0.016 s

Check admin able to retrieve dietician by invalid id




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.002 s
2	When Admin send GET "Get_AllDietitianByID" request with "r4567"	PASSED	0.145 s
3	Then Admin receives 404 afterGet and with response body java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_get_and_with_response_body(DietitianPost.java:363) at ?.Admin receives 404 afterGet and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/07_DietitianModuleNegative.feature:95) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check admin able to retrieve dietician by id with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin create GET request	PASSED	0.002 s
2	When Admin send GET "Get_ALLDietitianInvalidEndpoint" request with invalid endpoint	PASSED	0.192 s
3	Then Admin receives 404 afterGet and with response body	PASSED	0.013 s

Check admin able to retrieve all dietician with no auth





#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.001 s
2	When Admin send GET "Get_AllDietitian" request with endpoint	PASSED	0.147 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.031 s

Check admin able to retrieve dietician by ID with no auth





#	Step / Hook Details	Status	Duration
1	Given Admin create GET request with no auth	PASSED	0.003 s
2	When Admin send GET "Get_AllDietitianByID" request with endpoint	PASSED	0.138 s
3	Then Admin receives 401 afterGet and with response body	PASSED	0.023 s

Check admin able to update dietician with invalid data and dietician id

PASSED	DURATION - 0.209 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:18.499 PM // 12:10:18.708 PM /				
Dietitian Negative Flow				
@tag07 @Negative_14_PUT				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 2	PASSED	0.054 s
2	When Admin send valid PUT "Put_Dietitian" request with endpoint	PASSED	0.150 s
3	Then Admin receives 400 afterPost and with response body	PASSED	0.001 s

Check admin able to update dietician with valid data and invalid dietician id

PASSED	DURATION - 0.204 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:18.721 PM // 12:10:18.925 PM /				
Dietitian Negative Flow				
@Negative_15_PUT @tag07				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 3	PASSED	0.049 s
2	When Admin send valid PUT "Put_Dietitian" request with "bhsg4"	PASSED	0.152 s
3	Then Admin receives 400 afterPost and with response body	PASSED	0.000 s

Check admin able to update dietician with valid data, dietician id and invalid method

PASSED	DURATION - 0.218 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:18.951 PM // 12:10:19.169 PM /				
Dietitian Negative Flow				
@Negative_16_PUT @tag07				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 4	PASSED	0.045 s
2	When Admin send valid POST "Put_Dietitian" request with	PASSED	0.141 s
3	Then Admin receives 405 afterPost and with response body	PASSED	0.024 s

Check admin able to update dietician with valid data, dietician id and invalid method


PASSED	DURATION - 0.255 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:19.198 PM // 12:10:19.453 PM /				
Dietitian Negative Flow				
@Negative_17_PUT @tag07				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT request with valid data "DietitianPut", 5	PASSED	0.059 s
2	When Admin send valid PUT "Put_DietitianInvalidEndpoint" request with	PASSED	0.152 s
3	Then Admin receives 404 afterPost and with response body	PASSED	0.034 s

Patient Module Negative




Check dietician able to create patient only with valid additional details



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.005 s
2	Given Dietician creates POST request only by valid additional details into the form-data key and value fields.	PASSED	0.002 s
3	When Dietician send POST http request with endpoint only for valid additional details	PASSED	0.287 s
4	Then Dietician receives 400 Bad request	PASSED	0.000 s

Check dietician able to create patient with invalid data (mandatory details)




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	Given Dietician creates POST request only by invalid mandatory details into the form-data key and value fields.	PASSED	0.002 s
3	<p>When Dietician send POST http request with endpoint only for invalid mandatory details</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)</pre>	FAILED	0.699 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint_only_for_invalid_mandatory_details(PatientModule.java:252) at ?.Dietician send POST http request with endpoint only for invalid mandatory details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:17) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 400 Bad request	SKIPPED	0.000 s

Check dietician able to create patient with valid mandatory fields and invalid data (additional details)




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
2	Given Dietician creates POST request only by invalid additional details into the form-data key and value fields.	PASSED	0.004 s
3	<p>When Dietician send POST http request with endpoint for valid mandatory fields and invalid additional details</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)</pre>	FAILED	0.588 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_send_post_http_request_with_endpoint_for_valid_mandatory_fields_and_invalid_additional_details(PatientModule.java:269) at ?.Dietician send POST http request with endpoint for valid mandatory fields and invalid additional details(file:///C:/Users/shanj/vino- workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:23) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 400 Bad request	SKIPPED	0.001 s

Check dietician able to create patient with valid data and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s

#	Step / Hook Details	Status	Duration
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.002 s
3	<p>When Dietician send PUT http request with endpoint</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)</pre>	FAILED	0.591 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint(PatientModule.java:286) at ?.Dietician send PUT http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:29) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 405 method not allowed	SKIPPED	0.000 s

Check dietician able to create patient with valid data and invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	When Dietician sent POST http request with invalid endpoint <i>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified)</i> at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209)	FAILED	0.686 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sent_post_http_request_with_invalid_endpoint(PatientModule.java:308) at ?.Dietician sent POST http request with invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:35) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 404 not found	SKIPPED	0.000 s

Check dietician able to create patient with valid data and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.001 s
3	<p>When Dietician send POST http request with endpoint and invalid content type</p> <pre>java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor293.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)</pre>	FAILED	0.286 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:330) at ?.Dietician send POST http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:41) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.000 s

Check dietician able to create patient with valid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.002 s
3	<p>When Dietician send POST http request with endpoint</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209)</pre>	FAILED	0.593 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint(PatientModule.java:66) at ?.Dietician send POST http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:53)		
4	* Not displayable characters are replaced by '?'. Then Dietician receives 401 unauthorized	SKIPPED	0.001 s

Check admin able to create patient with valid data and admin token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	<p>When Admin send POST http request with endpoint</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.531 s

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.admin_send_post_http_request_with_endpoint(PatientModule.java:368) at ?.Admin send POST http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:60) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 403 forbidden	SKIPPED	0.000 s

Check patient able to create patient with valid data and patient token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Patient creates POST request by entering valid data into the form-data key and value fields.	PASSED	0.005 s
3	<p>When Patient send POST http request with endpoint</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.658 s

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.patient_send_post_http_request_with_endpoint(PatientModule.java:387) at ?.Patient send POST http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:67) * Not displayable characters are replaced by '?'. </pre>		
4	Then Patient receives 403 forbidden	SKIPPED	0.001 s

Check dietician able to update patient with mandatory fields empty and only with valid additional details




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering only valid additional details into the form-data key and value fields.	PASSED	0.001 s
3	<p>When Dietician send PUT http request with endpoint by mandatory fields empty only valid additional details</p> <pre>java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480)</pre>	FAILED	0.723 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) </pre>		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_send_put_http_request_with_endpoint_by_mandatory_fields_empty_only_valid_additional_details(PatientModule.java:413) at ?.Dietician send PUT http request with endpoint by mandatory fields empty only valid additional details(file:///C:/Users/shanj/vino- workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:74) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 400 Bad request	SKIPPED	0.000 s

Check dietician able to update patient with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Dietician creates PUT request by entering only invalid additional details into the form-data key and value fields.	PASSED	0.001 s
3	<p>When Dietician send PUT http request with endpoint by only invalid additional details</p> <pre> java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartEntity.writeTo(MultipartEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) </pre>	FAILED	0.656 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_by_only_invalid_additional_details(PatientModule.java:430) at ?.Dietician send PUT http request with endpoint by only invalid additional details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:80) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 400 Bad request	SKIPPED	0.000 s

Check dietician able to update patient with valid data and invalid patient id in path parameter




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering only valid mandatory details into the form-data key and value fields with invalid patient id	PASSED	0.001 s
3	<p>When Dietician send PUT http request with endpoint by valid data and invalid patient id</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)</pre>	FAILED	0.555 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_by_valid_data_and_invalid_patient_id(PatientModule.java:447) at ?.Dietician send PUT http request with endpoint by valid data and invalid patient id(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:86) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
4	Then Dietician receives 400 Bad request	SKIPPED	0.001 s

Check dietician able to update patient with valid data and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields	PASSED	0.002 s
3	When Dietician send POST http request with endpoint entering valid data invalid method java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141)	FAILED	0.768 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_post_http_request_with_endpoint_entering_valid_data_invalid_method(PatientModule.java:466) at ?.Dietician send POST http request with endpoint entering valid data invalid method(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:92) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 405 method not allowed	SKIPPED	0.001 s

Check dietician able to update patient with valid data and invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create PUT request by entering valid data into the form-data key and value fields	PASSED	0.001 s
3	When Dietician sent PUT http request with invalid endpoint java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source)	FAILED	0.761 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sent_put_http_request_with_invalid_endpoint(PatientModule.java:481) at ?.Dietician sent PUT http request with invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:98) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 404 not found	SKIPPED	0.000 s

Check dietician able to update patient with valid data, patient id and invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and invalid content type	PASSED	0.002 s
3	When Dietician send PUT http request with endpoint and invalid content type <pre> java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) </pre>	FAILED	0.437 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor293.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_and_invalid_content_type(PatientModule.java:500) at ?.Dietician send PUT http request with endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:104) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 415 unsupported media type	SKIPPED	0.000 s

Check dietician able to update patient with valid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and sets no auth	PASSED	0.001 s
3	<p>When Dietician send PUT http request with endpoint for sets no auth</p> <pre> java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) </pre>	FAILED	0.697 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_send_put_http_request_with_endpoint_for_sets_no_auth(PatientModule.java:520) at ?.Dietician send PUT http request with endpoint for sets no auth(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:111) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 401 unauthorized	SKIPPED	0.001 s

Check admin able to update patient with valid data and admin token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.001 s
3	<p>When Admin send PUT http request with endpoint</p> <pre>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)</pre>	FAILED	0.477 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.admin_send_put_http_request_with_endpoint(PatientModule.java:534) at ?.Admin send PUT http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:118) * Not displayable characters are replaced by '?'.		
4	Then Admin receives 403 forbidden	SKIPPED	0.000 s

Check patient able to update patient with valid data and patient token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields.	PASSED	0.000 s
3	When Patient send PUT http request with endpoint <i>java.io.FileNotFoundException: .\HyperThyroid_Report.pdf (The system cannot find the file specified)</i> at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source)	FAILED	0.494 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		


#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.patient_send_put_http_request_with_endpoint(PatientModule.java:548) at ?.Patient send PUT http request with endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:125) * Not displayable characters are replaced by '?'. </pre>		
4	Then Patient receives 403 forbidden	SKIPPED	0.001 s

Check Patient able to login as admin with invalid credential




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates Post request with invalid credential	PASSED	0.000 s
3	When Patient send POST HTTP request with invalid credential and endpoint	PASSED	0.225 s
4	Then Patient receives 401 unauthorized	PASSED	0.000 s

Check Patient able to login as admin with valid credential and invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Patient creates GET request with request body.	PASSED	0.003 s
3	When Patient send GET HTTP request with endpoint	PASSED	0.141 s
4	Then Patient receives 405 method not allowed	PASSED	0.001 s

Check Patient able to login as admin with valid credential and invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Patient creates Post request with request body.	PASSED	0.003 s
3	When Patient send POST HTTP request with invalid endpoint	PASSED	0.147 s
4	Then Patient receives 404 notfound	PASSED	0.001 s

Check Patient able to login as admin with valid credential and invalid content type



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Patient creates Post request with request body and invalid content type.	PASSED	0.004 s
3	When Patient send POST HTTP request with invalid content type endpoint	PASSED	0.515 s
4	Then Patient receives 415 unsupported media type	PASSED	0.001 s

Check dietician unable to add new reports with no authorization




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.003 s
3	When Dietician sends PUT HTTP request to the endpoint with no authorization java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157)	FAILED	0.868 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sends_put_http_request_to_the_endpoint_with_no_authorization(PatientModule.java:912) at ?.Dietician sends PUT HTTP request to the endpoint with no authorization(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:158) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 401 Unauthorized	SKIPPED	0.001 s

Check admin unable to add new reports with admin bearer token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Admin creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.003 s
3	<p>When Admin sends PUT HTTP request to the endpoint with admin bearer token</p> <pre>java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)</pre>	FAILED	0.787 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.admin_sends_put_http_request_to_the_endpoint_with_admin_bearer_token(PatientModule.java:925) at ?.Admin sends PUT HTTP request to the endpoint with admin bearer token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:165) * Not displayable characters are replaced by '?'.		
4	Then Admin receives 403 Forbidden	SKIPPED	0.001 s

Check patient unable to add new reports with patient bearer token




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Patient creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	<p>When Patient sends PUT HTTP request to the endpoint with patient bearer token</p> <pre>java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source)</pre>	FAILED	0.664 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.patient_sends_put_http_request_to_the_endpoint_with_patient_bearer_token(PatientModule.java:938) at ?.Patient sends PUT HTTP request to the endpoint with patient bearer token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:172) * Not displayable characters are replaced by '?'. </pre>		
4	Then Patient receives 403 Forbidden	SKIPPED	0.000 s

Check dietician unable to add new reports with invalid data




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates PUT request by entering invalid data (Additional details only) into the form-data key and value fields and valid patient ID	PASSED	0.000 s
3	When Dietician sends PUT HTTP request to the endpoint with valid patient ID and with invalid data <pre> java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) </pre>	FAILED	0.734 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_sends_put_http_request_to_the_endpoint_with_valid_patient_id_and_with_invalid_data(PatientModule.java:953) at ?.Dietician sends PUT HTTP request to the endpoint with valid patient ID and with invalid data(file:///C:/Users/shanj/vino-workspace/ Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:179) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 400 Bad Request	SKIPPED	0.000 s

Check dietician unable to add new reports with valid data and invalid patient ID as path parameter




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data (Additional details only) into the form-data key and value fields and invalid patient ID	PASSED	0.003 s
3	<p>When Dietician sends PUT HTTP request to the endpoint with invalid patient ID as path parameter</p> <pre>java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)</pre>	FAILED	0.686 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_sends_put_http_request_to_the_endpoint_with_invalid_patient_id_as_path_parameter(PatientModule.java:972) at ?.Dietician sends PUT HTTP request to the endpoint with invalid patient ID as path parameter(file:///C:/Users/shanj/vino-workspace/ Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:186) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
4	Then Dietician receives 400 Bad Request	SKIPPED	0.001 s

Check dietician unable to add new reports using POST method instead of PUT




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician creates POST request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.002 s
3	When Dietician sends POST HTTP request to the endpoint and add new reports using POST method java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141)	FAILED	0.916 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_sends_post_http_request_to_the_endpoint_and_add_new_reports_using_post_method(PatientModule.java:987) at ?.Dietician sends POST HTTP request to the endpoint and add new reports using POST method(file:///C:/Users/shanj/vino-workspace/ Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:193) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 405 Method Not Allowed	SKIPPED	0.000 s

Check dietician unable to add new reports using an invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID	PASSED	0.000 s
3	<p>When Dietician sends PUT HTTP request to an invalid endpoint and unable to add new reports</p> <pre>java.io.FileNotFoundException: .\HypoThyroid-Report.pdf (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116) at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134) at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157) at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113) at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source) at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110) at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96) at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110) at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118) at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274) at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214) at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238) at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123) at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679) at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481) at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:496) at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:453) at io.restassured.internal.http.HTTPBuilder\$request\$3.call(Unknown Source)</pre>	FAILED	0.832 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1480) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendHttpRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor336.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1226) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_sends_put_http_request_to_an_invalid_endpoint_and_unable_to_add_new_reports(PatientModule.java:996) at ?.Dietician sends PUT HTTP request to an invalid endpoint and unable to add new reports(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:200) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 404 Not Found	SKIPPED	0.000 s

Check dietician unable to add new reports with invalid content type




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Dietician creates PUT request by entering valid data into the form-data key and value fields and valid patient ID with invalid content type	PASSED	0.001 s
3	<p>When Dietician sends PUT HTTP request to the endpoint and invalid content type</p> <pre> java.lang.IllegalArgumentException: Content-Type application/pdf is not valid when using multipart, it must start with "multipart/" or contain "multipart+". at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) </pre>	FAILED	0.320 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.registerRestAssuredEncoders(RequestSpecificationImpl.groovy:1412) at io.restassured.internal.RequestSpecificationImpl.this\$2\$registerRestAssuredEncoders(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor293.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1171) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		


#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule.dietician_sends_put_http_request_to_the_endpoint_and_invalid_content_type(PatientModule.java:1010) at ?.Dietician sends PUT HTTP request to the endpoint and invalid content type(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:207) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 415 Unsupported Media Type	SKIPPED	0.000 s

Check dietician unable to retrieve all patients with no authorization




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates GET request to the endpoint with no authorization	PASSED	0.000 s
3	When Dietician sends GET HTTP request to the endpoint with no authorization	PASSED	0.151 s
4	Then Dietician receives 401 Unauthorized	PASSED	0.001 s

Check admin unable to retrieve patients with admin bearer token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin creates GET request to the endpoint	PASSED	0.002 s
3	When Admin sends GET HTTP request to the endpoint with admin bearer token	PASSED	0.141 s
4	Then Admin receives 403 Forbidden	PASSED	0.001 s


Check patient unable to retrieve patients with patient bearer token



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Patient creates GET request to the endpoint	PASSED	0.002 s
3	When Patient sends GET HTTP request to the endpoint with patient bearer token	PASSED	0.156 s
4	Then Patient receives 403 Forbidden java.lang.AssertionError: expected:<401> but was:<403> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.patient_receives_forbidden(PatientModule.java:863)	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	at ?.Patient receives 403 Forbidden(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:231) * Not displayable characters are replaced by '?'.		

Check dietician unable to retrieve all patients with invalid HTTP method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician creates PUT request to the endpoint	PASSED	0.006 s
3	When Dietician sends PUT HTTP request to the endpoint with valid data	PASSED	0.159 s
4	Then Dietician receives 405 Method Not Allowed java.lang.AssertionError: expected:<401> but was:<405> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.PatientModule.dietician_receives_method_not_allowed(PatientModule.java:881) at ?.Dietician receives 405 Method Not Allowed(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:238) * Not displayable characters are replaced by '?'.	FAILED	0.004 s

Check dietician unable to retrieve all patients with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician creates GET request to an invalid endpoint	PASSED	0.003 s
3	When Dietician sends GET HTTP request to the invalid endpoint java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key Get_InvalidGetallPatients at java.base/java.util.ResourceBundle.getObject(ResourceBundle.java:564) at java.base/java.util.ResourceBundle.getString(ResourceBundle.java:521) at api.stepdefinitions.PatientModule.dietician_sends_get_http_request_to_the_invalid_endpoint(PatientModule.java:893) at ?.Dietician sends GET HTTP request to the invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:244) * Not displayable characters are replaced by '?'. 	FAILED	0.005 s
4	Then Dietician receives 404 Not Found	SKIPPED	0.000 s


Check dietician able to retrieve patients morbidity details by patient ID



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create GET request with no auth to retrieve patients morbidity details by patient ID	PASSED	0.000 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by patient ID	PASSED	0.169 s



#	Step / Hook Details	Status	Duration
4	Then Dietician receives 401 unauthorized to retrieve patients morbidity details by patient ID	PASSED	0.002 s

Check admin is able to retrieve patients morbidity details by patient ID





#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Admin create GET request with Admin token java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.PatientModule.admin_create_get_request_with_admin_token(PatientModule.java:1113) at ?.Admin create GET request with Admin token(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:256) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	When Admin send GET http request with endpoint to retrieve patients morbidity details by patient ID	SKIPPED	0.001 s
4	Then Admin receives 403 Forbidden to retrieve patients morbidity details by patient ID	SKIPPED	0.000 s

Check dietician able to retrieve patients morbidity details by patient ID with invalid method

PASSED	DURATION - 0.172 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:10:38.880 PM // 12:10:39.052 PM /				
Patient Module Negative				
@Test39 @tag08				

#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician create POST request to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.001 s
3	When Dietician send POST http request with endpoint to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.161 s
4	Then Dietician receives 405 method not allowed to retrieve patients morbidity details by patient ID with invalid method	PASSED	0.002 s

Check dietician able to retrieve patients morbidity details by invalid patient ID

FAILED	DURATION - 0.049 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 12:10:39.078 PM // 12:10:39.127 PM /				
Patient Module Negative				
@Test40 @tag08				


#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Dietician create GET request to retrieve patients morbidity details by invalid patient ID	PASSED	0.004 s
3	When Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: patientId=1588. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor277.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor275.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor256.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)		


#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at api.stepdefinitions.PatientModule. dietician_send_get_http_request_with_endpoint_to_retrieve_patients_morbidity_details_by_invalid_patient_id(PatientModule.java:1155) at ?.Dietician send GET http request with endpoint to retrieve patients morbidity details by invalid patient ID(file:///C:/Users/shanj/vino- workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:269) * Not displayable characters are replaced by '?'. </pre>		
4	Then Dietician receives 404 not found to retrieve patients morbidity details by invalid patient ID	SKIPPED	0.001 s

Check dietician able to retrieve patients morbidity details by patient ID with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.001 s
2	Given Dietician create GET request to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.001 s
3	When Dietician send GET http request with invalid endpoint to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.209 s
4	Then Dietician receives 404 not found to retrieve patients morbidity details by patient ID with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve patients by field



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.004 s
2	Given Dietician create GET request with no auth to retrieve patients by field	PASSED	0.003 s
3	When Dietician send GET http request with endpoint to retrieve patients by field java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.dietician_send_get_http_request_with_endpoint_to_retrieve_patients_by_field(PatientModule.java:1192) at ?.Dietician send GET http request with endpoint to retrieve patients by field(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:281) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
4	Then Dietician receives 401 unauthorized to retrieve patients by field	SKIPPED	0.000 s


Check admin is able to retrieve patients by field



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.002 s
2	Given Admin create GET request to retrieve patients by field	PASSED	0.001 s
3	When Admin send GET http request with endpoint to retrieve patients by field	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.admin_send_get_http_request_with_endpoint_to_retrieve_patients_by_fiel_id(PatientModule.java:1210) at ?.Admin send GET http request with endpoint to retrieve patients by field(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:287) * Not displayable characters are replaced by '?'.		
4	Then Admin receives 403 Forbidden to retrieve patients by field	SKIPPED	0.001 s

Check dietician able to retrieve patients by field with invalid method




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.003 s
2	Given Dietician create POST request to retrieve patients by field with invalid method	PASSED	0.003 s
3	When Dietician send POST http request with endpoint to retrieve patients by field with invalid method java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule. dietician_send_post_http_request_with_endpoint_to_retrieve_patients_by_field_with_invalid_method(PatientModule.java:1228) at ?.Dietician send POST http request with endpoint to retrieve patients by field with invalid method(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:293) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
4	Then Dietician receives 405 method not allowed to retrieve patients by field with invalid method	SKIPPED	0.002 s

Check dietician able to retrieve patients by invalid field



#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.000 s
2	Given Dietician create GET request to retrieve patients by invalid fileld	PASSED	0.003 s
3	When Dietician send GET http request with endpoint to retrieve patients by invalid fileld java.lang.NullPointerException: Cannot invoke "String.concat(String)" because "api.utils.IdHolder.fileld" is null at api.stepdefinitions.PatientModule.dietician_send_get_http_request_with_endpoint_to_retrieve_patients_by_invalid_file_id(PatientModule.java:1249) at ?.Dietician send GET http request with endpoint to retrieve patients by invalid fileld(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:299) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
4	Then Dietician recieves 404 not found to retrieve patients by invalid fileld	SKIPPED	0.001 s


Check dietician able to retrieve patients by field with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Set dietician bearer token	PASSED	0.008 s
2	Given Dietician create GET request to retrieve patients by field with invalid endpoint	PASSED	0.001 s
3	When Dietician send GET http request to retrieve patients by field with invalid endpoint java.lang.NullPointerException: Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.String.replace(String.java:2956) at api.stepdefinitions.PatientModule.dietician_send_get_http_request_to_retrieve_patients_by_field_with_invalid_endpoint(PatientModule.java:1267) at ?.Dietician send GET http request to retrieve patients by field with invalid endpoint(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/08_PatientModuleNegative.feature:305) * Not displayable characters are replaced by '?'.		
4	Then Dietician receives 404 not found to retrieve patients by field with invalid endpoint	SKIPPED	0.000 s

Morbidity Module Negative feature




Check dietician able to retrieve all morbidities details




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to retrieve all morbidities details	PASSED	0.005 s
2	When Dietician send GET http request with no auth to retrieve all morbidities details	PASSED	0.176 s
3	Then Dietician receives 401 unauthorized with no auth all morbidities details	PASSED	0.002 s

Check patient is able to retrieve all morbidities details





#	Step / Hook Details	Status	Duration
1	Given Patient create GET request with patient token to retrieve all morbidities details	PASSED	0.001 s
2	When Patient send GET http request with to retrieve all morbidities details endpoint	PASSED	0.147 s
3	Then Patient receives 403 Forbidden to retrieve all morbidities details java.lang.AssertionError: expected:<401> but was:<403> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertequals(Assert.java:633) at api.stepdefinitions.MorbidityGet.patient_recieves_forbidden_to_retrieve_all_morbidities_details(MorbidityGet.java:140) at ?.Patient receives 403 Forbidden to retrieve all morbidities details(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/09_MorbidityNegativeTc.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check admin able to retrieve all morbidities details with invalid method





#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve all morbidities details with invalid method	PASSED	0.001 s
2	When admin send POST http request with endpoint to retrieve all morbidities details with invalid method	PASSED	0.149 s
3	Then admin receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.002 s

Check admin able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.168 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:40.211 PM // 12:10:40.379 PM /				
Morbidity Module Negative feature				
@tag09 @Test04				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When admin send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.163 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check dietician able to retrieve all morbidities details with invalid method

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:40.399 PM // 12:10:40.551 PM /				
Morbidity Module Negative feature				
@tag09 @Test05				



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.002 s
2	When Dietician send POST http request to retrieve all morbidities details with invalid method	PASSED	0.141 s
3	Then Dietician receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.002 s

Check dietician able to retrieve all morbidities details with invalid endpoint

PASSED	DURATION - 0.162 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:40.573 PM // 12:10:40.735 PM /				
Morbidity Module Negative feature				
@tag09 @Test06				


#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s
2	When Dietician send GET http request to retrieve all morbidities details with invalid endpoint	PASSED	0.153 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.000 s

Check dietician able to morbidity condition by test name

PASSED	DURATION - 0.178 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:40.772 PM // 12:10:40.950 PM /				
Morbidity Module Negative feature				
@tag09 @Test07				

#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request with no auth to morbidity condition by test name	PASSED	0.002 s
2	When Dietician send GET http request with morbidity condition by test name endpoint endpoint	PASSED	0.170 s
3	Then Dietician receives 401 unauthorized with morbidity condition by test name	PASSED	0.001 s


Check patient is able to retrieve morbidity condition by test name



#	Step / Hook Details	Status	Duration
1	Given Patient create GET request to retrieve morbidity condition by test name	PASSED	0.005 s
2	When Patient send GET http request with morbidity condition by test name endpoint	PASSED	0.316 s
3	<p>Then Patient receives 403 Forbidden to retrieve morbidity condition by test name</p> <p>io.cucumber.core.exception.CucumberException: Step [Patient receives 403 Forbidden to retrieve morbidity condition by test name] is defined with 1 parameters at 'api.stepdefinitions.MorbidityGet.patient_recieives_403_forbidden_to_retrieve_morbidity_condition_by_test_name(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: Patient receives 403 Forbidden to retrieve morbidity condition by test name</p> <pre>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</pre>	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

Check admin able to retrieve morbidity condition by test name with invalid method





#	Step / Hook Details	Status	Duration
1	Given admin create POST request to retrieve morbidity condition by test name with invalid method	PASSED	0.004 s
2	When admin send POST http request morbidity condition by test name endpoint	PASSED	0.163 s
3	Then admin receives 405 method not allowed to retrieve morbidity condition by test name with invalid method	PASSED	0.001 s

Check admin able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.217 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:41.587 PM // 12:10:41.804 PM /				
Morbidity Module Negative feature				
@Test10 @tag09				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.011 s
2	When admin send GET http request with invalid test name endpoint	PASSED	0.198 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check admin able to retrieve morbidity condition by test name with invalid endpoint

PASSED	DURATION - 0.190 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:41.827 PM // 12:10:42.017 PM /				
Morbidity Module Negative feature				
@Test11 @tag09				



#	Step / Hook Details	Status	Duration
1	Given admin create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.003 s
2	When admin send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.179 s
3	Then admin receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name with invalid method

PASSED	DURATION - 0.185 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:42.049 PM // 12:10:42.234 PM /				
Morbidity Module Negative feature				
@Test12 @tag09				


#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request to retrieve all morbidities details with invalid method	PASSED	0.001 s
2	When Dietician send POST http request morbidity condition by test name with invalid method endpoint	PASSED	0.174 s
3	Then Dietician receives 405 method not allowed to retrieve all morbidities details with invalid method	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by invalid test name

PASSED	DURATION - 0.189 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:42.262 PM // 12:10:42.451 PM /				
Morbidity Module Negative feature				
@Test13 @tag09				


#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.007 s
2	When Dietician send GET http request with morbidity condition by invalid test name endpoint	PASSED	0.174 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

Check dietician able to retrieve morbidity condition by test name with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Dietician create GET request to retrieve all morbidities details with invalid endpoint	PASSED	0.003 s
2	When Dietician send GET http request morbidity condition by test name with invalid endpoint	PASSED	0.193 s
3	Then Dietician receives 404 not found to retrieve all morbidities details with invalid endpoint	PASSED	0.001 s

All Modules Delete and logout Modules Negative





Check dietician able to delete patient by id with invalid method



#	Step / Hook Details	Status	Duration
1	Given Dietician create POST request	PASSED	0.005 s
2	When Dietician send POST http to delete patient by id request with endpoint	PASSED	0.156 s



#	Step / Hook Details	Status	Duration
3	Then Dietici recieves 405 method not allowed	PASSED	0.001 s

Check dietician able to delete patient by invalid id

PASSED	DURATION - 0.169 s	 / 12:10:42.978 PM // 12:10:43.147 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
All Modules Delete and logout Modules Negative				
@tag10 @Test02				



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request by invalid id	PASSED	0.003 s
2	When Dietician send DELETE http request with endpoint by invalid id	PASSED	0.159 s
3	Then Dietici recieves 401 unauthorized	PASSED	0.001 s

Check dietician able to delete patient by id with invalid endpoint

PASSED	DURATION - 0.176 s	 / 12:10:43.177 PM // 12:10:43.353 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
All Modules Delete and logout Modules Negative				
@tag10 @Test03				



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request	PASSED	0.002 s
2	When Dietician send DELETE http request with invalid endpoint	PASSED	0.167 s
3	Then Dietici recieves 404 not found	PASSED	0.000 s

Check dietician able to delete patient by ID

PASSED	DURATION - 0.177 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:43.383 PM // 12:10:43.560 PM /				
All Modules Delete and logout Modules Negative				
@tag10 @Test04				



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request with no auth	PASSED	0.005 s
2	When Dietician send DELETE http request with endpoint	PASSED	0.163 s
3	Then Dietici recieves 401 unauthorized	PASSED	0.000 s

Check patient able to logout with invalid method

FAILED	DURATION - 0.166 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:10:43.586 PM // 12:10:43.752 PM /				
All Modules Delete and logout Modules Negative				
@tag10 @Test05				



#	Step / Hook Details	Status	Duration
1	Given patient creates POST request	PASSED	0.002 s
2	When patient send POST HTTP request with endpoint	PASSED	0.158 s
3	Then patient recieves 405 method not allowed java.lang.AssertionError: expected:<401> but was:<405> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DeleteandLogoutModules.patient_recieves_method_not_allowed(DeleteandLogoutModules.java:175) at ?.patient recieves 405 method not allowed(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:35) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check patient able to logout

PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:43.785 PM // 12:10:43.954 PM /				
All Modules Delete and logout Modules Negative				
@tag10 @Test06				


#	Step / Hook Details	Status	Duration
1	Given patient creates GET request with noauth	PASSED	0.007 s
2	When patient send GET HTTP request with endpoint	PASSED	0.152 s
3	Then patient receives 401 unauthorized	PASSED	0.001 s

Check admin able to delete dietician by ID

PASSED	DURATION - 0.218 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:43.976 PM // 12:10:44.194 PM /				
All Modules Delete and logout Modules Negative				
@tag10 @Negative_07_Delete				


#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request with no auth	PASSED	0.005 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.166 s
3	Then Admin receives 401 afterDelete and with response body	PASSED	0.037 s

Check admin able to delete dietician by id with invalid method





#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send POST "Delete_Dietitian" request with endpoint with DeleteRequest endpoint	PASSED	0.148 s
3	Then Admin receives 405 afterDelete and with response body	PASSED	0.044 s

Check admin able to delete dietician by invalid id





#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.003 s
2	When Admin send Delete "Delete_Dietitian" request with "bjbj8"	PASSED	0.165 s
3	Then Admin receives 404 afterDelete and with response body java.lang.AssertionError: expected:<400> but was:<404> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at api.stepdefinitions.DietitianPost.admin_recieves_after_delete_and_with_response_body(DietitianPost.java:504) at ?.Admin recieves 404 afterDelete and with response body(file:///C:/Users/shanj/vino-workspace/Team01_API_Ninja/src/test/resources/features/10_DeleteandLogoutNegative.feature:61) * Not displayable characters are replaced by '?'.	FAILED	0.004 s

Check admin able to delete dietician by id with invalid endpoint

PASSED	DURATION - 0.246 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:44.679 PM // 12:10:44.925 PM /				
All Modules Delete and logout Modules Negative				
@tag10 @Negative_10_Delete				


#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.002 s
2	When Admin send POST "Delete_DietitianInvalidEndpoint" request with Invalidendpoint	PASSED	0.197 s
3	Then Admin receives 404 afterDelete and with response body	PASSED	0.038 s

Check dietician able to logout with invalid method

PASSED	DURATION - 0.229 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:10:44.973 PM // 12:10:45.202 PM /				
All Modules Delete and logout Modules Negative				
@tag10 @Test11				


#	Step / Hook Details	Status	Duration
1	Given dietician creates POST request	PASSED	0.030 s
2	When dietician send POST HTTP request with endpoint	PASSED	0.172 s
3	Then dietician receives 405 method not allowed	PASSED	0.001 s

Check dietician able to logout




#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request with no auth	PASSED	0.002 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.171 s
3	Then dietician recieves 401 unauthorized	PASSED	0.001 s

Check admin able to logout with invalid method




#	Step / Hook Details	Status	Duration
1	Given admin creates POST request	PASSED	0.002 s
2	When admin send POST HTTP request with endpoint	PASSED	0.147 s
3	Then admin recieves 405 method not allowed	PASSED	0.001 s

Check admin able to logout




#	Step / Hook Details	Status	Duration
1	Given admin creates GET request with noauth	PASSED	0.004 s
2	When admin send GET HTTP request with noauth endpoint	PASSED	0.159 s
3	Then admin receives 401 unauthorized	PASSED	0.001 s

All Modules Delete and logout Modules Positive




Check dietician able to delete patient by ID



#	Step / Hook Details	Status	Duration
1	Given Dietician create DELETE request	PASSED	0.003 s
2	When Dietician send DELETE http request with endpoint	PASSED	0.163 s


#	Step / Hook Details	Status	Duration
3	Then Dietician receives 200 ok with details of the patient id	PASSED	0.001 s

Check patient able to logout




#	Step / Hook Details	Status	Duration
1	Given patient creates GET request	PASSED	0.001 s
2	When patient send GET HTTP request with endpoint	PASSED	0.154 s
3	Then patient receives 200 created with Logout successful message	PASSED	0.001 s

Check admin able to delete dietician by ID




#	Step / Hook Details	Status	Duration
1	Given Admin create Delete request	PASSED	0.001 s
2	When Admin send Delete "Delete_Dietitian" request with endpoint	PASSED	0.162 s
3	Then Admin receives 200 afterDelete and with response body	PASSED	0.000 s

Check dietician able to logout



#	Step / Hook Details	Status	Duration
1	Given dietician creates GET request	PASSED	0.004 s
2	When dietician send GET HTTP request with endpoint	PASSED	0.172 s
3	Then dietician receives 200 created with Logout successful message	PASSED	0.001 s

Check admin able to logout



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET request	PASSED	0.001 s
2	When Admin send GET HTTP request with endpoint	PASSED	0.222 s
3	Then Admin receives 200 created with Logout successful message	PASSED	0.000 s