

Cucumber Report

Apr 1, 2024, 11:30:47 PM

Start : Apr 01, 11:30:16.689 PM

End : Apr 01, 11:30:46.602 PM

Duration : 29.913 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 4
SKIPPED - 0

PASSED - 37
FAILED - 11
SKIPPED - 0


PASSED - 156
FAILED - 11
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login Post request</u>	3.912 s	1	1	0	0	3	3	0	0
<u>program controller Positive</u>	4.349 s	6	5	1	0	24	23	1	0
<u>Program Batch Positive Request</u>	5.942 s	10	10	0	0	40	40	0	0
<u>User Module Positive request</u>	11.595 s	16	9	7	0	64	46	7	11
<u>User Controller Positive</u>	1.049 s	2	1	1	0	8	6	1	1
<u>Delete Request for all modules</u>	1.548 s	4	2	2	0	16	11	2	3
<u>User Logout</u>	0.159 s	1	1	0	0	3	3	0	0
<u>User Module request</u>	1.161 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>program controller Positive</u>	<u>Check if Admin able to update a program with Valid program Name and request body</u>
2	<u>User Module Positive request</u>	<u>Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields</u>
3		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>
4		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>
5		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>
6		<u>Check if admin is able to get the Admins for valid program Id</u>
7		<u>Check if admin is able to update User by roleId with valid Admin id</u>
8		<u>Check if admin is able to update the Admin login status by Admin ID</u>
9	<u>User Controller Positive</u>	<u>admin is able to retrieve assigned program batches for valid AdminId</u>
10	<u>Delete Request for all modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>
11		<u>Check if Admin able to delete a Admin with valid Admin Id</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test01	3	3	0	0	3	2	1	0
@tag08	1	1	0	0	1	1	0	0
@tag09	6	5	1	0	1	0	1	0
@tag10	10	10	0	0	1	1	0	0
@tag11	16	9	7	0	1	0	1	0
@tag12	2	1	1	0	1	0	1	0
@tag13	4	2	2	0	1	0	1	0
@tag14	1	1	0	0	1	1	0	0
@tag3	8	8	0	0	1	1	0	0
@Test02	1	1	0	0	1	1	0	0
@Test03	3	3	0	0	1	1	0	0
@Test04	1	1	0	0	1	1	0	0
@Test06	1	1	0	0	1	1	0	0
@Test07	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	1	1	0	0	3.912 s
2	<u>program controller Positive</u>	6	5	1	0	4.349 s
3	<u>Program Batch Positive Request</u>	10	10	0	0	5.942 s
4	<u>User Module Positive request</u>	16	9	7	0	11.595 s
5	<u>User Controller Positive</u>	2	1	1	0	1.049 s
6	<u>Delete Request for all modules</u>	4	2	2	0	1.548 s
7	<u>User Logout</u>	1	1	0	0	0.159 s
8	<u>User Module request</u>	8	8	0	0	1.161 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.909 s
2	<u>program controller Positive</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	4	4	0	0	0.968 s
3		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	4	4	0	0	0.802 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	4	4	0	0	0.525 s
5		<u>Check if Admin able to retrieve all programs with users and with valid Endpoint</u>	4	4	0	0	0.772 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	4	3	1	0	0.602 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	4	4	0	0	0.596 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Program Batch Positive Request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	4	4	0	0	0.612 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Program Batch Positive Request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	4	4	0	0	0.885 s
10		<u>Check if admin able to retrieve all batches with search string</u>	4	4	0	0	0.901 s
11		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	4	4	0	0	0.476 s
12		<u>Check if admin able to retrieve a batch after deleting the batch</u>	4	4	0	0	0.572 s
13		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	4	4	0	0	0.434 s
14		<u>Check if admin able to retrieve a batch after deleting the batch using batch name</u>	4	4	0	0	0.574 s
15		<u>Check if admin able to retrieve a batch with valid Program ID</u>	4	4	0	0	0.428 s
16		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	4	4	0	0	0.530 s
17		<u>Check if admin able to delete a Batch with valid Batch ID</u>	4	4	0	0	0.433 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>User Module Positive request</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	4	4	0	0	1.080 s
19		<u>Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional *</u>	4	2	1	1	0.727 s
20		<u>Check if admin is able to retrieve all the available roles(all roles)</u>	4	4	0	0	1.555 s
21		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	4	1	1	2	0.313 s
22		<u>Check if admin able to retrieve all Admins with roles</u>	4	4	0	0	0.451 s
23		<u>Check if admin is able to get count of active and inactive Admins</u>	4	4	0	0	0.451 s
24		<u>Check if admin able to retrieve all active Admins</u>	4	4	0	0	1.785 s
25		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	4	1	1	2	0.326 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
26		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	4	2	1	1	0.485 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>User Module Positive request</u>	<u>Check if admin is able to get the Admins for valid program Id</u>	4	2	1	1	0.496 s
28		<u>Check if admin is able to retrieve Admins by valid role ID</u>	4	4	0	0	0.795 s
29		<u>Check if admin is able to retrieve all Admins with filters</u>	4	4	0	0	1.487 s
30		<u>Check if admin is able to update Admin details with Admin id and mandatory fields</u>	4	4	0	0	0.509 s
31		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	4	4	0	0	0.447 s
32		<u>Check if admin is able to update User by roleId with valid Admin id</u>	4	1	1	2	0.260 s
33		<u>Check if admin is able to update the Admin login status by Admin ID</u>	4	1	1	2	0.287 s
34	<u>User Controller Positive</u>	<u>admin is able to retrieve assigned program batches for valid AdminId</u>	4	2	1	1	0.446 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35		<u>admin is able to retrieve all Admins with assigned program batches</u>	4	4	0	0	0.596 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Delete Request for all modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>	4	2	1	1	0.436 s
37		<u>Check if Admin able to delete a Admin with valid Admin Id</u>	4	1	1	2	0.251 s
38		<u>Check if Admin able to delete a program with valid programName</u>	4	4	0	0	0.417 s
39		<u>Check if Admin able to delete a program with valid program ID</u>	4	4	0	0	0.417 s
40	<u>User Logout</u>	<u>Check if Admin able to logout with valid endpoint</u>	3	3	0	0	0.159 s
41	<u>User Module request</u>	<u>Check if admin is able to get count of active and inactive Admins with invalid endpoint</u>	3	3	0	0	0.104 s
42		<u>Check if admin is able to get count of active and inactive Admins by invalid role ID</u>	3	3	0	0	0.159 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
43		<u>Check if admin is able to get count of active and inactive Admins with no authorization</u>	3	3	0	0	0.146 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>User Module request</u>	<u>Check if admin able to retrieve all active Admins with invalid endpoint</u>	3	3	0	0	0.093 s
45		<u>Check if admin able to retrieve all active Admins with no authorization</u>	3	3	0	0	0.149 s
46		<u>Check if admin is able to get the Admins by program batches for invalid batch ID</u>	3	3	0	0	0.145 s
47		<u>Check if admin is able to get the Admins for invalid program Id</u>	3	3	0	0	0.155 s
48		<u>Check if admin is able to retrieve Admins by invalid role ID</u>	3	3	0	0	0.159 s

User Login Post request



PASSED	DURATION - 3.912 s	Scenarios		Steps	
/ 11:30:16.689 PM // 11:30:20.601 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential



<div>PASSED</div> <div>DURATION - 3.909 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:30:16.692 PM // 11:30:20.601 PM /</div>			
<div>User Login Post request</div>			
<div>@Test01 @tag08</div>			

#	Step / Hook Details	Status	Duration
1	Given Add UserLogin Payload	PASSED	2.072 s
2	When Admin calls Post Https method with valid endpoint	PASSED	1.771 s
3	Then Admin receives 201 created with auto generated token	PASSED	0.005 s

program controller Positive



FAILED	DURATION - 4.349 s	Scenarios		Steps	
/ 11:30:20.720 PM // 11:30:25.069 PM /		Total - 6		Total - 24	
		Pass - 5		Pass - 23	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED		DURATION - 0.968 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 11:30:20.720 PM // 11:30:21.688 PM /							
program controller Positive							
@Test01 @tag09							

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.389 s
2	Given Admin creates POST Request for the LMS with request body	PASSED	0.138 s
3	When Admin sends Post Request to create a program with endpoint	PASSED	0.182 s
4	Then Admin receives 201 Created Status with response body	PASSED	0.252 s

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.802 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:30:21.706 PM // 11:30:22.508 PM /</div>				
<div>program controller Positive</div>				
<div>@tag09</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.323 s
2	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
3	When Admin sends Get HTTPS Request for All Programs with valid endpoint	PASSED	0.466 s
4	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.525 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:22.527 PM // 11:30:23.052 PM /				
program controller Positive				
@tag09				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.347 s
2	Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint and stores the response	PASSED	0.163 s
4	Then Admin receives 200 OK Status code with response body.	PASSED	0.007 s

Check if Admin able to retrieve all programs with users and with valid Endpoint

PASSED	DURATION - 0.772 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:23.070 PM // 11:30:23.842 PM /				
program controller Positive				
@tag09				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.327 s
2	Given Admin creates GET Request for the LMS API retrieve all programs with users	PASSED	0.002 s
3	When Admin sends HTTPS Request with valid endpoint and stores the response	PASSED	0.440 s
4	Then Admin receives 200 OK Status with response body and asserts the response.	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

<div>FAILED</div> <div>DURATION - 0.602 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.308</td></tr><tr><td>2</td><td>0.001</td></tr><tr><td>3</td><td>0.280</td></tr><tr><td>4</td><td>0.008</td></tr></tbody></table></div>	Step	Duration (s)	1	0.308	2	0.001	3	0.280	4	0.008	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.308													
2	0.001													
3	0.280													
4	0.008													
<div>/ 11:30:23.854 PM // 11:30:24.456 PM /</div>														
<div>program controller Positive</div>														
<div>@tag09</div>														

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.308 s
2	Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields.	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and gets the response	PASSED	0.280 s
4	Then Admin receives 200 OK Status code with updated value in response body. java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_updated_value_in_response_body(ProgramPost.java:178) at ?.Admin receives 200 OK Status code with updated value in response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09ProgramPositive.feature:35) * Not displayable characters are replaced by '?'.	FAILED	0.008 s



Check if Admin able to update a program with valid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.596 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.331</td></tr><tr><td>2</td><td>0.001</td></tr><tr><td>3</td><td>0.280</td></tr><tr><td>4</td><td>0.008</td></tr></tbody></table></div>	Step	Duration (s)	1	0.331	2	0.001	3	0.280	4	0.008	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>4</div></div>
Step	Duration (s)												
1	0.331												
2	0.001												
3	0.280												
4	0.008												
<div>/ 11:30:24.473 PM // 11:30:25.069 PM /</div>													
<div>program controller Positive</div>													
<div>@tag09</div>													



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.331 s
2	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS Request with valid endpoint and recieves the response	PASSED	0.245 s
4	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.013 s

Program Batch Positive Request


PASSED	DURATION - 5.942 s	Scenarios Total - 10 Pass - 10 Fail - 0 Skip - 0		Steps Total - 40 Pass - 40 Fail - 0 Skip - 0	
/ 11:30:25.094 PM // 11:30:31.036 PM /					

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.612 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:25.094 PM // 11:30:25.706 PM /				
Program Batch Positive Request				
@tag10				


#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.295 s
2	Given Admin creates POST Request with valid data in request body	PASSED	0.116 s
3	When Admin sends POST HTTPS Request with endpoint of program batch	PASSED	0.193 s
4	Then Admin receives 201 Created Status with response body of Post Batch request	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API





#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.304 s
2	Given Admin creates GET Request of program batch of all batches	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of all batches	PASSED	0.575 s
4	Then Admin receives 200 OK Status with response body of program batch of all batches.	PASSED	0.000 s

Check if admin able to retrieve all batches with search string





#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.286 s
2	Given Admin creates GET Request with search string of program batch	PASSED	0.000 s
3	When Admin sends HTTPS Request with endpoint of program batch of search string	PASSED	0.609 s
4	Then Admin receives 200 Ok status with response body of program batch of search string	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH ID

PASSED	DURATION - 0.476 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:27.528 PM // 11:30:28.004 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.325 s
2	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id	PASSED	0.146 s
4	Then Admin receives 200 Ok status with response body of program batch of batch id	PASSED	0.000 s

Check if admin able to retrieve a batch after deleting the batch

PASSED	DURATION - 0.572 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:28.016 PM // 11:30:28.588 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.287 s
2	Given Admin creates GET Request with valid Batch ID after deleting batch	PASSED	0.143 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id after deleting batch	PASSED	0.138 s
4	Then Admin receives 200 OK Status with batchSize field "Inactive" in the response body.	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.434 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:28.594 PM // 11:30:29.028 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.262 s
2	Given Admin creates GET Request with valid batch name	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with batch name	PASSED	0.165 s
4	Then Admin receives 200 OK Status with response body of batch name.	PASSED	0.000 s

Check if admin able to retrieve a batch after deleting the batch using batch name

PASSED	DURATION - 0.574 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:29.036 PM // 11:30:29.610 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.275 s
2	Given Admin creates GET Request with batch Name after deleting batch	PASSED	0.140 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch name after deleting batch	PASSED	0.154 s
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body using batchName.	PASSED	0.000 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.428 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:29.617 PM // 11:30:30.045 PM /				
Program Batch Positive Request				
@tag10				


#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.281 s
2	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with valid program id	PASSED	0.143 s
4	Then Admin receives 200 OK Status with response body with valid program id.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.530 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:30.055 PM // 11:30:30.585 PM /				
Program Batch Positive Request				
@tag10				


#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.275 s
2	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.079 s
3	When Admin sends HTTPS Request with endpoint with PUT in request body	PASSED	0.171 s
4	Then Admin receives 200 OK Status with updated value in response body with PUT.	PASSED	0.000 s

Check if admin able to delete a Batch with valid Batch ID




#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.271 s
2	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint for delete batch	PASSED	0.157 s
4	Then Admin receives 200 Ok status with message for delete batch.	PASSED	0.000 s

User Module Positive request





Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.289 s

#	Step / Hook Details	Status	Duration
2	Given Admin creates POST request with all mandatory fields	PASSED	0.323 s
3	When Admin sends HTTPS Request with endpoint	PASSED	0.460 s
4	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s



Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields

FAILED	DURATION - 0.727 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:30:32.137 PM // 11:30:32.864 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.265 s
2	Given Admin creates POST request with all mandatory fields and an additional fields	PASSED	0.282 s
3	When Admin sends POST HTTPS Request with mandatory and additional fields <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["userComments","userEduPg","userEduUg","userFirstName","userId","userLastName","userLinkedInUrl","userLocation","userLoginEmail","userMiddleName","userPhoneNumber","userTimeZone","userVisaStatus"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/PostSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["userComments","userEduPg","userEduUg","userFirstName","userId","userLastName","userLinkedInUrl","userLocation","userLoginEmail","userMiddleName","userPhoneNumber","userTimeZone","userVisaStatus"] missing: ["userComments","userEduPg","userEduUg","userFirstName","userId","userLastName","userLinkedInUrl","userLocation","userLoginEmail","userMiddleName","userPhoneNumber","userTimeZone","userVisaStatus"] Actual: {"message":"Failed to create new User as phone number 8603412343 already exists !!","success":false} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) </pre>	FAILED	0.175 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_post_https_request_with_mandatory_and_additional_fields(UserModule.java:95) at ?.Admin sends POST HTTPS Request with mandatory and additional fields(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:17) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 201 Created Status	SKIPPED	0.001 s

Check if admin is able to retrieve all the available roles(all roles)

PASSED	DURATION - 1.555 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:32.874 PM // 11:30:34.429 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.274 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	1.276 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin able to retrieve a Admin with valid Admin ID

FAILED	DURATION - 0.313 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:30:34.436 PM // 11:30:34.749 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.301 s
2	Given Admin creates GET Request with valid AdminId <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.admin_creates_get_request_with_valid_admin_id(UserModule.java:136) at ?.Admin creates GET Request with valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:34) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.006 s
3	When Admin sends HTTPS Request with a valid endpoint	SKIPPED	0.001 s
4	Then Admin receives 200 OK	SKIPPED	0.000 s

Check if admin able to retrieve all Admins with roles

<div>PASSED</div>	<div>DURATION - 0.451 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:30:34.760 PM // 11:30:35.211 PM /</div>				
<div>User Module Positive request</div>				
<div>@tag11</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.282 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with an endpoint	PASSED	0.164 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins

<div>PASSED</div>	<div>DURATION - 0.451 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:30:35.221 PM // 11:30:35.672 PM /</div>				
<div>User Module Positive request</div>				
<div>@tag11</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.276 s
2	Given Admin creates GET Request with active and inactive Admins endpoint	PASSED	0.001 s
3	When Admin sends Get count of active and inactive users HTTPS Request with endpoint	PASSED	0.172 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin able to retrieve all active Admins

<div>PASSED</div> <div>DURATION - 1.785 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.278</td></tr><tr><td>2</td><td>0.001</td></tr><tr><td>3</td><td>1.502</td></tr><tr><td>4</td><td>0.001</td></tr></tbody></table></div>	Step	Duration (s)	1	0.278	2	0.001	3	1.502	4	0.001	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step		Duration (s)											
1		0.278											
2		0.001											
3	1.502												
4	0.001												
<div>/ 11:30:35.682 PM // 11:30:37.467 PM /</div>													
<div>User Module Positive request</div>													
<div>@tag11</div>													

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.278 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends Get All Active Users HTTPS Request with endpoint	PASSED	1.502 s
4	Then Admin receives 200 OK	PASSED	0.001 s



Check if admin is able to assign Admin to with program/batch by Admin Id

FAILED	DURATION - 0.326 s	<table border="1"><caption>Step Durations</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.314</td></tr><tr><td>2</td><td>0.007</td></tr></tbody></table>	Step	Duration (s)	1	0.314	2	0.007	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
Step	Duration (s)								
1	0.314								
2	0.007								
/ 11:30:37.478 PM // 11:30:37.804 PM /									
User Module Positive request									
@tag11									

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.314 s
2	Given Admin creates PUT Request with valid data in request body <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)</pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.admin_creates_put_request_with_valid_data_in_request_body(UserModule.java:206) at ?.Admin creates PUT Request with valid data in request body(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:61) * Not displayable characters are replaced by '?'. </pre>		
3	When Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint	SKIPPED	0.001 s
4	Then Admin receives 200 OK	SKIPPED	0.001 s



Check if admin is able to get the Admins by program batches for valid batch ID

FAILED	DURATION - 0.485 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:30:37.816 PM // 11:30:38.301 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.325 s
2	Given Admin creates GET Request with valid batch Id	PASSED	0.002 s
3	When Admin sends Get User by Program Batches HTTPS Request with endpoint	FAILED	0.153 s
	<pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: {"message":"No Users found for the given Batch ID: 9920","success":false} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_get_user_by_program_batches_https_request_with_endpoint(UserModule.java:238) at ?.Admin sends Get User by Program Batches HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:68) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 OK	SKIPPED	0.001 s



Check if admin is able to get the Admins for valid program Id

<div>FAILED</div> <div>DURATION - 0.496 s</div>	 <table><caption>Test Results Data</caption><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.3</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0.15</td></tr><tr><td>4</td><td>0</td></tr></tbody></table>	Step	Value	1	0.3	2	0	3	0.15	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
Step		Value											
1		0.3											
2		0											
3	0.15												
4	0												
<div>/ 11:30:38.323 PM // 11:30:38.819 PM /</div>													
<div>User Module Positive request</div>													
<div>@tag11</div>													

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.320 s
2	Given Admin creates GET Request with valid program Id	PASSED	0.001 s
3	When Admin sends Gets Users for Program HTTPS Request with endpoint	FAILED	0.171 s
	<pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: {"loadingURI":"fil </pre>		



#	Step / Hook Details	Status	Duration
	<pre>e:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema.json#", "pointer": ""} instance: {"pointer": ""} domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: {"message": "No Users found for the given program ID: 17635", "success": false} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_gets_users_for_program_https_request_with_endpoint(UserModule.java:258) at ?.Admin sends Gets Users for Program HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:75) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 OK	SKIPPED	0.000 s

Check if admin is able to retrieve Admins by valid role ID

PASSED	DURATION - 0.795 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:38.827 PM // 11:30:39.622 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.326 s
2	Given Admin creates GET Request with valid role ID	PASSED	0.002 s
3	When Admin sends Gets Users by roleId HTTPS Request with endpoint	PASSED	0.463 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to retrieve all Admins with filters

PASSED	DURATION - 1.487 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:39.629 PM // 11:30:41.116 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.277 s
2	Given Admin creates GET Request with filters	PASSED	0.001 s
3	When Admin sends HTTPS Request with filters endpoint	PASSED	1.192 s
4	Then Admin receives "200" OK	PASSED	0.014 s

Check if admin is able to update Admin details with Admin id and mandatory fields

PASSED	DURATION - 0.509 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:41.122 PM // 11:30:41.631 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.255 s
2	Given Admin creates PUT Request with valid data in request body (values only in mandatory fields)	PASSED	0.088 s
3	When Admin sends HTTPS request for update by userId with endpoint	PASSED	0.162 s
4	Then Admin receives "200" OK	PASSED	0.001 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.447 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:41.637 PM // 11:30:42.084 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.257 s
2	Given Admin creates PUT Request with valid user data in request body	PASSED	0.034 s
3	When Admin sends HTTPS Request for update by roleStatus with endpoint	PASSED	0.153 s
4	Then Admin receives "200" OK	PASSED	0.000 s

Check if admin is able to update User by roleId with valid Admin id

FAILED	DURATION - 0.260 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:30:42.090 PM // 11:30:42.350 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.254 s
2	Given Admin creates PUT Request with valid user data to with roleID <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.admin_creates_put_request_with_valid_user_data_to_with_role_id(UserModule.java:359) at ?.Admin creates PUT Request with valid user data to with roleID(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:108) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	When Admin sends HTTPS Request for update User by roleID	SKIPPED	0.000 s
4	Then Admin receives "200" OK	SKIPPED	0.001 s

Check if admin is able to update the Admin login status by Admin ID



FAILED	DURATION - 0.287 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:30:42.359 PM // 11:30:42.646 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.270 s
2	Given Admin creates PUT Request with Admin login status by Admin ID <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.admin_creates_put_request_with_admin_login_status_by_admin_id(UserModule.java:377) at ?.Admin creates PUT Request with Admin login status by Admin ID(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:114) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.012 s
3	When Admin sends HTTPS Request for update User with Admin login status by Admin ID	SKIPPED	0.000 s
4	Then Admin receives "200" OK	SKIPPED	0.001 s

User Controller Positive

FAILED	DURATION - 1.049 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	
/ 11:30:42.656 PM // 11:30:43.705 PM /					



admin is able to retrieve assigned program batches for valid AdminId

FAILED	DURATION - 0.446 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:30:42.656 PM // 11:30:43.102 PM /				
User Controller Positive				
@tag12				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.306 s
2	Given Admin creates a GET Request to retrieve Admin assigned to Program or Batch by AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor301.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)	FAILED	0.136 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserController. admin_sends_https_request_to_retrieve_assigned_program_batches_for_valid_admin_id(UserController.java:72) at ?.Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/12UserControllerPositive.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives a 200 OK response	SKIPPED	0.001 s

admin is able to retrieve all Admins with assigned program batches



PASSED	DURATION - 0.596 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:43.109 PM // 11:30:43.705 PM /				
User Controller Positive				
@tag12				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.299 s
2	Given Admin creates a GET Request to retrieve all Admins assigned to programs or batches	PASSED	0.000 s
3	When Admin sends HTTPS Request	PASSED	0.293 s
4	Then Admin receives a 200 OK response	PASSED	0.000 s

Delete Request for all modules

FAILED	DURATION - 1.548 s	Scenarios Total - 4 Pass - 2 Fail - 2 Skip - 0		Steps Total - 16 Pass - 11 Fail - 2 Skip - 3	
/ 11:30:43.712 PM // 11:30:45.260 PM /					

Check if admin is able to delete the program batch for a Admin

FAILED	DURATION - 0.436 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:30:43.712 PM // 11:30:44.148 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.255 s
2	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <405>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor301.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) </pre>	FAILED	0.176 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.AllDeleteRequest. admin_sends_https_request_to_delete_admin_assigned_to_program_batch_by_admin_id(AllDeleteRequest.java:54) at ?.Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 OK	SKIPPED	0.000 s



Check if Admin able to delete a Admin with valid Admin Id

FAILED DURATION - 0.251 s / 11:30:44.163 PM // 11:30:44.414 PM / Delete Request for all modules @tag13		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.247 s
2	Given Admin creates DELETE Request to delete Admin details <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter.notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter.notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.AllDeleteRequest.admin_creates_delete_request_to_delete_admin_details(AllDeleteRequest.java:62) at ?.Admin creates DELETE Request to delete Admin details(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	When Admin sends HTTPS request with valid Admin Id	SKIPPED	0.000 s
4	Then Admin receives 200 Ok	SKIPPED	0.000 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.417 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:44.420 PM // 11:30:44.837 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.269 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program name	PASSED	0.147 s
4	Then Admin receives 200 Ok status with message	PASSED	0.000 s

Check if Admin able to delete a program with valid program ID

PASSED	DURATION - 0.417 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:30:44.843 PM // 11:30:45.260 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.257 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.000 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program ID	PASSED	0.156 s
4	Then Admin receives 200 Ok and validates the status	PASSED	0.001 s

User Logout

PASSED	DURATION - 0.159 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:45.268 PM // 11:30:45.427 PM /					



Check if Admin able to logout with valid endpoint

PASSED	DURATION - 0.159 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:45.268 PM // 11:30:45.427 PM /				
User Logout				
@tag14				



#	Step / Hook Details	Status	Duration
1	Given Admin sets authorization to bearer Token with token	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	When Admin calls Get Https method with valid endpoint	PASSED	0.156 s
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.001 s

User Module request



PASSED	DURATION - 1.161 s	Scenarios		Steps	
/ 11:30:45.441 PM // 11:30:46.602 PM /		Total - 8		Total - 24	
		Pass - 8		Pass - 24	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin is able to get count of active and inactive Admins with invalid endpoint

PASSED	DURATION - 0.104 s		Steps	
/ 11:30:45.441 PM // 11:30:45.545 PM /			Total - 3	
User Module request			Pass - 3	
@Test01 @tag3			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint with invalid endpoint	PASSED	0.099 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to get count of active and inactive Admins by invalid role ID

PASSED	DURATION - 0.159 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:45.554 PM // 11:30:45.713 PM /				
User Module request				
@Test02 @tag3				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with active and inactive Admins Negative endpoint	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint invalid role ID	PASSED	0.155 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins with no authorization

PASSED	DURATION - 0.146 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:45.721 PM // 11:30:45.867 PM /				
User Module request				
@tag3 @Test03				



#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint no authorization	PASSED	0.142 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s

Check if admin able to retrieve all active Admins with invalid endpoint

PASSED	DURATION - 0.093 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:45.877 PM // 11:30:45.970 PM /				
User Module request				
@tag3 @Test03				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with all active Admins with invalid endpoint	PASSED	0.090 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin able to retrieve all active Admins with no authorization

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:45.977 PM // 11:30:46.126 PM /				
User Module request				
@tag3 @Test03				



#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with no auth	PASSED	0.145 s
3	Then Admin receives status 401 with Unauthorized	PASSED	0.001 s

Check if admin is able to get the Admins by program batches for invalid batch ID

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:46.130 PM // 11:30:46.275 PM /				
User Module request				
@tag3 @Test04				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid batchId	PASSED	0.001 s
2	When Admin sends GET Request with invalid batchId by Program Batches endpoint	PASSED	0.141 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to get the Admins for invalid program Id

PASSED	DURATION - 0.155 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:46.281 PM // 11:30:46.436 PM /				
User Module request				
@tag3 @Test06				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid program Id	PASSED	0.001 s
2	When Admin sends GET Request with invalid program Id by Program endpoint	PASSED	0.152 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to retrieve Admins by invalid role ID


PASSED

DURATION - 0.159 s

/ 11:30:46.443 PM // 11:30:46.602 PM /

User Module request

@tag3 @Test07




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for GET with invalid role ID	PASSED	0.000 s
2	When Admin sends GET HTTPS Request endpoint with invalid role ID	PASSED	0.155 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s