Cucumber Report

| Start : Apr 02, 7:09:34.416 AM	End : Apr 02, 7:10:07.258 AM	Duration : 32.842 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 5 SKIPPED - 0	PASSED - 43 FAILED - 7 SKIPPED - 0	PASSED - 174 FAILED - 7 SKIPPED - 7

Features: 9 — Pass 44 %

Scenarios: 50 — Pass 86 %

Steps: 188 — Pass 92 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User Login Post request	3.909 s	1	1	0	0	3	3	0	0
program controller Positive	4.701 s	6	5	1	0	24	23	1	0
Program Batch Positive Request	5.198 s	9	7	2	0	36	30	2	4
User Module Positive request	14.096 s	16	16	0	0	64	64	0	0
User Controller Positive	1.304 s	2	1	1	0	8	6	1	1
Delete Request for all modules	1.925 s	5	3	2	0	20	16	2	2
User Logout	0.147 s	1	1	0	0	3	3	0	0
User Logout Negative	0.246 s	2	1	1	0	6	5	1	0
User Module request	1.112 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	program controller Positive	Check if Admin able to update a program with Valid program Name and request body
2	Program Batch Positive Request	Check if admin able to retrive a batch after deleting the batch
3		Check if admin able to retrive a batch after deleting the batch using batch name
4	User Controller Positive	admin is able to retreive assigned program batches for valid AdminId
5	Delete Request for all modules	Check if admin is able to delete the program batch for a Admin
6		Check if Admin able to delete a Admin with valid Admin Id
7	User Logout Negative	Check if Admin able to logout with valid endpoint with NoAuth

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test01	3	3	0	0	3	2	1	0
@tag08	1	1	0	0	1	1	0	0
@tag09	6	5	1	0	1	0	1	0
@tag10	9	7	2	0	1	0	1	0
@tag11	16	16	0	0	1	1	0	0
@tag12	2	1	1	0	1	0	1	0
@tag13	5	3	2	0	1	0	1	0
@tag14	1	1	0	0	1	1	0	0
@tag07	2	1	1	0	1	0	1	0
@tag3	8	8	0	0	1	1	0	0
@Test02	1	1	0	0	1	1	0	0
@Test03	3	3	0	0	1	1	0	0
@Test04	1	1	0	0	1	1	0	0
@Test06	1	1	0	0	1	1	0	0
@Test07	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	User Login Post request	1	1	0	0	3.909 s
2	program controller Positive	6	5	1	0	4.701 s
3	Program Batch Positive Request	9	7	2	0	5.198 s
4	User Module Positive request	16	16	0	0	14.096 s
5	User Controller Positive	2	1	1	0	1.304 s
6	Delete Request for all modules	5	3	2	0	1.925 s
7	User Logout	1	1	0	0	0.147 s
8	User Logout Negative	2	1	1	0	0.246 s
9	User Module request	8	8	0	0	1.112 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login Post request	Check if Admin able to generate token with valid credential	3	3	0	0	3.903 s
2	program controller Positive	Check if Admin able to create a program with valid endpoint and request body with Authorization	4	4	0	0	0.956 s
3		Check if Admin able to retrieve all programs with valid Endpoint	4	4	0	0	1.035 s
4		Check if Admin able to retrieve a program with valid program ID	4	4	0	0	0.451 s
5		Check if Admin able to retrieve all programs with users and with valid Endpoint	4	4	0	0	1.116 s
6		Check if Admin able to update a program with Valid program Name and request body	4	3	1	0	0.552 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	4	4	0	0	0.504 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
8	Program Batch Positive Request	Check if admin able to create a Batch with valid endpoint and request body (non existing values)	4	4	0	0	0.562 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Program Batch Positive Request	Check if admin able to retrieve all batches with valid LMS API	4	4	0	0	1.179 s
10		Check if admin able to retrieve all batches with search string	4	4	0	0	1.092 s
11		Check if admin able to retrieve a batch with valid BATCH ID	4	4	0	0	0.421 s
12		Check if admin able to retrive a batch after deleting the batch	4	1	1	2	0.279 s
13		Check if admin able to retrieve a batch with valid BATCH NAME	4	4	0	0	0.395 s
14		Check if admin able to retrive a batch after deleting the batch using batch name	4	1	1	2	0.277 s
15		Check if admin able to retrieve a batch with valid Program ID	4	4	0	0	0.409 s
16		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	4	4	0	0	0.507 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	User Module Positive request	Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields	4	4	0	0	1.309 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	User Module Positive request	Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional *	4	4	0	0	1.490 s
19		Check if admin is able to retreive all the available roles(all roles)	4	4	0	0	2.164 s
20		Check if admin able to retrieve a Admin with valid Admin ID	4	4	0	0	0.478 s
21		Check if admin able to retrieve all Admins with roles	4	4	0	0	0.452 s
22		Check if admin is able to get count of active and inactive Admins	4	4	0	0	0.461 s
23		Check if admin able to retrieve all active Admins	4	4	0	0	1.150 s
24		Check if admin is able to assign Admin to with program/batch by Admin Id	4	4	0	0	0.617 s
25		Check if admin is able to get the Admins by program batches for valid batch ID	4	4	0	0	0.425 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
26		*Check if admin is able to get the Admins for valid program Id*	4	4	0	0	0.410 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27	User Module Positive request	Check if admin is able to retreive Admins by valid role ID	4	4	0	0	0.948 s
28		Check if admin is able to retrieve all Admins with filters	4	4	0	0	2.133 s
29		Check if admin is able to update Admin details with Admin id and mandatory fields	4	4	0	0	0.702 s
30		Check if admin is able to update role status of a Admin with valid Admin id	4	4	0	0	0.420 s
31		Check if admin is able to update User by roleId with valid Admin id	4	4	0	0	0.400 s
32		Check if admin is able to update the Admin login status by Admin ID	4	4	0	0	0.430 s
33	User Controller Positive	admin is able to retreive assigned program batches for valid AdminId	4	2	1	1	0.522 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
34		admin is able to retreive all Admins with assigned program batches	4	4	0	0	0.775 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35	Delete Request for all modules	Check if admin is able to delete the program batch for a Admin	4	2	1	1	0.410 s
36		Check if Admin able to delete a Admin with valid Admin Id	4	2	1	1	0.288 s
37		Check if admin able to delete a Batch with valid Batch ID	4	4	0	0	0.395 s
38		Check if Admin able to delete a program with valid programName	4	4	0	0	0.406 s
39		Check if Admin able to delete a program with valid program ID	4	4	0	0	0.394 s
40	User Logout	Check if Admin able to logout with valid endpoint	3	3	0	0	0.147 s
41	User Logout Negative	Check if Admin able to logout with invalid endpoint	3	3	0	0	0.099 s
42		Check if Admin able to logout with valid endpoint with NoAuth	3	2	1	0	0.140 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
43	User Module request	Check if admin is able to get count of active and inactive Admins with invalid endpoint	3	3	0	0	0.091 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
44	User Module request	Check if admin is able to get count of active and inactive Admins by invalid role ID	3	3	0	0	0.158 s
45		Check if admin is able to get count of active and inactive Admins with no authorization	3	3	0	0	0.150 s
46		Check if admin able to retrieve all active Admins with invalid endpoint	3	3	0	0	0.094 s
47		Check if admin able to retrieve all active Admins with no authorization	3	3	0	0	0.136 s
48		Check if admin is able to get the Admins by program batches for invalid batch ID	3	3	0	0	0.144 s
49		Check if admin is able to get the Admins for invalid program Id	3	3	0	0	0.141 s
50		Check if admin is able to retreive Admins by invalid role ID	3	3	0	0	0.145 s

User Login Post request

PASSED	DURATION - 3.909 s	Scenarios		Steps	
/ 7:09:34.416 AM // 7:09:38.325 AM /		Total - 1		Total - 3	
		Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

PASSED	DURATION - 3.903 s		Steps	
/ 7:09:34.422 AM // 7:09:38.325 AM /			Total - 3	
User Login Post request			Pass - 3	3
			Fail - 0	
@Test01 @tag08			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Add UserLogin Payload	PASSED	2.109 s
2	When Admin calls Post Https method with valid endpoint	PASSED	1.726 s
3	Then Admin receives 201 created with auto generated token	PASSED	0.004 s

program controller Positive

FAILED	DURATION - 4.701 s	Scenarios		Steps	
/ 7:09:38.444 AM // 7:09:43.145 AM /		Total - 6		Total - 24	
		Pass - 5	6	Pass - 23	24
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 0.956 s		Steps
/ 7:09:38.444 AM // 7:09:39.400 AM /			Total - 4
			Pass - 4
program controller Positive			Fail - 0
			Skip - 0
@Test01 @tag09			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.355 s
2	Given Admin creates POST Request for the LMS with request body	PASSED	0.114 s
3	When Admin sends Post Request to create a program with endpoint	PASSED	0.209 s
4	Then Admin receives 201 Created Status with response body	PASSED	0.270 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 1.035 s		Steps
/ 7:09:39.422 AM // 7:09:40.457 AM /			Total - 4
			Pass - 4
program controller Positive			Fail - 0
			Skip - 0
@tag09			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.326 s
2	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
3	When Admin sends Get HTTPS Request for All Programs with valid endpoint	PASSED	0.702 s
4	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.451 s
/ 7:09:40.474 AM // 7:09:40.925 AM /	
program controller Positive	
@tag09	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.294 s
2	Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint and stores the response	PASSED	0.143 s
4	Then Admin receives 200 OK Status code with response body.	PASSED	0.007 s

Check if Admin able to retrieve all programs with users and with valid Endpoint

PASSED	DURATION - 1.116 s
/ 7:09:40.936 AM // 7:09:42.052 AM /	
program controller Positive	
@tag09	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.290 s
2	Given Admin creates GET Request for the LMS API retrieve all programs with users	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and stores the response	PASSED	0.821 s
4	Then Admin receives 200 OK Status with response body and asserts the response.	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

FAILED	DURATION - 0.552 s

/ 7:09:42.071 AM // 7:09:42.623 AM /

program controller Positive

@tag09

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.289 s
2	Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields.	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and gets the response	PASSED	0.251 s
4	Then Admin receives 200 OK Status code with updated value in response body.	FAILED	0.006 s

	java.lang.AssertionError: expected:<200> but was:<500>
	   at org.junit.Assert.fail(Assert.java:89)
	   at org.junit.Assert.failNotEquals(Assert.java:835)
	   at org.junit.Assert.assertEquals(Assert.java:647)
	   at org.junit.Assert.assertEquals(Assert.java:633)
	   at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_updated_value_in_response_body(ProgramPost.java:178)
	   at ?.Admin receives 200 OK Status code with updated value in response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09ProgramPositive.feature:35)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.504 s

/ 7:09:42.641 AM // 7:09:43.145 AM /

program controller Positive

@tag09

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.273 s
2	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.001 s

| #	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS Request with valid endpoint and recieves the response	PASSED	0.219 s
4	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.007 s

Program Batch Positive Request

FAILED	DURATION - 5.198 s		Scenarios		Steps	
			Total - 9		Total - 36	
/ 7:09:43.164 AM // 7:09:48.362 AM /			Pass - 7	9	Pass - 30	36
			Fail - 2		Fail - 2	
			Skip - 0		Skip - 4	

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.562 s		Steps	
			Total - 4	
/ 7:09:43.164 AM // 7:09:43.726 AM /			Pass - 4	4
			Fail - 0	
Program Batch Positive Request			Skip - 0	
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.272 s
2	Given Admin creates POST Request with valid data in request body	PASSED	0.099 s
3	When Admin sends POST HTTPS Request with endpoint of program batch	PASSED	0.184 s
4	Then Admin receives 201 Created Status with response body of Post Batch request	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 1.179 s
/ 7:09:43.736 AM // 7:09:44.915 AM /	
Program Batch Positive Request	
@tag10	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.274 s
2	Given Admin creates GET Request of program batch of all batches	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of all batches	PASSED	0.899 s
4	Then Admin receives 200 OK Status with response body of program batch of all batches.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 1.092 s
/ 7:09:44.922 AM // 7:09:46.014 AM /	
Program Batch Positive Request	
@tag10	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.281 s
2	Given Admin creates GET Request with search string of program batch	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of search string	PASSED	0.807 s
4	Then Admin receives 200 Ok status with response body of program batch of search string	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH ID

PASSED	*DURATION - 0.421 s*

/ 7:09:46.026 AM // 7:09:46.447 AM /

Program Batch Positive Request

@tag10

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.264 s
2	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id	PASSED	0.151 s
4	Then Admin receives 200 Ok status with response body of program batch of batch id	PASSED	0.001 s

Check if admin able to retrive a batch after deleting the batch

FAILED	*DURATION - 0.279 s*

/ 7:09:46.458 AM // 7:09:46.737 AM /

Program Batch Positive Request

@tag10

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.272 s
2	Given Admin creates GET Request with valid Batch ID after deleting batch	FAILED	0.003 s

	java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.header(String, Object, Object[])" because "this.request" is null
	    at api.stepdefinitions.AllDeleteRequest.delete_batch_by_batchID(AllDeleteRequest.java:90)
	    at api.stepdefinitions.ProgramBatch.admin_creates_get_request_with_valid_batch_id_after_deleting_batch(ProgramBatch.java:124)
	    at ?.Admin creates GET Request with valid Batch ID after deleting batch(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10ProgramBatchPositive.feature:35)
	* Not displayable characters are replaced by '?'.		

3	When Admin sends HTTPS Request with endpoint of program batch with batch id after deleting batch	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	SKIPPED	0.000 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.395 s
/ 7:09:46.747 AM // 7:09:47.142 AM /	
Program Batch Positive Request	
@tag10	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.253 s
2	Given Admin creates GET Request with valid batch name	PASSED	0.000 s
3	When Admin sends HTTPS Request with endpoint with batch name	PASSED	0.138 s
4	Then Admin receives 200 OK Status with response body of batch name.	PASSED	0.000 s

Check if admin able to retrive a batch after deleting the batch using batch name

FAILED	DURATION - 0.277 s
/ 7:09:47.149 AM // 7:09:47.426 AM /	
Program Batch Positive Request	
@tag10	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.272 s
2	Given Admin creates GET Request with batch Name after deleting batch	FAILED	0.002 s

	java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.header(String, Object, Object[])" because "this.request" is null
	    at api.stepdefinitions.AllDeleteRequest.delete_batch_by_batchID(AllDeleteRequest.java:90)
	    at api.stepdefinitions.ProgramBatch.admin_creates_get_request_with_batch_name_after_deleting_batch(ProgramBatch.java:161)		

#	Step / Hook Details	Status	Duration
	at ?.Admin creates GET Request with batch Name after deleting batch(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10ProgramBatchPositive.feature:47) * Not displayable characters are replaced by '?'.		
3	When Admin sends HTTPS Request with endpoint of program batch with batch name after deleting batch	SKIPPED	0.000 s
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body using batchName.	SKIPPED	0.001 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.409 s		Steps
/ 7:09:47.432 AM // 7:09:47.841 AM /			Total - 4
			Pass - 4
Program Batch Positive Request			Fail - 0
			Skip - 0
@tag10			

| #	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.261 s
2	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with valid program id	PASSED	0.144 s
4	Then Admin receives 200 OK Status with response body with valid program id.	PASSED	0.000 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.507 s		Steps
/ 7:09:47.855 AM // 7:09:48.362 AM /			Total - 4
			Pass - 4
Program Batch Positive Request			Fail - 0
			Skip - 0
@tag10			

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.276 s
2	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.056 s

#	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS Request with endpoint with PUT in request body	PASSED	0.171 s
4	Then Admin receives 200 OK Status with updated value in response body with PUT.	PASSED	0.000 s

User Module Positive request

PASSED	DURATION - 14.096 s	Scenarios		Steps	
/ 7:09:48.379 AM // 7:10:02.475 AM /		Total - 16	16	Total - 64	64
		Pass - 16		Pass - 64	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

PASSED	DURATION - 1.309 s		Steps	
/ 7:09:48.380 AM // 7:09:49.689 AM /			Total - 4	4
			Pass - 4	
User Module Positive request			Fail - 0	
			Skip - 0	
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.259 s
2	Given Admin creates POST request with all mandatory fields	PASSED	0.229 s
3	When Admin sends HTTPS Request with endpoint	PASSED	0.816 s
4	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields

PASSED	DURATION - 1.490 s					
/ 7:09:49.698 AM // 7:09:51.188 AM /						
User Module Positive request						
@tag11						

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.284 s
2	Given Admin creates POST request with all mandatory fields and an additional fields	PASSED	0.232 s
3	When Admin sends POST HTTPS Request with mandatory and additional fields	PASSED	0.971 s
4	Then Admin receives 201 Created Status	PASSED	0.000 s

Check if admin is able to retreive all the available roles(all roles)

PASSED	DURATION - 2.164 s					
/ 7:09:51.194 AM // 7:09:53.358 AM /						
User Module Positive request						
@tag11						

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.283 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	1.876 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	*DURATION - 0.478 s*

/ 7:09:53.364 AM // 7:09:53.842 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.271 s
2	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request with a valid endpoint	PASSED	0.203 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin able to retrieve all Admins with roles

PASSED	*DURATION - 0.452 s*

/ 7:09:53.851 AM // 7:09:54.303 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.275 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with an endpoint	PASSED	0.173 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.461 s

/ 7:09:54.309 AM // 7:09:54.770 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.277 s
2	Given Admin creates GET Request with active and inactive Admins endpoint	PASSED	0.001 s
3	When Admin sends Get count of active and inactive users HTTPS Request with endpoint	PASSED	0.179 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin able to retrieve all active Admins

PASSED	DURATION - 1.150 s

/ 7:09:54.779 AM // 7:09:55.929 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.272 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends Get All Active Users HTTPS Request with endpoint	PASSED	0.874 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to assign Admin to with program/batch by Admin Id

PASSED	DURATION - 0.617 s

/ 7:09:55.934 AM // 7:09:56.551 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.425 s
2	Given Admin creates PUT Request with valid data in request body	PASSED	0.002 s
3	When Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint	PASSED	0.187 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to get the Admins by program batches for valid batch ID

PASSED	DURATION - 0.425 s

/ 7:09:56.556 AM // 7:09:56.981 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.267 s
2	Given Admin creates GET Request with valid batch Id	PASSED	0.001 s
3	When Admin sends Get User by Program Batches HTTPS Request with endpoint	PASSED	0.154 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to get the Admins for valid program Id

PASSED	DURATION - 0.410 s

/ 7:09:56.988 AM // 7:09:57.398 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.247 s
2	Given Admin creates GET Request with valid program Id	PASSED	0.000 s
3	When Admin sends Gets Users for Program HTTPS Request with endpoint	PASSED	0.160 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to retreive Admins by valid role ID

PASSED	DURATION - 0.948 s

/ 7:09:57.407 AM // 7:09:58.355 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.277 s
2	Given Admin creates GET Request with valid role ID	PASSED	0.001 s
3	When Admin sends Gets Users by roleId HTTPS Request with endpoint	PASSED	0.665 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to retrieve all Admins with filters

PASSED	DURATION - 2.133 s		Steps
/ 7:09:58.362 AM // 7:10:00.495 AM /			Total - 4
			Pass - 4
User Module Positive request			Fail - 0
			Skip - 0
@tag11			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.271 s
2	Given Admin creates GET Request with filters	PASSED	0.001 s
3	When Admin sends HTTPS Request with filters endpoint	PASSED	1.852 s
4	Then Admin receives "200" OK	PASSED	0.007 s

Check if admin is able to update Admin details with Admin id and mandatory fields

PASSED	DURATION - 0.702 s		Steps
/ 7:10:00.500 AM // 7:10:01.202 AM /			Total - 4
			Pass - 4
User Module Positive request			Fail - 0
			Skip - 0
@tag11			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.254 s
2	Given Admin creates PUT Request with valid data in request body (values only in mandatory fields)	PASSED	0.085 s
3	When Admin sends HTTPS request for update by userId with endpoiint	PASSED	0.361 s
4	Then Admin receives "200" OK	PASSED	0.001 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.420 s

/ 7:10:01.215 AM // 7:10:01.635 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.247 s
2	Given Admin creates PUT Request with valid user data in request body	PASSED	0.029 s
3	When Admin sends HTTPS Request for update by roleStatus with endpoint	PASSED	0.142 s
4	Then Admin receives "200" OK	PASSED	0.001 s

Check if admin is able to update User by roleId with valid Admin id

PASSED	DURATION - 0.400 s

/ 7:10:01.640 AM // 7:10:02.040 AM /

User Module Positive request

@tag11

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.253 s
2	Given Admin creates PUT Request with valid user data to with roleID	PASSED	0.001 s
3	When Admin sends HTTPS Request for update User by roleID	PASSED	0.142 s
4	Then Admin receives "200" OK	PASSED	0.000 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	*DURATION - 0.430 s*
/ 7:10:02.045 AM // 7:10:02.475 AM /	
User Module Positive request	
@tag11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.269 s
2	Given Admin creates PUT Request with Admin login status by Admin ID	PASSED	0.000 s
3	When Admin sends HTTPS Request for update User with Admin login status by Admin ID	PASSED	0.157 s
4	Then Admin receives "200" OK	PASSED	0.001 s

User Controller Positive

FAILED	*DURATION - 1.304 s*
/ 7:10:02.492 AM // 7:10:03.796 AM /	

Scenarios
Total - 2
Pass - 1
Fail - 1
Skip - 0

Steps
Total - 8
Pass - 6
Fail - 1
Skip - 1

admin is able to retreive assigned program batches for valid AdminId

FAILED	*DURATION - 0.522 s*
/ 7:10:02.492 AM // 7:10:03.014 AM /	
User Controller Positive	
@tag12	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.352 s

#	Step / Hook Details	Status	Duration
2	Given Admin creates a GET Request to retrieve Admin assigned to Program or Batch by AdminId	PASSED	0.002 s
3	When Admin sends HTTPS Request to retreive assigned program batches for valid AdminId	FAILED	0.163 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at jdk.internal.reflect.GeneratedMethodAccessor301.invoke(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	  at api.stepdefinitions.UserController.admin_sends_https_request_to_retreive_assigned_program_batches_for_valid_admin_id(UserController.java:72)
	  at ?.Admin sends HTTPS Request to retreive assigned program batches for valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/12UserControllerPositive.feature:9)
	* Not displayable characters are replaced by '?'.		

4	Then Admin receives a 200 OK response	SKIPPED	0.000 s

admin is able to retreive all Admins with assigned program batches

PASSED	*DURATION - 0.775 s*
/ 7:10:03.021 AM // 7:10:03.796 AM /	
User Controller Positive	
@tag12	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.434 s
2	Given Admin creates a GET Request to retrieve all Admins assigned to programs or batches	PASSED	0.001 s
3	When Admin sends HTTPS Request	PASSED	0.338 s
4	Then Admin receives a 200 OK response	PASSED	0.001 s

Delete Request for all modules

FAILED	*DURATION - 1.925 s*
/ 7:10:03.804 AM // 7:10:05.729 AM /	

Scenarios
Total - 5
Pass - 3
Fail - 2
Skip - 0

5

Steps
Total - 20
Pass - 16
Fail - 2
Skip - 2

20

Check if admin is able to delete the program batch for a Admin

FAILED	*DURATION - 0.410 s*
/ 7:10:03.804 AM // 7:10:04.214 AM /	
Delete Request for all modules	
@tag13	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.262 s

#	Step / Hook Details	Status	Duration
2	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId	FAILED	0.144 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <405>.
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at jdk.internal.reflect.GeneratedMethodAccessor301.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at api.stepdefinitions.AllDeleteRequest.admin_sends_https_request_to_delete_admin_assigned_to_program_batch_by_admin_id(AllDeleteRequest.java:54)
	    at ?.Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:11)
	* Not displayable characters are replaced by '?'.		

4	Then Admin receives 200 OK	SKIPPED	0.000 s

Check if Admin able to delete a Admin with valid Admin Id

FAILED	DURATION - 0.288 s

/ 7:10:04.222 AM // 7:10:04.510 AM /

Delete Request for all modules

@tag13

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.272 s
2	Given Admin creates DELETE Request to delete Admin details	PASSED	0.001 s
3	When Admin sends HTTPS request with valid Admin Id	FAILED	0.011 s

java.lang.IllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userId=U2052. Undefined path parameters are: userID.
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277)
    at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)
    at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)
    at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)
    at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)
    at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)
    at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)
    at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)
    at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)
    at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176)

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161)		
	at io.restassured.internal.RequestSpecificationImpl.this2sendRequest(RequestSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)		
	at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)		
	at io.restassured.filter.Filter$filter$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter$filter$0.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext$next.call(Unknown Source)		
	at io.restassured.filter.CsrfFilter.filter(CsrfFilter.groovy:70)		
	at io.restassured.filter.Filter$filter$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112)		
	at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146)		
	at io.restassured.filter.Filter$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter$filter$0.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		

| #	Step / Hook Details	Status	Duration
	at io.restassured.filter.FilterContext$next.call(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		
	at io.restassured.internal.RequestSpecificationImpl.this2applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this2applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184)		
	at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy)		
	at api.stepdefinitions.AllDeleteRequest.admin_sends_https_request_with_valid_admin_id(AllDeleteRequest.java:68)		
	at ?.Admin sends HTTPS request with valid Admin Id(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:17)		
	* Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 Ok	SKIPPED	0.000 s

Check if admin able to delete a Batch with valid Batch ID

PASSED	DURATION - 0.395 s
/ 7:10:04.517 AM // 7:10:04.912 AM /	
Delete Request for all modules	
@tag13	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.247 s
2	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint for delete batch	PASSED	0.144 s
4	Then Admin receives 200 Ok status with message for delete batch.	PASSED	0.001 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.406 s
/ 7:10:04.920 AM // 7:10:05.326 AM /	
Delete Request for all modules	
@tag13	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.263 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program name	PASSED	0.140 s
4	Then Admin receives 200 Ok status with message	PASSED	0.001 s

Check if Admin able to delete a program with valid program ID

PASSED	*DURATION - 0.394 s*	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 7:10:05.335 AM // 7:10:05.729 AM /		
Delete Request for all modules		
@tag13		

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.247 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program ID	PASSED	0.145 s
4	Then Admin receives 200 Ok and validates the status	PASSED	0.000 s

User Logout

PASSED	*DURATION - 0.147 s*	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0 Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 7:10:05.735 AM // 7:10:05.882 AM /		

Check if Admin able to logout with valid endpoint

PASSED	*DURATION - 0.147 s*	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 7:10:05.735 AM // 7:10:05.882 AM /		
User Logout		
@tag14		

#	Step / Hook Details	Status	Duration
1	Given Admin sets authorization to bearer Token with token	PASSED	0.001 s

| #	Step / Hook Details	Status	Duration
2	When Admin calls Get Https method with valid endpoint	PASSED	0.143 s
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.001 s

User Logout Negative

FAILED	DURATION - 0.246 s		Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 7:10:05.891 AM // 7:10:06.137 AM /						

Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.099 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:10:05.891 AM // 7:10:05.990 AM /				
User Logout Negative				
@tag07				

#	Step / Hook Details	Status	Duration
1	Given Admin sets authorization to bearer Token with token	PASSED	0.002 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.095 s
3	Then Admin receives 404 Not found	PASSED	0.001 s

Check if Admin able to logout with valid endpoint with NoAuth

FAILED	DURATION - 0.140 s

/ 7:10:05.997 AM // 7:10:06.137 AM /

User Logout Negative

@tag07

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin sets No authorization	PASSED	0.000 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.137 s
3	Then Admin receives status 401 with unauthorized error message Negative	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null		
	at api.stepdefinitions.UserModule.admin_receives_status_with_unauthorized_error_message_negative(UserModule.java:452)		
	at ?.Admin receives status 401 with unauthorized error message Negative(file:///C:/Users/shanj/git/Team05_APITesters/ Team05_APITesters/src/test/resources/features/15LogoutNegative.feature:16)		
	* Not displayable characters are replaced by '?'.		

User Module request

PASSED	DURATION - 1.112 s

/ 7:10:06.146 AM // 7:10:07.258 AM /

Scenarios
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

Steps
Total - 24
Pass - 24
Fail - 0
Skip - 0

24

Check if admin is able to get count of active and inactive Admins with invalid endpoint

PASSED	DURATION - 0.091 s

/ 7:10:06.146 AM // 7:10:06.237 AM /

User Module request

@Test01 @tag3

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with invalid endpoint	PASSED	0.087 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to get count of active and inactive Admins by invalid role ID

PASSED	DURATION - 0.158 s		Steps	
			Total - 3	
/ 7:10:06.245 AM // 7:10:06.403 AM /			Pass - 3	
			Fail - 0	3
User Module request			Skip - 0	
@Test02 @tag3				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with active and inactive Admins Negative endpoint	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint invalid role ID	PASSED	0.154 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s

Check if admin is able to get count of active and inactive Admins with no authorization

PASSED	DURATION - 0.150 s		Steps	
			Total - 3	
/ 7:10:06.410 AM // 7:10:06.560 AM /			Pass - 3	
			Fail - 0	3
User Module request			Skip - 0	
@tag3 @Test03				

#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint no authorization	PASSED	0.148 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s

Check if admin able to retrieve all active Admins with invalid endpoint

PASSED	DURATION - 0.094 s
/ 7:10:06.568 AM // 7:10:06.662 AM /	
User Module request	
@tag3 @Test03	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with all active Admins with invalid endpoint	PASSED	0.090 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin able to retrieve all active Admins with no authorization

PASSED	DURATION - 0.136 s
/ 7:10:06.671 AM // 7:10:06.807 AM /	
User Module request	
@tag3 @Test03	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with no auth	PASSED	0.131 s
3	Then Admin receives status 401 with Unauthorized	PASSED	0.000 s

Check if admin is able to get the Admins by program batches for invalid batch ID

PASSED	DURATION - 0.144 s

/ 7:10:06.816 AM // 7:10:06.960 AM /

User Module request

@tag3 @Test04

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid batchId	PASSED	0.002 s
2	When Admin sends GET Request with invalid batchId by Program Batches endpoint	PASSED	0.139 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to get the Admins for invalid program Id

PASSED	DURATION - 0.141 s

/ 7:10:06.966 AM // 7:10:07.107 AM /

User Module request

@tag3 @Test06

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid program Id	PASSED	0.001 s
2	When Admin sends GET Request with invalid program Id by Program endpoint	PASSED	0.137 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

## Check if admin is able to retreive Admins by invalid role ID

PASSED	DURATION - 0.145 s

/ 7:10:07.113 AM // 7:10:07.258 AM /

User Module request

@tag3 @Test07

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for GET with invalid role ID	PASSED	0.001 s
2	When Admin sends GET HTTPS Request endpoint with invalid role ID	PASSED	0.141 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s