

Cucumber Report

Apr 1, 2024, 11:11:01 PM

Start : Apr 01, 11:10:25.612 PM

End : Apr 01, 11:11:00.329 PM

Duration : 34.717 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 4
SKIPPED - 0

PASSED - 41
FAILED - 7
SKIPPED - 0


PASSED - 169
FAILED - 7
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login Post request</u>	5.898 s	1	1	0	0	3	3	0	0
<u>program controller Positive</u>	5.702 s	6	5	1	0	24	23	1	0
<u>Program Batch Positive Request</u>	6.478 s	10	10	0	0	40	40	0	0
<u>User Module Positive request</u>	12.487 s	16	13	3	0	64	58	3	3
<u>User Controller Positive</u>	1.050 s	2	1	1	0	8	6	1	1
<u>Delete Request for all modules</u>	1.590 s	4	2	2	0	16	12	2	2
<u>User Logout</u>	0.142 s	1	1	0	0	3	3	0	0
<u>User Module request</u>	1.114 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>program controller Positive</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>
2	<u>User Module Positive request</u>	<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>
3		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>
4		<u>Check if admin is able to get the Admins for valid program Id</u>
5	<u>User Controller Positive</u>	<u>admin is able to retrieve assigned program batches for valid AdminId</u>
6	<u>Delete Request for all modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>
7		<u>Check if Admin able to delete a Admin with valid Admin Id</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test01	3	3	0	0	3	2	1	0
@tag08	1	1	0	0	1	1	0	0
@tag09	6	5	1	0	1	0	1	0
@tag10	10	10	0	0	1	1	0	0
@tag11	16	13	3	0	1	0	1	0
@tag12	2	1	1	0	1	0	1	0
@tag13	4	2	2	0	1	0	1	0
@tag14	1	1	0	0	1	1	0	0
@tag3	8	8	0	0	1	1	0	0
@Test02	1	1	0	0	1	1	0	0
@Test03	3	3	0	0	1	1	0	0
@Test04	1	1	0	0	1	1	0	0
@Test06	1	1	0	0	1	1	0	0
@Test07	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	1	1	0	0	5.898 s
2	<u>program controller Positive</u>	6	5	1	0	5.702 s
3	<u>Program Batch Positive Request</u>	10	10	0	0	6.478 s
4	<u>User Module Positive request</u>	16	13	3	0	12.487 s
5	<u>User Controller Positive</u>	2	1	1	0	1.050 s
6	<u>Delete Request for all modules</u>	4	2	2	0	1.590 s
7	<u>User Logout</u>	1	1	0	0	0.142 s
8	<u>User Module request</u>	8	8	0	0	1.114 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	5.893 s
2	<u>program controller Positive</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	4	4	0	0	1.319 s
3		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	4	4	0	0	0.969 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	4	4	0	0	0.614 s
5		<u>Check if Admin able to retrieve all programs with users and with valid Endpoint</u>	4	4	0	0	1.209 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	4	4	0	0	0.814 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	4	3	1	0	0.651 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Program Batch Positive Request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	4	4	0	0	0.716 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Program Batch Positive Request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	4	4	0	0	1.028 s
10		<u>Check if admin able to retrieve all batches with search string</u>	4	4	0	0	0.949 s
11		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	4	4	0	0	0.512 s
12		<u>Check if admin able to retrieve a batch after deleting the batch</u>	4	4	0	0	0.637 s
13		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	4	4	0	0	0.435 s
14		<u>Check if admin able to retrieve a batch after deleting the batch using batch name</u>	4	4	0	0	0.594 s
15		<u>Check if admin able to retrieve a batch with valid Program ID</u>	4	4	0	0	0.456 s
16		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	4	4	0	0	0.573 s
17		<u>Check if admin able to delete a Batch with valid Batch ID</u>	4	4	0	0	0.467 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>User Module Positive request</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	4	4	0	0	1.154 s
19		<u>Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional *</u>	4	4	0	0	1.007 s
20		<u>Check if admin is able to retrieve all the available roles(all roles)</u>	4	4	0	0	1.586 s
21		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	4	4	0	0	0.424 s
22		<u>Check if admin able to retrieve all Admins with roles</u>	4	4	0	0	0.414 s
23		<u>Check if admin is able to get count of active and inactive Admins</u>	4	4	0	0	0.447 s
24		<u>Check if admin able to retrieve all active Admins</u>	4	4	0	0	0.774 s
25		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	4	2	1	1	1.497 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
26		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	4	2	1	1	0.457 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>User Module Positive request</u>	<u>Check if admin is able to get the Admins for valid program Id</u>	4	2	1	1	0.423 s
28		<u>Check if admin is able to retrieve Admins by valid role ID</u>	4	4	0	0	0.712 s
29		<u>Check if admin is able to retrieve all Admins with filters</u>	4	4	0	0	1.595 s
30		<u>Check if admin is able to update Admin details with Admin id and mandatory fields</u>	4	4	0	0	0.509 s
31		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	4	4	0	0	0.472 s
32		<u>Check if admin is able to update User by roleId with valid Admin id</u>	4	4	0	0	0.471 s
33		<u>Check if admin is able to update the Admin login status by Admin ID</u>	4	4	0	0	0.421 s
34	<u>User Controller Positive</u>	<u>admin is able to retrieve assigned program batches for valid AdminId</u>	4	2	1	1	0.428 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35		<u>admin is able to retrieve all Admins with assigned program batches</u>	4	4	0	0	0.616 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Delete Request for all modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>	4	2	1	1	0.438 s
37		<u>Check if Admin able to delete a Admin with valid Admin Id</u>	4	2	1	1	0.280 s
38		<u>Check if Admin able to delete a program with valid programName</u>	4	4	0	0	0.408 s
39		<u>Check if Admin able to delete a program with valid program ID</u>	4	4	0	0	0.438 s
40	<u>User Logout</u>	<u>Check if Admin able to logout with valid endpoint</u>	3	3	0	0	0.142 s
41	<u>User Module request</u>	<u>Check if admin is able to get count of active and inactive Admins with invalid endpoint</u>	3	3	0	0	0.094 s
42		<u>Check if admin is able to get count of active and inactive Admins by invalid role ID</u>	3	3	0	0	0.138 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
43		<u>Check if admin is able to get count of active and inactive Admins with no authorization</u>	3	3	0	0	0.130 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>User Module request</u>	<u>Check if admin able to retrieve all active Admins with invalid endpoint</u>	3	3	0	0	0.095 s
45		<u>Check if admin able to retrieve all active Admins with no authorization</u>	3	3	0	0	0.144 s
46		<u>Check if admin is able to get the Admins by program batches for invalid batch ID</u>	3	3	0	0	0.144 s
47		<u>Check if admin is able to get the Admins for invalid program Id</u>	3	3	0	0	0.170 s
48		<u>Check if admin is able to retrieve Admins by invalid role ID</u>	3	3	0	0	0.143 s

User Login Post request



PASSED	DURATION - 5.898 s	Scenarios		Steps	
/ 11:10:25.612 PM // 11:10:31.510 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential



<div>PASSED</div> <div>DURATION - 5.893 s</div>	<div></div>	Steps	<div></div>
/ 11:10:25.617 PM // 11:10:31.510 PM /		Total - 3	
User Login Post request		Pass - 3	
@Test01 @tag08		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Add UserLogin Payload	PASSED	3.221 s
2	When Admin calls Post Https method with valid endpoint	PASSED	2.560 s
3	Then Admin receives 201 created with auto generated token	PASSED	0.007 s

program controller Positive



FAILED	DURATION - 5.702 s	Scenarios		Steps	
/ 11:10:31.672 PM // 11:10:37.374 PM /		Total - 6		Total - 24	
		Pass - 5		Pass - 23	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED		<i>DURATION - 1.319 s</i>			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:31.672 PM // 11:10:32.991 PM /						
<i>program controller Positive</i>						
@Test01 @tag09						

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.496 s
2	Given Admin creates POST Request for the LMS with request body	PASSED	0.199 s
3	When Admin sends Post Request to create a program with endpoint	PASSED	0.218 s
4	Then Admin receives 201 Created Status with response body	PASSED	0.394 s

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.969 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:10:33.030 PM // 11:10:33.999 PM /</div>				
<div>program controller Positive</div>				
<div>@tag09</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.365 s
2	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
3	When Admin sends Get HTTPS Request for All Programs with valid endpoint	PASSED	0.592 s
4	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.614 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:34.028 PM // 11:10:34.642 PM /				
program controller Positive				
@tag09				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.413 s
2	Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint and stores the response	PASSED	0.176 s
4	Then Admin receives 200 OK Status code with response body.	PASSED	0.015 s

Check if Admin able to retrieve all programs with users and with valid Endpoint

PASSED	DURATION - 1.209 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:34.669 PM // 11:10:35.878 PM /				
program controller Positive				
@tag09				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.556 s
2	Given Admin creates GET Request for the LMS API retrieve all programs with users	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and stores the response	PASSED	0.645 s
4	Then Admin receives 200 OK Status with response body and asserts the response.	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div> <div>DURATION - 0.814 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:10:35.896 PM // 11:10:36.710 PM /</div>			
<div>program controller Positive</div>			
<div>@tag09</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.476 s
2	Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields.	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and gets the response	PASSED	0.318 s
4	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.013 s



Check if Admin able to update a program with valid programID endpoint and valid request body

<div>FAILED</div> <div>DURATION - 0.651 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:10:36.723 PM // 11:10:37.374 PM /</div>				
<div>program controller Positive</div>				
<div>@tag09</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.347 s
2	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.003 s
3	When Admin sends HTTPS Request with valid endpoint and recieves the response	PASSED	0.286 s
4	Then Admin receives 200 OK Status with updated value in response body. java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.ProgramPost.admin_receives_ok_status_with_updated_value_in_response_body(ProgramPost.java:207)	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 OK Status with updated value in response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09ProgramPositive.feature:41) * Not displayable characters are replaced by '?'.		

Program Batch Positive Request

PASSED	DURATION - 6.478 s	Scenarios		Steps	
/ 11:10:37.415 PM // 11:10:43.893 PM /		Total - 10		Total - 40	
		Pass - 10		Pass - 40	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<div>PASSED</div> <div>DURATION - 0.716 s</div>		 <table border="1"><thead><tr><th>Scenario</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>3</td><td>0</td><td>0</td></tr><tr><td>2</td><td>1</td><td>0</td><td>0</td></tr><tr><td>3</td><td>1</td><td>0</td><td>0</td></tr><tr><td>4</td><td>0</td><td>1</td><td>0</td></tr></tbody></table>	Scenario	Pass	Fail	Skip	1	3	0	0	2	1	0	0	3	1	0	0	4	0	1	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Scenario	Pass		Fail	Skip																				
1	3		0	0																				
2	1		0	0																				
3	1	0	0																					
4	0	1	0																					
/ 11:10:37.416 PM // 11:10:38.132 PM /																								
Program Batch Positive Request																								
@tag10																								

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.336 s
2	Given Admin creates POST Request with valid data in request body	PASSED	0.176 s
3	When Admin sends POST HTTPS Request with endpoint of program batch	PASSED	0.193 s
4	Then Admin receives 201 Created Status with response body of Post Batch request	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 1.028 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:38.144 PM // 11:10:39.172 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.368 s
2	Given Admin creates GET Request of program batch of all batches	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of all batches	PASSED	0.653 s
4	Then Admin receives 200 OK Status with response body of program batch of all batches.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 0.949 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:39.185 PM // 11:10:40.134 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.315 s
2	Given Admin creates GET Request with search string of program batch	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of search string	PASSED	0.626 s
4	Then Admin receives 200 Ok status with response body of program batch of search string	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH ID

<div>PASSED</div> <div>DURATION - 0.512 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:10:40.145 PM // 11:10:40.657 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.336 s
2	Given Admin creates GET Request with valid Batch ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id	PASSED	0.169 s
4	Then Admin receives 200 Ok status with response body of program batch of batch id	PASSED	0.000 s

Check if admin able to retrieve a batch after deleting the batch

<div>PASSED</div>	<div>DURATION - 0.637 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:10:40.671 PM // 11:10:41.308 PM /</div>				
<div>Program Batch Positive Request</div>				
<div>@tag10</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.332 s
2	Given Admin creates GET Request with valid Batch ID after deleting batch	PASSED	0.162 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id after deleting batch	PASSED	0.138 s
4	Then Admin receives 200 OK Status with batchSize field "Inactive" in the response body.	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.435 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:41.315 PM // 11:10:41.750 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.281 s
2	Given Admin creates GET Request with valid batch name	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with batch name	PASSED	0.150 s
4	Then Admin receives 200 OK Status with response body of batch name.	PASSED	0.000 s

Check if admin able to retrieve a batch after deleting the batch using batch name

PASSED	DURATION - 0.594 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:41.762 PM // 11:10:42.356 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.315 s
2	Given Admin creates GET Request with batch Name after deleting batch	PASSED	0.139 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch name after deleting batch	PASSED	0.135 s
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body using batchName.	PASSED	0.000 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.456 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:42.370 PM // 11:10:42.826 PM /				
Program Batch Positive Request				
@tag10				


#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.295 s
2	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with valid program id	PASSED	0.154 s
4	Then Admin receives 200 OK Status with response body with valid program id.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.573 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:42.834 PM // 11:10:43.407 PM /				
Program Batch Positive Request				
@tag10				


#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.296 s
2	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.089 s
3	When Admin sends HTTPS Request with endpoint with PUT in request body	PASSED	0.181 s
4	Then Admin receives 200 OK Status with updated value in response body with PUT.	PASSED	0.000 s

Check if admin able to delete a Batch with valid Batch ID




#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.316 s
2	Given Admin creates DELETE Request with valid BatchId	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint for delete batch	PASSED	0.144 s
4	Then Admin receives 200 Ok status with message for delete batch.	PASSED	0.001 s

User Module Positive request





Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.280 s



#	Step / Hook Details	Status	Duration
2	Given Admin creates POST request with all mandatory fields	PASSED	0.391 s
3	When Admin sends HTTPS Request with endpoint	PASSED	0.478 s
4	Then Admin receives 201 Created Status with response body.	PASSED	0.000 s

Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields

PASSED	DURATION - 1.007 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:45.069 PM // 11:10:46.076 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.261 s
2	Given Admin creates POST request with all mandatory fields and an additional fields	PASSED	0.307 s
3	When Admin sends POST HTTPS Request with mandatory and additional fields	PASSED	0.436 s
4	Then Admin receives 201 Created Status	PASSED	0.000 s



Check if admin is able to retrieve all the available roles(all roles)

PASSED	DURATION - 1.586 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:46.087 PM // 11:10:47.673 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.291 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	1.290 s



#	Step / Hook Details	Status	Duration
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.424 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:47.680 PM // 11:10:48.104 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.274 s
2	Given Admin creates GET Request with valid AdminId	PASSED	0.002 s
3	When Admin sends HTTPS Request with a valid endpoint	PASSED	0.147 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin able to retrieve all Admins with roles

PASSED	DURATION - 0.414 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:48.113 PM // 11:10:48.527 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.266 s
2	Given Admin creates GET Request	PASSED	0.000 s
3	When Admin sends HTTPS Request with an endpoint	PASSED	0.144 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.447 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:48.533 PM // 11:10:48.980 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.269 s
2	Given Admin creates GET Request with active and inactive Admins endpoint	PASSED	0.001 s
3	When Admin sends Get count of active and inactive users HTTPS Request with endpoint	PASSED	0.173 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin able to retrieve all active Admins

PASSED	DURATION - 0.774 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:48.988 PM // 11:10:49.762 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.271 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends Get All Active Users HTTPS Request with endpoint	PASSED	0.500 s
4	Then Admin receives 200 OK	PASSED	0.000 s



Check if admin is able to assign Admin to with program/batch by Admin Id

<div>FAILED</div> <div>DURATION - 1.497 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:10:49.769 PM // 11:10:51.266 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.303 s
2	Given Admin creates PUT Request with valid data in request body	PASSED	0.003 s
3	When Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <400>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) </pre>	FAILED	1.186 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserModule.admin_sends_put_https_request_with_user_role_program_batch_status_endpoint(UserModule.java:219) at ?.Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:62) * Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 OK	SKIPPED	0.002 s



Check if admin is able to get the Admins by program batches for valid batch ID

FAILED DURATION - 0.457 s / 11:10:51.275 PM // 11:10:51.732 PM / User Module Positive request @tag11		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.297 s
2	Given Admin creates GET Request with valid batch Id	PASSED	0.001 s
3	When Admin sends Get User by Program Batches HTTPS Request with endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: {"message":"No Users found for the given Batch ID: 9906","success":false} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) </pre>	FAILED	0.154 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_get_user_by_program_batches_https_request_with_endpoint(UserModule.java:238) at ?.Admin sends Get User by Program Batches HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:68) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 OK	SKIPPED	0.000 s



Check if admin is able to get the Admins for valid program Id

FAILED	DURATION - 0.423 s	 <table><caption>Test Results Data</caption><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.3</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0.15</td></tr><tr><td>4</td><td>0</td></tr></tbody></table>	Step	Value	1	0.3	2	0	3	0.15	4	0	Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
Step	Value													
1	0.3													
2	0													
3	0.15													
4	0													
/ 11:10:51.741 PM // 11:10:52.164 PM /														
User Module Positive request														
@tag11														

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.271 s
2	Given Admin creates GET Request with valid program Id	PASSED	0.001 s
3	When Admin sends Gets Users for Program HTTPS Request with endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: {"message":"No Users found for the given program ID: 17613","success":false} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) </pre>	FAILED	0.146 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_gets_users_for_program_https_request_with_endpoint(UserModule.java:258) at ?.Admin sends Gets Users for Program HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:75) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 OK	SKIPPED	0.001 s

Check if admin is able to retrieve Admins by valid role ID

PASSED	DURATION - 0.712 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:10:52.177 PM // 11:10:52.889 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.265 s
2	Given Admin creates GET Request with valid role ID	PASSED	0.001 s
3	When Admin sends Gets Users by roleId HTTPS Request with endpoint	PASSED	0.443 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to retrieve all Admins with filters

PASSED	DURATION - 1.595 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:52.900 PM // 11:10:54.495 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.271 s
2	Given Admin creates GET Request with filters	PASSED	0.001 s
3	When Admin sends HTTPS Request with filters endpoint	PASSED	1.306 s
4	Then Admin receives "200" OK	PASSED	0.014 s



Check if admin is able to update Admin details with Admin id and mandatory fields

PASSED	DURATION - 0.509 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:54.503 PM // 11:10:55.012 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.258 s
2	Given Admin creates PUT Request with valid data in request body (values only in mandatory fields)	PASSED	0.090 s



#	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS request for update by userId with endpoint	PASSED	0.156 s
4	Then Admin receives "200" OK	PASSED	0.003 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.472 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:55.018 PM // 11:10:55.490 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.279 s
2	Given Admin creates PUT Request with valid user data in request body	PASSED	0.033 s
3	When Admin sends HTTPS Request for update by roleStatus with endpoint	PASSED	0.157 s
4	Then Admin receives "200" OK	PASSED	0.001 s

Check if admin is able to update User by roleId with valid Admin id

PASSED	DURATION - 0.471 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:55.498 PM // 11:10:55.969 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.315 s
2	Given Admin creates PUT Request with valid user data to with roleID	PASSED	0.001 s
3	When Admin sends HTTPS Request for update User by roleID	PASSED	0.152 s
4	Then Admin receives "200" OK	PASSED	0.000 s

Check if admin is able to update the Admin login status by Admin ID



<div>PASSED</div> <div>DURATION - 0.421 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:10:55.974 PM // 11:10:56.395 PM /</div>			
<div>User Module Positive request</div>			
<div>@tag11</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.269 s
2	Given Admin creates PUT Request with Admin login status by Admin ID	PASSED	0.001 s
3	When Admin sends HTTPS Request for update User with Admin login status by Admin ID	PASSED	0.146 s
4	Then Admin receives "200" OK	PASSED	0.001 s

User Controller Positive


<div>FAILED</div> <div>DURATION - 1.050 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div></div><div>2</div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div></div><div>8</div></div>
/ 11:10:56.403 PM // 11:10:57.453 PM /					

admin is able to retrieve assigned program batches for valid AdminId

<div>FAILED</div> <div>DURATION - 0.428 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:10:56.403 PM // 11:10:56.831 PM /</div>				
<div>User Controller Positive</div>				
<div>@tag12</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.270 s
2	Given Admin creates a GET Request to retrieve Admin assigned to Program or Batch by AdminId	PASSED	0.001 s
3	<p>When Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor302.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserController. admin_sends_https_request_to_retrieve_assigned_program_batches_for_valid_admin_id(UserController.java:72) at ?.Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/12UserControllerPositive.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.153 s
4	Then Admin receives a 200 OK response	SKIPPED	0.000 s

admin is able to retrieve all Admins with assigned program batches




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.306 s
2	Given Admin creates a GET Request to retrieve all Admins assigned to programs or batches	PASSED	0.002 s
3	When Admin sends HTTPS Request	PASSED	0.306 s
4	Then Admin receives a 200 OK response	PASSED	0.000 s

Delete Request for all modules





Check if admin is able to delete the program batch for a Admin



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.271 s

#	Step / Hook Details	Status	Duration
2	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.001 s
3	<p>When Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <405>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor302.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.AllDeleteRequest. admin_sends_https_request_to_delete_admin_assigned_to_program_batch_by_admin_id(AllDeleteRequest.java:54) at ?.Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.162 s
4	Then Admin receives 200 OK	SKIPPED	0.001 s

Check if Admin able to delete a Admin with valid Admin Id

<div>FAILED</div> <div>DURATION - 0.280 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:10:57.908 PM // 11:10:58.188 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.260 s
2	Given Admin creates DELETE Request to delete Admin details	PASSED	0.002 s
3	When Admin sends HTTPS request with valid Admin Id java.lang.IllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userId=U1686. Undefined path parameters are: userID. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) atjdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at api.stepdefinitions.AllDeleteRequest.admin_sends_https_request_with_valid_admin_id(AllDeleteRequest.java:68) at ?.Admin sends HTTPS request with valid Admin Id(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:17) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 Ok	SKIPPED	0.000 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.408 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:58.197 PM // 11:10:58.605 PM /				
Delete Request for all modules				
@tag13				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.271 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program name	PASSED	0.133 s
4	Then Admin receives 200 Ok status with message	PASSED	0.001 s

Check if Admin able to delete a program with valid program ID



PASSED	DURATION - 0.438 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:10:58.613 PM // 11:10:59.051 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.288 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program ID	PASSED	0.145 s
4	Then Admin receives 200 Ok and validates the status	PASSED	0.001 s

User Logout



PASSED	DURATION - 0.142 s	Scenarios		Steps	
/ 11:10:59.063 PM // 11:10:59.205 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 3 Pass - 3 Fail - 0 Skip - 0	

Check if Admin able to logout with valid endpoint

<div>PASSED</div>	<div>DURATION - 0.142 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:10:59.063 PM // 11:10:59.205 PM /</div>				
<div>User Logout</div>				
<div>@tag14</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets authorization to bearer Token with token	PASSED	0.000 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.137 s
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.000 s

User Module request

PASSED	DURATION - 1.114 s	Scenarios		Steps	
/ 11:10:59.215 PM // 11:11:00.329 PM /		Total - 8 Pass - 8 Fail - 0 Skip - 0		Total - 24 Pass - 24 Fail - 0 Skip - 0	

Check if admin is able to get count of active and inactive Admins with invalid endpoint

PASSED	DURATION - 0.094 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:10:59.215 PM // 11:10:59.309 PM /				
User Module request				
@Test01 @tag3				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with invalid endpoint	PASSED	0.090 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins by invalid role ID

PASSED	DURATION - 0.138 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:10:59.314 PM // 11:10:59.452 PM /				
User Module request				
@Test02 @tag3				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with active and inactive Admins Negative endpoint	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint invalid role ID	PASSED	0.135 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins with no authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint no authorization	PASSED	0.126 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s

Check if admin able to retrieve all active Admins with invalid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with all active Admins with invalid endpoint	PASSED	0.091 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin able to retrieve all active Admins with no authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint with no auth	PASSED	0.140 s
3	Then Admin receives status 401 with Unauthorized	PASSED	0.000 s

Check if admin is able to get the Admins by program batches for invalid batch ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid batchId	PASSED	0.000 s
2	When Admin sends GET Request with invalid batchId by Program Batches endpoint	PASSED	0.140 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to get the Admins for invalid program Id

<div>PASSED</div>	<div>DURATION - 0.170 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:11:00.009 PM // 11:11:00.179 PM /				
User Module request				
@tag3 @Test06				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid program Id	PASSED	0.002 s
2	When Admin sends GET Request with invalid program Id by Program endpoint	PASSED	0.164 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to retrieve Admins by invalid role ID

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:11:00.186 PM // 11:11:00.329 PM /				
User Module request				
@tag3 @Test07				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for GET with invalid role ID	PASSED	0.001 s
2	When Admin sends GET HTTPS Request endpoint with invalid role ID	PASSED	0.139 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s