


Feature		Scenario				Step					
Name	Duration	T	P	F	S	T	P	F	S		
User Login Post request	3.883 s	1	1	0	0	3	3	0	0		
program controller Positive	4.225 s	6	6	0	0	24	24	0	0		
Program Batch Positive Request	5.960 s	10	10	0	0	40	40	0	0		
User Module Positive request	11.891 s	16	13	3	0	64	58	3	3		
User Controller Positive	1.377 s	2	1	1	0	8	6	1	1		
Delete Request for all modules	2.494 s	4	2	2	0	16	12	2	2		
<u>User Logout</u>	0.151 s	1	1	0	0	3	3	0	0		
User Module request	1.157 s	8	8	0	0	24	24	0	0		

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User Module Positive request	Check if admin is able to assign Admin to with program/batch by Admin Id
2		Check if admin is able to get the Admins by program batches for valid batch ID
3		Check if admin is able to get the Admins for valid program Id
4	User Controller Positive	admin is able to retreive assigned program batches for valid AdminId
5	Delete Request for all modules	Check if admin is able to delete the program batch for a Admin
6		Check if Admin able to delete a Admin with valid Admin Id


TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@Test01	3	3	0	0	3	3	0	0
@tag08	1	1	0	0	1	1	0	0
@tag09	6	6	0	0	1	1	0	0
@tag10	10	10	0	0	1	1	0	0
@tag11	16	13	3	0	1	0	1	0
@tag12	2	1	1	0	1	0	1	0
@tag13	4	2	2	0	1	0	1	0
@tag14	1	1	0	0	1	1	0	0
@tag3	8	8	0	0	1	1	0	0
@Test02	1	1	0	0	1	1	0	0
@Test03	3	3	0	0	1	1	0	0
@Test04	1	1	0	0	1	1	0	0
@Test06	1	1	0	0	1	1	0	0
@Test07	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	1	1	0	0	3.883 s
2	program controller Positive	6	6	0	0	4.225 s
3	Program Batch Positive Request	10	10	0	0	5.960 s
4	User Module Positive request	16	13	3	0	11.891 s
5	<u>User Controller Positive</u>	2	1	1	0	1.377 s
6	Delete Request for all modules	4	2	2	0	2.494 s
7	<u>User Logout</u>	1	1	0	0	0.151 s
8	<u>User Module request</u>	8	8	0	0	1.157 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login Post request	Check if Admin able to generate token with valid credential	3	3	0	0	3.878 s
2	program controller Positive	Check if Admin able to create a program with valid endpoint and request body with Authorization	4	4	0	0	0.983 s
3		Check if Admin able to retrieve all programs with valid Endpoint	4	4	0	0	0.819 s
4		Check if Admin able to retrieve a program with valid program ID	4	4	0	0	0.522 s
5		Check if Admin able to retrieve all programs with users and with valid Endpoint	4	4	0	0	0.753 s
6		Check if Admin able to update a program with Valid program Name and request body	4	4	0	0	0.536 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	4	4	0	0	0.516 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Program Batch Positive Request	Check if admin able to create a Batch with valid endpoint	4	4	0	0	0.581 s
		and request body (non existing values)					

SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Program Batch Positive Request	Check if admin able to retrieve all batches with valid LMS API	4	4	0	0	0.863 s
10		Check if admin able to retrieve all batches with search string	4	4	0	0	0.861 s
11		Check if admin able to retrieve a batch with valid BATCH ID	4	4	0	0	0.485 s
12		Check if admin able to retrive a batch after deleting the batch	4	4	0	0	0.671 s
13		Check if admin able to retrieve a batch with valid BATCH NAME	4	4	0	0	0.422 s
14		Check if admin able to retrive a batch after deleting the batch using batch name	4	4	0	0	0.577 s
15		Check if admin able to retrieve a batch with valid Program ID	4	4	0	0	0.432 s
16		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	4	4	0	0	0.545 s
17		Check if admin able to delete a Batch with valid Batch ID	4	4	0	0	0.439 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	User Module Positive request	Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields	4	4	0	0	1.024 s
19		Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional *	4	4	0	0	1.000 s
20		Check if admin is able to retreive all the available roles(all roles)	4	4	0	0	1.875 s
21		Check if admin able to retrieve a Admin with valid Admin ID	4	4	0	0	0.427 s
22		Check if admin able to retrieve all Admins with roles	4	4	0	0	0.419 s
23		Check if admin is able to get count of active and inactive Admins	4	4	0	0	0.455 s
24		Check if admin able to retrieve all active Admins	4	4	0	0	0.768 s
25		Check if admin is able to assign Admin to with program/batch by Admin Id	4	2	1	1	0.649 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
26		Check if admin is able to get the Admins by program	4	2	1	1	0.420 s
		batches for valid batch ID					


SCENARIOS SUMMARY -- 11 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
27	User Module Positive request	Check if admin is able to get the Admins for valid program Id	4	2	1	1	0.404 s
28		Check if admin is able to retreive Admins by valid role ID	4	4	0	0	0.676 s
29		Check if admin is able to retrieve all Admins with filters	4	4	0	0	1.463 s
30		Check if admin is able to update Admin details with Admin id and mandatory fields	4	4	0	0	0.464 s
31		Check if admin is able to update role status of a Admin with valid Admin id	4	4	0	0	0.429 s
32		Check if admin is able to update User by roleld with valid Admin id	4	4	0	0	0.547 s
33		Check if admin is able to update the Admin login status by <u>Admin ID</u>	4	4	0	0	0.737 s
34	User Controller Positive	admin is able to retreive assigned program batches for valid AdminId	4	2	1	1	0.732 s

#	‡ Featu	ıre Name	Scenario Name	T	P	F	S	Duration
3	5		admin is able to retreive all Admins with assigned program batches	4	4	0	0	0.633 s


SCENARIOS SUMMARY -- 13 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
36	Delete Request for all modules	Check if admin is able to delete the program batch for a Admin	4	2	1	1	0.394 s
37		Check if Admin able to delete a Admin with valid Admin Id	4	2	1	1	0.267 s
38		Check if Admin able to delete a program with valid programName	4	4	0	0	0.404 s
39		Check if Admin able to delete a program with valid program <u>ID</u>	4	4	0	0	1.395 s
40	<u>User Logout</u>	Check if Admin able to logout with valid endpoint	3	3	0	0	0.151 s
41	<u>User Module request</u>	Check if admin is able to get count of active and inactive Admins with invalid endpoint	3	3	0	0	0.105 s
42		Check if admin is able to get count of active and inactive Admins by invalid role ID	3	3	0	0	0.161 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
43		Check if admin is able to get count of active and inactive	3	3	0	0	0.156 s
		Admins with no authorization					

SCENARIOS SUMMARY -- 15 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>User Module request</u>	Check if admin able to retrieve all active Admins with invalid endpoint	3	3	0	0	0.089 s
45		Check if admin able to retrieve all active Admins with no authorization	3	3	0	0	0.142 s
46		Check if admin is able to get the Admins by program batches for invalid batch ID	3	3	0	0	0.143 s
47		Check if admin is able to get the Admins for invalid program Id	3	3	0	0	0.149 s
48		Check if admin is able to retreive Admins by invalid role ID	3	3	0	0	0.146 s

DETAILED SECTION -- 16 --

User Login Post request


Scenarios		Steps	
Total - 1		Total - 3	
Pass - 1	1	Pass - 3	3
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fail - 0 Total - 3 Pass - 3 Fail - 0

Check if Admin able to generate token with valid credential




#	Step / Hook Details	Status	Duration
1	Given Add UserLogin Payload	PASSED	2.048 s
2	When Admin calls Post Https method with valid endpoint	PASSED	1.746 s
3	Then Admin receives 201 created with auto generated token	PASSED	0.007 s

program controller Positive




Check if Admin able to create a program with valid endpoint and request body with Authorization

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.365 s
2	Given Admin creates POST Request for the LMS with request body	PASSED	0.125 s
3	When Admin sends Post Request to create a program with endpoint	PASSED	0.194 s
4	Then Admin receives 201 Created Status with response body	PASSED	0.290 s


Check if Admin able to retrieve all programs with valid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.300 s
2	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
3	When Admin sends Get HTTPS Request for All Programs with valid endpoint	PASSED	0.511 s
4	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s


Check if Admin able to retrieve a program with valid program ID

DETAILED SECTION -- 18 --



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.325 s
2	Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint and stores the response	PASSED	0.178 s
4	Then Admin receives 200 OK Status code with response body.	PASSED	0.011 s


Check if Admin able to retrieve all programs with users and with valid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.352 s
2	Given Admin creates GET Request for the LMS API retrieve all programs with users	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and stores the response	PASSED	0.393 s
4	Then Admin receives 200 OK Status with response body and asserts the response.	PASSED	0.001 s


Check if Admin able to update a program with Valid program Name and request body

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.289 s
2	Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields.	PASSED	0.001 s
3	When Admin sends HTTPS Request with valid endpoint and gets the response	PASSED	0.238 s
4	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.005 s


Check if Admin able to update a program with valid programID endpoint and valid request body




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.280 s
2	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.002 s
3	When Admin sends HTTPS Request with valid endpoint and recieves the response	PASSED	0.225 s
4	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.005 s

Program Batch Positive Request

DETAILED SECTION -- 20 --



Check if admin able to create a Batch with valid endpoint and request body (non existing values)



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.281 s
2	Given Admin creates POST Request with valid data in request body	PASSED	0.118 s
3	When Admin sends POST HTTPS Request with endpoint of program batch	PASSED	0.175 s
4	Then Admin receives 201 Created Status with response body of Post Batch request	PASSED	0.001 s


Check if admin able to retrieve all batches with valid LMS API

PASSED DURATION - 0.863 s	1 -	1			Steps	
/44.05.00.004 PM //44.05.07.504 PM	0.8				Total - 4	
/ 11:35:26.661 PM // 11:35:27.524 PM	0.6		-		Pass - 4	
Program Batch Positive Request	0.4 -	<u> </u>			Fail - 0	4
	0.2 -				Skip - 0	
@tag10	0 -		1 1	4		
		1	2 3	4		

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.287 s


#	Step / Hook Details	Status	Duration
2	Given Admin creates GET Request of program batch of all batches	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of all batches	PASSED	0.568 s
4	Then Admin receives 200 OK Status with response body of program batch of all batches.	PASSED	0.000 s

Check if admin able to retrieve all batches with search string



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.277 s
2	Given Admin creates GET Request with search string of program batch	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of search string	PASSED	0.580 s
4	Then Admin receives 200 Ok status with response body of program batch of search string	PASSED	0.000 s


Check if admin able to retrieve a batch with valid BATCH ID



#	Step / Hook Details		Duration
1	Given Admin set Authorization	PASSED	0.301 s
2	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id	PASSED	0.178 s

	#	Step / Hook Details	Status	Duration
-	4	Then Admin receives 200 Ok status with response body of program batch of batch id	PASSED	0.001 s

Check if admin able to retrive a batch after deleting the batch



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.339 s
2	Given Admin creates GET Request with valid Batch ID after deleting batch	PASSED	0.175 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id after deleting batch	PASSED	0.150 s
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED DURATION - 0.422 s	0.6 - Steps Total - 4	
/ 11:35:29.580 PM // 11:35:30.002 PM /	0.4 - Pass - 4	
Program Batch Positive Request	0.2 Fail - 0 Skip - 0	
@tag10	1 2 3 4	

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.282 s
2	Given Admin creates GET Request with valid batch name	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with batch name	PASSED	0.135 s
4	Then Admin receives 200 OK Status with response body of batch name.	PASSED	0.000 s


DETAILED SECTION -- 23 --

Check if admin able to retrive a batch after deleting the batch using batch name

PASSED DURATION - 0.577 s	0.6				Steps	
/ 11:35:30.008 PM // 11:35:30.585 PM /				1	Total - 4	
/ 11.35.30.006 PW // 11.35.30.363 PW /	0.4				Pass - 4	
Program Batch Positive Request	0.2				Fail - 0	4
					Skip - 0	
@tag10	0			!		
		1 2	3	4		

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.278 s
2	Given Admin creates GET Request with batch Name after deleting batch	PASSED	0.146 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch name after deleting batch	PASSED	0.147 s
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body using batchName.	PASSED	0.001 s


Check if admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.278 s
2	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with valid program id	PASSED	0.150 s
4	Then Admin receives 200 OK Status with response body with valid program id.	PASSED	0.000 s


Check if admin able to update a Batch with valid batchID and mandatory fields in request body

DETAILED SECTION -- 24 --




#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.281 s
2	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.071 s
3	When Admin sends HTTPS Request with endpoint with PUT in request body	PASSED	0.188 s
4	Then Admin receives 200 OK Status with updated value in response body with PUT.	PASSED	0.000 s

Check if admin able to delete a Batch with valid Batch ID




#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.276 s
2	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint for delete batch	PASSED	0.157 s
4	Then Admin receives 200 Ok status with message for delete batch.	PASSED	0.001 s

User Module Positive request



Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.279 s
2	Given Admin creates POST request with all mandatory fields	PASSED	0.265 s
3	When Admin sends HTTPS Request with endpoint	PASSED	0.475 s
4	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s


Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields

PASSED DURATION - 1.000 s	0.6 -	Steps Total - 4
/ 11:35:33.077 PM // 11:35:34.077 PM /	0.4 -	Pass - 4
User Module Positive request	0.2 -	Fail - 0 Skip - 0
@tag11	0 -	1 2 3 4

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.269 s


#	Step / Hook Details	Status	Duration
2	Given Admin creates POST request with all mandatory fields and an additional fields		0.249 s
3	When Admin sends POST HTTPS Request with mandatory and additional fields	PASSED	0.480 s
4	Then Admin receives 201 Created Status	PASSED	0.000 s

Check if admin is able to retreive all the available roles(all roles)



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.270 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	1.601 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin able to retrieve a Admin with valid Admin ID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.264 s
2	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request with a valid endpoint	PASSED	0.158 s

DETAILED SECTION -- 27 --


#	Step / Hook Details	Status	Duration
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin able to retrieve all Admins with roles



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.277 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with an endpoint	PASSED	0.139 s
4	Then Admin receives 200 OK	PASSED	0.000 s

Check if admin is able to get count of active and inactive Admins



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.262 s
2	Given Admin creates GET Request with active and inactive Admins endpoint	PASSED	0.001 s
3	When Admin sends Get count of active and inactive users HTTPS Request with endpoint	PASSED	0.191 s
4	Then Admin receives 200 OK	PASSED	0.000 s


DETAILED SECTION -- 28 --

Check if admin able to retrieve all active Admins

PASSED DURATION - 0.768 s	0.6		Steps	
/ 11:35:37.298 PM // 11:35:38.066 PM /	0.4		Total - 4 Pass - 4	
User Module Positive request	0.2		Fail - 0 Skip - 0	4
@tag11	0 -	1 2 3 4	·	

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.273 s
2	Given Admin creates GET Request		0.001 s
3	When Admin sends Get All Active Users HTTPS Request with endpoint		0.491 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to assign Admin to with program/batch by Admin Id




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.259 s
2	Given Admin creates PUT Request with valid data in request body	PASSED	0.002 s
3	When Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint	FAILED	0.382 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <400>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.UserModule.admin_sends_put_https_request_with_user_role_program_batch_status_endpoint(UserModule.java:219)		
	at ?.Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint(file:///C:/Users/shanj/git/Team05_APITesters/		
	Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:62)		
	* Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 OK	SKIPPED	0.001 s


Check if admin is able to get the Admins by program batches for valid batch ID



DETAILED SECTION -- 30 --

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.254 s
2	Given Admin creates GET Request with valid batch Id	PASSED	0.001 s
3	When Admin sends Get User by Program Batches HTTPS Request with endpoint	FAILED	0.162 s
3	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"] level: "error" schema: "loadingURI":"file e/C:/Users/shani/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema. json#:"pointer":"] instance: ["pointer":"] domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: ["message":"No Users found for the given Batch ID: 9926", "success":false} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor, java:49) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor, java:49) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor, java:49) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor, java:49) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor, java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosurevalidate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosurevalidate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy:0) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(PalinObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dallCurrent(PogoMetaMethodSite.java:43) at org.co	FAILED	0.162 s
	at ?.Admin sends Get User by Program Batches HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/ Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:68)		
	* Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 OK	SKIPPED	0.000 s


DETAILED SECTION -- 31 --



# Step / Hook Details	Status	Duration
Given Admin sets Authorization token	PASSED	0.254 s
Given Admin creates GET Request with valid program Id	PASSED	0.001 s
When Admin sends Gets Users for Program HTTPS Request with endpoint	FAILED	0.145 s
java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: ["loadingURI!":file e:/C:/Users/shani/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema. json#","pointer":"") instance: ("pointer":"") domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: ["message":"No Users found for the given program ID: 17645", "success':false) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.java:480) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor.java:430) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.slidateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(OklativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PainObjectMet	I AILLD	0.140 5


#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_gets_users_for_program_https_request_with_endpoint(UserModule.java:258) at ?.Admin sends Gets Users for Program HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:75) * Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 OK	SKIPPED	0.001 s

Check if admin is able to retreive Admins by valid role ID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.248 s
2	Given Admin creates GET Request with valid role ID	PASSED	0.001 s
3	When Admin sends Gets Users by roleId HTTPS Request with endpoint	PASSED	0.425 s
4	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to retrieve all Admins with filters



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.270 s
2	Given Admin creates GET Request with filters	PASSED	0.001 s
3	When Admin sends HTTPS Request with filters endpoint	PASSED	1.181 s
4	Then Admin receives "200" OK	PASSED	0.010 s

Check if admin is able to update Admin details with Admin id and mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.253 s
2	Given Admin creates PUT Request with valid data in request body (values only in mandatory fields)	PASSED	0.058 s
3	When Admin sends HTTPS request for update by userId with endpoiint	PASSED	0.148 s
4	Then Admin receives "200" OK	PASSED	0.001 s


Check if admin is able to update role status of a Admin with valid Admin id

PASSED DURATION - 0.429 s	0.3 - Steps	
/ 11:35:42.202 PM // 11:35:42.631 PM /	Total - 4 0.2	
User Module Positive request	0.1 - Fail - 0 Skip - 0	4
@tag11		

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.247 s
2	Given Admin creates PUT Request with valid user data in request body	PASSED	0.027 s


#	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS Request for update by roleStatus with endpoint	PASSED	0.153 s
4	Then Admin receives "200" OK	PASSED	0.000 s

Check if admin is able to update User by roleld with valid Admin id



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.275 s
2	Given Admin creates PUT Request with valid user data to with roleID	PASSED	0.001 s
3	When Admin sends HTTPS Request for update User by roleID	PASSED	0.269 s
4	Then Admin receives "200" OK	PASSED	0.000 s

Check if admin is able to update the Admin login status by Admin ID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.466 s
2	Given Admin creates PUT Request with Admin login status by Admin ID	PASSED	0.001 s
3	When Admin sends HTTPS Request for update User with Admin login status by Admin ID	PASSED	0.266 s
4	Then Admin receives "200" OK	PASSED	0.001 s

DETAILED SECTION -- 35 -

User Controller Positive

FAILED	DURATION - 1.377 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 11:35:43.948 PM /	// 11:35:45.325 PM /	Pass - 1	2	Pass - 6	8 📕 8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

admin is able to retreive assigned program batches for valid AdminId




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.475 s
2	Given Admin creates a GET Request to retrieve Admin assigned to Program or Batch by AdminId	PASSED	0.000 s
3	When Admin sends HTTPS Request to retreive assigned program batches for valid AdminId	FAILED	0.251 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor302.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

DETAILED SECTION -- 36 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserController. admin_sends_https_request_to_retreive_assigned_program_batches_for_valid_admin_id(UserController.java:72) at ?.Admin sends HTTPS Request to retreive assigned program batches for valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/ Team05_APITesters/src/test/resources/features/12UserControllerPositive.feature:9) * Not displayable characters are replaced by '?'.		
4	Then Admin receives a 200 OK response	SKIPPED	0.001 s


admin is able to retreive all Admins with assigned program batches




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.244 s
2	Given Admin creates a GET Request to retrieve all Admins assigned to programs or batches	PASSED	0.000 s
3	When Admin sends HTTPS Request	PASSED	0.384 s
4	Then Admin receives a 200 OK response	PASSED	0.000 s

Delete Request for all modules

DETAILED SECTION -- 37 --



Check if admin is able to delete the program batch for a Admin




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.252 s
2	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId	FAILED	0.137 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <405>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor302.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		

DETAILED SECTION -- 38 --

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.AllDeleteRequest.		
	admin_sends_https_request_to_delete_admin_assigned_to_program_batch_by_admin_id(AllDeleteRequest.java:54)		
	at ?.Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId(file:///C:/Users/shanj/git/Team05_APITesters/		
	Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:11)		
	* Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 OK	SKIPPED	0.000 s

Check if Admin able to delete a Admin with valid Admin Id



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.251 s
2	Given Admin creates DELETE Request to delete Admin details	PASSED	0.000 s
3	When Admin sends HTTPS request with valid Admin Id	FAILED	0.011 s
	java.lang.lllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userId=U1695. Undefined path parameters are: userID. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		


#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	$at\ or g. code haus. groovy. run time. call site. Constructor Site \$ Constructor Site No Unwrap. call Constructor (Constructor Site. java: 86)$		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	$at\ io. rest assured. internal. Request Specification Impl. assert Correct Number Of Path Params (Request Specification Impl. groovy: 1277)$		
	at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176)		
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)		
	at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext\$next.call(Unknown Source)		
	at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112)		
	at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext\$next.call(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		

DETAILED SECTION -- 41 --


#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184)		
	at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy)		
	at api.stepdefinitions.AllDeleteRequest.admin_sends_https_request_with_valid_admin_id(AllDeleteRequest.java:68)		
	at ?.Admin sends HTTPS request with valid Admin Id(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/		
	features/13AllDeleteRequest.feature:17)		
	* Not displayable characters are replaced by '?'.		
4	Then Admin receives 200 Ok	SKIPPED	0.000 s

Check if Admin able to delete a program with valid programName



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.255 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program name	PASSED	0.147 s
4	Then Admin receives 200 Ok status with message	PASSED	0.001 s

Check if Admin able to delete a program with valid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.249 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program ID	PASSED	1.143 s
4	Then Admin receives 200 Ok and validates the status	PASSED	0.000 s

User Logout

PASSED	DURATION - 0.151 s	Scenarios		Steps	
/ 11:35:47.834 PM //	/ 11:35:47.985 PM /	Total - 1		Total - 3	
, 11.66. 17.66 77 1177	11.00.77.000 7.117	Pass - 1 	1	Pass - 3 Fail - 0	3
		Skip - 0		Skip - 0	

Check if Admin able to logout with valid endpoint


PASSED DURATION - 0.151 s		Steps
/ 11,25,47,024 DM // 11,25,47,005 DM /	0.3	Total - 3
/ 11:35:47.834 PM // 11:35:47.985 PM /	02-	Pass - 3
User Logout	0.1-	Fail - 0
	0.1	Skip - 0
@tag14	0 -	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given Admin sets authorization to bearer Token with token	PASSED	0.002 s


DETAILED SECTION -- 43 --

#	Step / Hook Details	Status	Duration
2	When Admin calls Get Https method with valid endpoint	PASSED	0.145 s
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.001 s

User Module request




Check if admin is able to get count of active and inactive Admins with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with invalid endpoint	PASSED	0.100 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s


Check if admin is able to get count of active and inactive Admins by invalid role ID

DETAILED SECTION -- 44 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with active and inactive Admins Negative endpoint	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint invalid role ID	PASSED	0.157 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s


Check if admin is able to get count of active and inactive Admins with no authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint no authorization	PASSED	0.152 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s


Check if admin able to retrieve all active Admins with invalid endpoint

DETAILED SECTION -- 45 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with all active Admins with invalid endpoint	PASSED	0.085 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s


Check if admin able to retrieve all active Admins with no authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with no auth	PASSED	0.138 s
3	Then Admin receives status 401 with Unauthorized	PASSED	0.000 s


Check if admin is able to get the Admins by program batches for invalid batch ID

DETAILED SECTION -- 46 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid batchId	PASSED	0.002 s
2	When Admin sends GET Request with invalid batchId by Program Batches endpoint	PASSED	0.140 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s


Check if admin is able to get the Admins for invalid program Id



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid program Id	PASSED	0.000 s
2	When Admin sends GET Request with invalid program Id by Program endpoint	PASSED	0.146 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to retreive Admins by invalid role ID

DETAILED SECTION



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for GET with invalid role ID	PASSED	0.001 s
2	When Admin sends GET HTTPS Request endpoint with invalid role ID	PASSED	0.143 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s