

# Cucumber Report

Apr 1, 2024, 10:46:23 PM

Start : Apr 01, 10:45:30.373 PM

End : Apr 01, 10:46:21.596 PM

Duration : 51.223 s

Features



Scenarios

Steps

PASSED - 5  
FAILED - 3  
SKIPPED - 0

PASSED - 41  
FAILED - 7  
SKIPPED - 0


PASSED - 168  
FAILED - 7  
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login Post request</u>	9.725 s	1	1	0	0	3	3	0	0
<u>program controller Positive</u>	8.216 s	6	6	0	0	24	24	0	0
<u>Program Batch Positive Request</u>	8.548 s	10	10	0	0	40	40	0	0
<u>User Module Positive request</u>	18.074 s	16	12	4	0	64	56	4	4
<u>User Controller Positive</u>	2.457 s	2	1	1	0	8	6	1	1
<u>Delete Request for all modules</u>	2.232 s	4	2	2	0	16	12	2	2
<u>User Logout</u>	0.173 s	1	1	0	0	3	3	0	0
<u>User Module request</u>	1.375 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>User Module Positive request</u>	<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>
2		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>
3		<u>Check if admin is able to get the Admins for valid program Id</u>
4		<u>Check if admin is able to update the Admin login status by Admin ID</u>
5	<u>User Controller Positive</u>	<u>admin is able to retrieve assigned program batches for valid AdminId</u>
6	<u>Delete Request for all modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>
7		<u>Check if Admin able to delete a Admin with valid Admin Id</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Test01	3	3	0	0	3	3	0	0
@tag08	1	1	0	0	1	1	0	0
@tag09	6	6	0	0	1	1	0	0
@tag10	10	10	0	0	1	1	0	0
@tag11	16	12	4	0	1	0	1	0
@tag12	2	1	1	0	1	0	1	0
@tag13	4	2	2	0	1	0	1	0
@tag14	1	1	0	0	1	1	0	0
@tag3	8	8	0	0	1	1	0	0
@Test02	1	1	0	0	1	1	0	0
@Test03	3	3	0	0	1	1	0	0
@Test04	1	1	0	0	1	1	0	0
@Test06	1	1	0	0	1	1	0	0
@Test07	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	1	1	0	0	9.725 s
2	<u>program controller Positive</u>	6	6	0	0	8.216 s
3	<u>Program Batch Positive Request</u>	10	10	0	0	8.548 s
4	<u>User Module Positive request</u>	16	12	4	0	18.074 s
5	<u>User Controller Positive</u>	2	1	1	0	2.457 s
6	<u>Delete Request for all modules</u>	4	2	2	0	2.232 s
7	<u>User Logout</u>	1	1	0	0	0.173 s
8	<u>User Module request</u>	8	8	0	0	1.375 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	9.714 s
2	<u>program controller Positive</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	4	4	0	0	2.275 s
3		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	4	4	0	0	1.421 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	4	4	0	0	0.836 s
5		<u>Check if Admin able to retrieve all programs with users and with valid Endpoint</u>	4	4	0	0	1.153 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	4	4	0	0	1.278 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	4	4	0	0	1.037 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Program Batch Positive Request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	4	4	0	0	1.082 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Program Batch Positive Request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	4	4	0	0	1.184 s
10		<u>Check if admin able to retrieve all batches with search string</u>	4	4	0	0	1.150 s
11		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	4	4	0	0	0.637 s
12		<u>Check if admin able to retrieve a batch after deleting the batch</u>	4	4	0	0	0.823 s
13		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	4	4	0	0	0.676 s
14		<u>Check if admin able to retrieve a batch after deleting the batch using batch name</u>	4	4	0	0	0.718 s
15		<u>Check if admin able to retrieve a batch with valid Program ID</u>	4	4	0	0	0.575 s
16		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	4	4	0	0	0.904 s
17		<u>Check if admin able to delete a Batch with valid Batch ID</u>	4	4	0	0	0.608 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>User Module Positive request</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	4	4	0	0	1.551 s
19		<u>Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional *</u>	4	4	0	0	2.352 s
20		<u>Check if admin is able to retrieve all the available roles(all roles)</u>	4	4	0	0	1.805 s
21		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	4	4	0	0	0.498 s
22		<u>Check if admin able to retrieve all Admins with roles</u>	4	4	0	0	0.486 s
23		<u>Check if admin is able to get count of active and inactive Admins</u>	4	4	0	0	0.639 s
24		<u>Check if admin able to retrieve all active Admins</u>	4	4	0	0	1.014 s
25		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	4	2	1	1	0.604 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
26		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	4	2	1	1	0.618 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>User Module Positive request</u>	<u>Check if admin is able to get the Admins for valid program Id</u>	4	2	1	1	0.569 s
28		<u>Check if admin is able to retrieve Admins by valid role ID</u>	4	4	0	0	0.886 s
29		<u>Check if admin is able to retrieve all Admins with filters</u>	4	4	0	0	2.352 s
30		<u>Check if admin is able to update Admin details with Admin id and mandatory fields</u>	4	4	0	0	0.895 s
31		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	4	4	0	0	1.518 s
32		<u>Check if admin is able to update User by roleId with valid Admin id</u>	4	4	0	0	1.416 s
33		<u>Check if admin is able to update the Admin login status by Admin ID</u>	4	2	1	1	0.615 s
34	<u>User Controller Positive</u>	<u>admin is able to retrieve assigned program batches for valid AdminId</u>	4	2	1	1	1.115 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35		<u>admin is able to retrieve all Admins with assigned program batches</u>	4	4	0	0	1.331 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Delete Request for all modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>	4	2	1	1	0.742 s
37		<u>Check if Admin able to delete a Admin with valid Admin Id</u>	4	2	1	1	0.339 s
38		<u>Check if Admin able to delete a program with valid programName</u>	4	4	0	0	0.540 s
39		<u>Check if Admin able to delete a program with valid program ID</u>	4	4	0	0	0.575 s
40	<u>User Logout</u>	<u>Check if Admin able to logout with valid endpoint</u>	3	3	0	0	0.173 s
41	<u>User Module request</u>	<u>Check if admin is able to get count of active and inactive Admins with invalid endpoint</u>	3	3	0	0	0.105 s
42		<u>Check if admin is able to get count of active and inactive Admins by invalid role ID</u>	3	3	0	0	0.183 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
43		<u>Check if admin is able to get count of active and inactive Admins with no authorization</u>	3	3	0	0	0.170 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>User Module request</u>	<u>Check if admin able to retrieve all active Admins with invalid endpoint</u>	3	3	0	0	0.108 s
45		<u>Check if admin able to retrieve all active Admins with no authorization</u>	3	3	0	0	0.171 s
46		<u>Check if admin is able to get the Admins by program batches for invalid batch ID</u>	3	3	0	0	0.186 s
47		<u>Check if admin is able to get the Admins for invalid program Id</u>	3	3	0	0	0.158 s
48		<u>Check if admin is able to retrieve Admins by invalid role ID</u>	3	3	0	0	0.216 s

## User Login Post request



<b>PASSED</b>	DURATION - 9.725 s	Scenarios		Steps	
/ 10:45:30.373 PM // 10:45:40.098 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 9.714 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:45:30.384 PM // 10:45:40.098 PM /</div>			
<div>User Login Post request</div>			
<div>@Test01 @tag08</div>			



#	Step / Hook Details	Status	Duration
1	Given Add UserLogin Payload	PASSED	5.733 s
2	When Admin calls Post Https method with valid endpoint	PASSED	3.788 s
3	Then Admin receives 201 created with auto generated token	PASSED	0.014 s

## program controller Positive

<b>PASSED</b>	DURATION - 8.216 s	Scenarios		Steps	
/ 10:45:40.339 PM // 10:45:48.555 PM /		Total - 6		Total - 24	
		Pass - 6		Pass - 24	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



## Check if Admin able to create a program with valid endpoint and request body with Authorization



<div>PASSED</div> <div>DURATION - 2.275 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:45:40.339 PM // 10:45:42.614 PM /</div>			
<div>program controller Positive</div>			
<div>@Test01 @tag09</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.771 s
2	Given Admin creates POST Request for the LMS with request body	PASSED	0.385 s
3	When Admin sends Post Request to create a program with endpoint	PASSED	0.366 s
4	Then Admin receives 201 Created Status with response body	PASSED	0.730 s

### Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 1.421 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:45:42.659 PM // 10:45:44.080 PM /</div>			
<div>program controller Positive</div>			
<div>@tag09</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.618 s
2	Given Admin creates GET Request for the LMS API	PASSED	0.004 s
3	When Admin sends Get HTTPS Request for All Programs with valid endpoint	PASSED	0.783 s
4	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div> <div>DURATION - 0.836 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:45:44.137 PM // 10:45:44.973 PM /</div>			
<div>program controller Positive</div>			
<div>@tag09</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.586 s
2	Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint and stores the response	PASSED	0.219 s
4	Then Admin receives 200 OK Status code with response body.	PASSED	0.011 s

### Check if Admin able to retrieve all programs with users and with valid Endpoint

<div>PASSED</div>	<div>DURATION - 1.153 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:45:45.012 PM // 10:45:46.165 PM /</div>				
<div>program controller Positive</div>				
<div>@tag09</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.599 s
2	Given Admin creates GET Request for the LMS API retrieve all programs with users	PASSED	0.004 s
3	When Admin sends HTTPS Request with valid endpoint and stores the response	PASSED	0.534 s
4	Then Admin receives 200 OK Status with response body and asserts the response.	PASSED	0.002 s

### Check if Admin able to update a program with Valid program Name and request body

<b>PASSED</b>	DURATION - 1.278 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:46.221 PM // 10:45:47.499 PM /				
program controller Positive				
@tag09				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.540 s
2	Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields.	PASSED	0.006 s
3	When Admin sends HTTPS Request with valid endpoint and gets the response	PASSED	0.714 s
4	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.008 s

### Check if Admin able to update a program with valid programID endpoint and valid request body



<b>PASSED</b>	DURATION - 1.037 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:47.518 PM // 10:45:48.555 PM /				
program controller Positive				
@tag09				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization	PASSED	0.487 s
2	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields.	PASSED	0.004 s
3	When Admin sends HTTPS Request with valid endpoint and recieves the response	PASSED	0.518 s
4	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.013 s

### Program Batch Positive Request



<b>PASSED</b>	<b>DURATION - 8.548 s</b>	Scenarios Total - 10 Pass - 10 Fail - 0 Skip - 0		Steps Total - 40 Pass - 40 Fail - 0 Skip - 0	
/ 10:45:48.627 PM // 10:45:57.175 PM /					

### Check if admin able to create a Batch with valid endpoint and request body (non existing values)

<b>PASSED</b>	<b>DURATION - 1.082 s</b>		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:48.627 PM // 10:45:49.709 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.448 s
2	Given Admin creates POST Request with valid data in request body	PASSED	0.306 s
3	When Admin sends POST HTTPS Request with endpoint of program batch	PASSED	0.289 s
4	Then Admin receives 201 Created Status with response body of Post Batch request	PASSED	0.001 s



### Check if admin able to retrieve all batches with valid LMS API

<b>PASSED</b>	<b>DURATION - 1.184 s</b>		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:49.735 PM // 10:45:50.919 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.475 s



#	Step / Hook Details	Status	Duration
2	Given Admin creates GET Request of program batch of all batches	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint of program batch of all batches	PASSED	0.700 s
4	Then Admin receives 200 OK Status with response body of program batch of all batches.	PASSED	0.001 s

### Check if admin able to retrieve all batches with search string

PASSED	DURATION - 1.150 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:50.946 PM // 10:45:52.096 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.386 s
2	Given Admin creates GET Request with search string of program batch	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint of program batch of search string	PASSED	0.754 s
4	Then Admin receives 200 Ok status with response body of program batch of search string	PASSED	0.002 s



### Check if admin able to retrieve a batch with valid BATCH ID

PASSED	DURATION - 0.637 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:52.111 PM // 10:45:52.748 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.441 s
2	Given Admin creates GET Request with valid Batch ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id	PASSED	0.184 s



#	Step / Hook Details	Status	Duration
4	Then Admin receives 200 Ok status with response body of program batch of batch id	PASSED	0.001 s

### Check if admin able to retrieve a batch after deleting the batch

PASSED	DURATION - 0.823 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:52.777 PM // 10:45:53.600 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.437 s
2	Given Admin creates GET Request with valid Batch ID after deleting batch	PASSED	0.225 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch id after deleting batch	PASSED	0.154 s
4	Then Admin receives 200 OK Status with batchSize field "Inactive" in the response body.	PASSED	0.001 s

### Check if admin able to retrieve a batch with valid BATCH NAME

PASSED		DURATION - 0.676 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:53.609 PM // 10:45:54.285 PM /						
Program Batch Positive Request						
@tag10						

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.484 s
2	Given Admin creates GET Request with valid batch name	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with batch name	PASSED	0.185 s
4	Then Admin receives 200 OK Status with response body of batch name.	PASSED	0.001 s

### Check if admin able to retrieve a batch after deleting the batch using batch name

<div>PASSED</div> <div>DURATION - 0.718 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.4</td></tr><tr><td>2</td><td>0.15</td></tr><tr><td>3</td><td>0.16</td></tr><tr><td>4</td><td>0.001</td></tr></tbody></table></div>	Step	Duration (s)	1	0.4	2	0.15	3	0.16	4	0.001	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step		Duration (s)											
1		0.4											
2		0.15											
3	0.16												
4	0.001												
<div>/ 10:45:54.295 PM // 10:45:55.013 PM /</div>													
<div>Program Batch Positive Request</div>													
<div>@tag10</div>													



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.391 s
2	Given Admin creates GET Request with batch Name after deleting batch	PASSED	0.157 s
3	When Admin sends HTTPS Request with endpoint of program batch with batch name after deleting batch	PASSED	0.166 s
4	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body using batchName.	PASSED	0.001 s

### Check if admin able to retrieve a batch with valid Program ID

<div>PASSED</div> <div>DURATION - 0.575 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.4</td></tr><tr><td>2</td><td>0.001</td></tr><tr><td>3</td><td>0.196</td></tr><tr><td>4</td><td>0.001</td></tr></tbody></table></div>	Step	Duration (s)	1	0.4	2	0.001	3	0.196	4	0.001	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.4													
2	0.001													
3	0.196													
4	0.001													
<div>/ 10:45:55.036 PM // 10:45:55.611 PM /</div>														
<div>Program Batch Positive Request</div>														
<div>@tag10</div>														



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.372 s
2	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
3	When Admin sends HTTPS Request with endpoint with valid program id	PASSED	0.196 s
4	Then Admin receives 200 OK Status with response body with valid program id.	PASSED	0.001 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body

<b>PASSED</b>	DURATION - 0.904 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:55.627 PM // 10:45:56.531 PM /				
Program Batch Positive Request				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.397 s
2	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.221 s
3	When Admin sends HTTPS Request with endpoint with PUT in request body	PASSED	0.276 s
4	Then Admin receives 200 OK Status with updated value in response body with PUT.	PASSED	0.002 s



### Check if admin able to delete a Batch with valid Batch ID

<b>PASSED</b>	DURATION - 0.608 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:56.567 PM // 10:45:57.175 PM /				
Program Batch Positive Request				
@tag10				



#	Step / Hook Details	Status	Duration
1	Given Admin set Authorization	PASSED	0.434 s
2	Given Admin creates DELETE Request with valid BatchId	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint for delete batch	PASSED	0.168 s
4	Then Admin receives 200 Ok status with message for delete batch.	PASSED	0.000 s

### User Module Positive request





<b>FAILED</b>	DURATION - 18.074 s	Scenarios Total - 16 Pass - 12 Fail - 4 Skip - 0		Steps Total - 64 Pass - 56 Fail - 4 Skip - 4	
/ 10:45:57.212 PM // 10:46:15.286 PM /					

### Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<b>PASSED</b>	DURATION - 1.551 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:57.212 PM // 10:45:58.763 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.363 s
2	Given Admin creates POST request with all mandatory fields	PASSED	0.703 s
3	When Admin sends HTTPS Request with endpoint	PASSED	0.478 s
4	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s



### Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields

<b>PASSED</b>	DURATION - 2.352 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:45:58.778 PM // 10:46:01.130 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	1.279 s



#	Step / Hook Details	Status	Duration
2	Given Admin creates POST request with all mandatory fields and an additional fields	PASSED	0.561 s
3	When Admin sends POST HTTPS Request with mandatory and additional fields	PASSED	0.504 s
4	Then Admin receives 201 Created Status	PASSED	0.000 s

### Check if admin is able to retrieve all the available roles(all roles)

PASSED		DURATION - 1.805 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:01.144 PM // 10:46:02.949 PM /						
User Module Positive request						
@tag11						

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.345 s
2	Given Admin creates GET Request	PASSED	0.002 s
3	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	1.452 s
4	Then Admin receives 200 OK	PASSED	0.001 s



### Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.498 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:02.964 PM // 10:46:03.462 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.332 s
2	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request with a valid endpoint	PASSED	0.161 s



#	Step / Hook Details	Status	Duration
4	Then Admin receives 200 OK	PASSED	0.000 s

### Check if admin able to retrieve all Admins with roles

PASSED	DURATION - 0.486 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:03.480 PM // 10:46:03.966 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.297 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with an endpoint	PASSED	0.180 s
4	Then Admin receives 200 OK	PASSED	0.001 s

### Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.639 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:03.978 PM // 10:46:04.617 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.361 s
2	Given Admin creates GET Request with active and inactive Admins endpoint	PASSED	0.002 s
3	When Admin sends Get count of active and inactive users HTTPS Request with endpoint	PASSED	0.272 s
4	Then Admin receives 200 OK	PASSED	0.000 s

### Check if admin able to retrieve all active Admins

<div>PASSED</div> <div>DURATION - 1.014 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:46:04.634 PM // 10:46:05.648 PM /</div>			
<div>User Module Positive request</div>			
<div>@tag11</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.379 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends Get All Active Users HTTPS Request with endpoint	PASSED	0.622 s
4	Then Admin receives 200 OK	PASSED	0.001 s

### Check if admin is able to assign Admin to with program/batch by Admin Id

<div>FAILED</div> <div>DURATION - 0.604 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:46:05.661 PM // 10:46:06.265 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.363 s
2	Given Admin creates PUT Request with valid data in request body	PASSED	0.010 s
3	When Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint  java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <400>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.221 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserModule.admin_sends_put_https_request_with_user_role_program_batch_status_endpoint(UserModule.java:219) at ?.Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:62) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives 200 OK	SKIPPED	0.004 s

### Check if admin is able to get the Admins by program batches for valid batch ID

<b>FAILED</b> DURATION - 0.618 s / 10:46:06.295 PM // 10:46:06.913 PM / User Module Positive request @tag11		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.367 s
2	Given Admin creates GET Request with valid batch Id	PASSED	0.002 s
3	When Admin sends Get User by Program Batches HTTPS Request with endpoint <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: {"message":"No Users found for the given Batch ID: 9883","success":false}     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)     at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)     at api.stepdefinitions.UserModule.admin_sends_get_user_by_program_batches_https_request_with_endpoint(UserModule.java:238)     at ?.Admin sends Get User by Program Batches HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:68) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.243 s
4	Then Admin receives 200 OK	SKIPPED	0.000 s



**Check if admin is able to get the Admins for valid program Id**

<div>FAILED</div> <div>DURATION - 0.569 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:46:06.927 PM // 10:46:07.496 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.399 s
2	Given Admin creates GET Request with valid program Id	PASSED	0.001 s
3	When Admin sends Gets Users for Program HTTPS Request with endpoint  <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (object) does not match any allowed primitive type (allowed: ["array"]) level: "error" schema: {"loadingURI":"file:/C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/target/test-classes/Schema/UserModule/GetProgramBatchSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["array"] Actual: {"message":"No Users found for the given program ID: 17602","success":false}     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107) </pre>	FAILED	0.165 s



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at api.stepdefinitions.UserModule.admin_sends_gets_users_for_program_https_request_with_endpoint(UserModule.java:258) at ?.Admin sends Gets Users for Program HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:75) * Not displayable characters are replaced by '?'. 4 Then Admin receives 200 OK	SKIPPED	0.001 s

### Check if admin is able to retrieve Admins by valid role ID

PASSED	DURATION - 0.886 s		<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div> 
/ 10:46:07.526 PM // 10:46:08.412 PM /			
User Module Positive request			
@tag11			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.323 s
2	Given Admin creates GET Request with valid role ID	PASSED	0.003 s
3	When Admin sends Gets Users by roleId HTTPS Request with endpoint	PASSED	0.554 s
4	Then Admin receives 200 OK	PASSED	0.002 s



### Check if admin is able to retrieve all Admins with filters

PASSED		DURATION - 2.352 s			<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div> 
/ 10:46:08.425 PM // 10:46:10.777 PM /					
User Module Positive request					
@tag11					





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.447 s
2	Given Admin creates GET Request with filters	PASSED	0.002 s
3	When Admin sends HTTPS Request with filters endpoint	PASSED	1.887 s
4	Then Admin receives "200" OK	PASSED	0.010 s

### Check if admin is able to update Admin details with Admin id and mandatory fields

PASSED	DURATION - 0.895 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:10.789 PM // 10:46:11.684 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.509 s
2	Given Admin creates PUT Request with valid data in request body (values only in mandatory fields)	PASSED	0.187 s
3	When Admin sends HTTPS request for update by userId with endpoint	PASSED	0.186 s
4	Then Admin receives "200" OK	PASSED	0.001 s



### Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 1.518 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:11.700 PM // 10:46:13.218 PM /				
User Module Positive request				
@tag11				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.521 s
2	Given Admin creates PUT Request with valid user data in request body	PASSED	0.071 s



#	Step / Hook Details	Status	Duration
3	When Admin sends HTTPS Request for update by roleStatus with endpoint	PASSED	0.917 s
4	Then Admin receives "200" OK	PASSED	0.002 s

### Check if admin is able to update User by roleId with valid Admin id

<div>PASSED</div>	<div>DURATION - 1.416 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:46:13.244 PM // 10:46:14.660 PM /</div>				
<div>User Module Positive request</div>				
<div>@tag11</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.707 s
2	Given Admin creates PUT Request with valid user data to with roleID	PASSED	0.004 s
3	When Admin sends HTTPS Request for update User by roleID	PASSED	0.697 s
4	Then Admin receives "200" OK	PASSED	0.001 s

### Check if admin is able to update the Admin login status by Admin ID

FAILED	DURATION - 0.615 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:46:14.671 PM // 10:46:15.286 PM /				
User Module Positive request				
@tag11				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization token	PASSED	0.576 s
2	Given Admin creates PUT Request with Admin login status by Admin ID	PASSED	0.002 s
3	When Admin sends HTTPS Request for update User with Admin login status by Admin ID	FAILED	0.030 s
java.lang.IllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userID=U1674. Undefined			

#	Step / Hook Details	Status	Duration
	<p>path parameters are: userId.</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) </pre>		



#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.UserModule.admin_sends_https_request_for_update_user_with_admin_login_status_by_admin_id(UserModule.java:385) at ?.Admin sends HTTPS Request for update User with Admin login status by Admin ID(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11UserModulePositive.feature:115) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin receives "200" OK	SKIPPED	0.000 s

## User Controller Positive

<b>FAILED</b> DURATION - 2.457 s / 10:46:15.299 PM // 10:46:17.756 PM /	Scenarios		Steps	
	Total - 2		Total - 8	
	Pass - 1 Fail - 1 Skip - 0		Pass - 6 Fail - 1 Skip - 1	



admin is able to retrieve assigned program batches for valid AdminId

<div>FAILED</div> <div>DURATION - 1.115 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 10:46:15.300 PM // 10:46:16.415 PM /</div>				
<div>User Controller Positive</div>				
<div>@tag12</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.629 s
2	Given Admin creates a GET Request to retrieve Admin assigned to Program or Batch by AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;404&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at jdk.internal.reflect.GeneratedMethodAccessor302.invoke(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at api.stepdefinitions.UserController. admin_sends_https_request_to_retrieve_assigned_program_batches_for_valid_admin_id(UserController.java:72) </pre>	FAILED	0.472 s



#	Step / Hook Details	Status	Duration
	at ?.Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/12UserControllerPositive.feature:9) * Not displayable characters are replaced by '?'. 4 Then Admin receives a 200 OK response		
4	Then Admin receives a 200 OK response	SKIPPED	0.000 s

### admin is able to retrieve all Admins with assigned program batches



PASSED	DURATION - 1.331 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:16.425 PM // 10:46:17.756 PM /				
User Controller Positive				
@tag12				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer token	PASSED	0.481 s
2	Given Admin creates a GET Request to retrieve all Admins assigned to programs or batches	PASSED	0.001 s
3	When Admin sends HTTPS Request	PASSED	0.845 s
4	Then Admin receives a 200 OK response	PASSED	0.000 s

### Delete Request for all modules

FAILED	DURATION - 2.232 s	Scenarios		Steps	
/ 10:46:17.777 PM // 10:46:20.009 PM /		Total - 4		Total - 16	
		Pass - 2		Pass - 12	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

### Check if admin is able to delete the program batch for a Admin



<div><div>FAILED</div><div>DURATION - 0.742 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div></div>
/ 10:46:17.777 PM // 10:46:18.519 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.476 s
2	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.001 s
3	When Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;405&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at jdk.internal.reflect.GeneratedMethodAccessor302.invoke(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at api.stepdefinitions.AllDeleteRequest. admin_sends_https_request_to_delete_admin_assigned_to_program_batch_by_admin_id(AllDeleteRequest.java:54) </pre>	FAILED	0.259 s



#	Step / Hook Details	Status	Duration
	at ?.Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:11) * Not displayable characters are replaced by '?'. 4 Then Admin receives 200 OK		
4	Then Admin receives 200 OK	SKIPPED	0.001 s

### Check if Admin able to delete a Admin with valid Admin Id

<div>FAILED</div> <div>DURATION - 0.339 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:46:18.529 PM // 10:46:18.868 PM /				
Delete Request for all modules				
@tag13				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.321 s
2	Given Admin creates DELETE Request to delete Admin details	PASSED	0.004 s
3	When Admin sends HTTPS request with valid Admin Id  java.lang.IllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userId=U1674. Undefined path parameters are: userID. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at api.stepdefinitions.AllDeleteRequest.admin_sends_https_request_with_valid_admin_id(AllDeleteRequest.java:68)		



#	Step / Hook Details	Status	Duration
	at ?.Admin sends HTTPS request with valid Admin Id(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13AllDeleteRequest.feature:17) * Not displayable characters are replaced by '?'. 4 Then Admin receives 200 Ok	SKIPPED	0.000 s

### Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.540 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:18.886 PM // 10:46:19.426 PM /				
Delete Request for all modules				
@tag13				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.344 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.004 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program name	PASSED	0.181 s
4	Then Admin receives 200 Ok status with message	PASSED	0.001 s



### Check if Admin able to delete a program with valid program ID

PASSED	DURATION - 0.575 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:46:19.434 PM // 10:46:20.009 PM /				
Delete Request for all modules				
@tag13				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization bearer	PASSED	0.394 s
2	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.002 s
3	When Admin sends HTTPS Request with endpoint to delete a program with program ID	PASSED	0.176 s

#	Step / Hook Details	Status	Duration
4	Then Admin receives 200 Ok and validates the status	PASSED	0.001 s

## User Logout



PASSED	DURATION - 0.173 s	Scenarios		Steps	
/ 10:46:20.026 PM // 10:46:20.199 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to logout with valid endpoint



PASSED	DURATION - 0.173 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:20.026 PM // 10:46:20.199 PM /				
User Logout				
@tag14				

#	Step / Hook Details	Status	Duration
1	Given Admin sets authorization to bearer Token with token	PASSED	0.003 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.162 s
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.000 s

## User Module request



PASSED	DURATION - 1.375 s	Scenarios		Steps	
/ 10:46:20.221 PM // 10:46:21.596 PM /		Total - 8		Total - 24	
		Pass - 8		Pass - 24	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### Check if admin is able to get count of active and inactive Admins with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.105 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 10:46:20.221 PM // 10:46:20.326 PM /				
User Module request				
@Test01 @tag3				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint with invalid endpoint	PASSED	0.097 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

### Check if admin is able to get count of active and inactive Admins by invalid role ID

<div>PASSED</div> <div>DURATION - 0.183 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:46:20.336 PM // 10:46:20.519 PM /</div>			
<div>User Module request</div>			
<div>@Test02 @tag3</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with active and inactive Admins Negative endpoint	PASSED	0.004 s
2	When Admin sends HTTPS Request with endpoint invalid role ID	PASSED	0.170 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.000 s

### Check if admin is able to get count of active and inactive Admins with no authorization

<b>PASSED</b>	DURATION - 0.170 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:20.529 PM // 10:46:20.699 PM /				
User Module request				
@tag3 @Test03				



#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint no authorization	PASSED	0.163 s
3	Then Admin receives status 401 with unauthorized error message Negative	PASSED	0.001 s

### Check if admin able to retrieve all active Admins with invalid endpoint

<b>PASSED</b>	DURATION - 0.108 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:20.713 PM // 10:46:20.821 PM /				
User Module request				
@tag3 @Test03				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with all active Admins with invalid endpoint	PASSED	0.101 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

### Check if admin able to retrieve all active Admins with no authorization

<b>PASSED</b>	DURATION - 0.171 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:20.831 PM // 10:46:21.002 PM /				
User Module request				
@tag3 @Test03				

#	Step / Hook Details	Status	Duration
1	Given Admin creates no authorization GET Request	PASSED	0.005 s
2	When Admin sends HTTPS Request with endpoint with no auth	PASSED	0.156 s
3	Then Admin receives status 401 with Unauthorized	PASSED	0.000 s



### Check if admin is able to get the Admins by program batches for invalid batch ID

<b>PASSED</b>	DURATION - 0.186 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:21.014 PM // 10:46:21.200 PM /				
User Module request				
@tag3 @Test04				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid batchId	PASSED	0.001 s
2	When Admin sends GET Request with invalid batchId by Program Batches endpoint	PASSED	0.179 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s



### Check if admin is able to get the Admins for invalid program Id



<b>PASSED</b>	DURATION - 0.158 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:21.211 PM // 10:46:21.369 PM /				
User Module request				
@tag3 @Test06				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid program Id	PASSED	0.001 s
2	When Admin sends GET Request with invalid program Id by Program endpoint	PASSED	0.154 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

### Check if admin is able to retrieve Admins by invalid role ID

<b>PASSED</b>	DURATION - 0.216 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:46:21.380 PM // 10:46:21.596 PM /				
User Module request				
@tag3 @Test07				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for GET with invalid role ID	PASSED	0.001 s
2	When Admin sends GET HTTPS Request endpoint with invalid role ID	PASSED	0.208 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s