🍕 PIZZA SALES SQL QUERIES 🍕

A. KPI's

1.Total_Revenue:

```
SELECT SUM(total_price) AS Total_Revenue
FROM Pizza_Sales;
```

Results | Messages

	Total_Revenue
1	817860.05083847

2. Total Average:

```
SELECT SUM(total_price) / COUNT(DISTINCT order_id) AS TotalAvg
FROM Pizza_Sales;
```

Results | Messages

	TotalAvg
1	38.3072623343546

3. Total Sold:

```
SELECT SUM(quantity) AS Total_PizzaSold
FROM Pizza_Sales;
```

Results | Messages

	Total_PizzaSold
1	49574

4. Total Order:

```
SELECT COUNT(DISTINCT order_id) AS Total_order
FROM Pizza_Sales;
```

Results | Messages

	Total_order
1	21350

5. Average Pizzas Per Orders:

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL (10,2)) /
CAST(COUNT(DISTINCT order_id) AS DECIMAL (10,2)) AS DECIMAL(10,2))
AS Avg_Pizzas_Per_Orders
FROM Pizza_Sales;
```

Results | Messages

	Avg_Pizzas_Per_Orders
1	2.32

1. Daily-Trends for Total Orders:

```
SELECT DATENAME(DW, order_date) AS OrderDay ,
       COUNT(DISTINCT order_id) AS Total_Orders
FROM Pizza_Sales
GROUP BY DATENAME(DW, order_date);
```

Results | Messages

	OrderDay	Total_Orders
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

2. Hourly Trend for Total Orders:

```
SELECT DATEPART(HOUR, order_time) AS Order_Hours,
       COUNT(DISTINCT order_id) AS Total_Orders
FROM Pizza_Sales
GROUP BY DATEPART(HOUR, order_time)
ORDER BY DATEPART(HOUR, order_time);
```

Results | Messages

	Order_Hours	Total_Orders
1	9	1
2	10	8
3	11	1231
4	12	2520
5	13	2455
6	14	1472
7	15	1468
8	16	1920
9	17	2336
10	18	2399
11	19	2009
12	20	1642
13	21	1198
14	22	663
15	23	28

3. Percentage of Sales by Pizza Category:

```
SELECT pizza_category,
       SUM(total_price) AS TotalSales,
```

```
        SUM(total_price) * 100 / (SELECT SUM(total_price)
        FROM Pizza_Sales
       WHERE MONTH(order_date) =1) AS Percentage
FROM Pizza_Sales
WHERE MONTH (order_date) =1
GROUP BY pizza_category;
```

Results | Messages

	pizza_category	TotalSales	Percentage
1	Classic	18619.4000015259	26.6779189176038
2	Chicken	16188.75	23.1952780348435
3	Veggie	17055.4000778198	24.4370162489706
4	Supreme	17929.7499866486	25.6897867985821

4. Percentage of Sales by Pizza Size:

```
SELECT pizza_size, SUM(total_price) AS Total_Sales,
CAST(SUM(total_price)*100/
     (SELECT SUM(total_price) FROM Pizza_Sales) AS DECIMAL(10,2))
     AS Percentage
FROM Pizza_Sales
GROUP BY pizza_size
ORDER BY Percentage DESC;
```

Results | Messages

	pizza_size	Total_Sales	Percentage
1	L	375318.701004028	45.89
2	M	249382.25	30.49
3	S	178076.49981308	21.77
4	XL	14076	1.72
5	XXL	1006.6000213623	0.12

5. Total Pizzas Sold by Pizza Category:

```
SELECT pizza_Category, SUM(quantity) AS Total_Pizzas_Sold
FROM Pizza_Sales
GROUP BY pizza_category;
```

Results | Messages

	pizza_Category	Total_Pizzas_Sold
1	Classic	14888
2	Chicken	11050
3	Veggie	11649
4	Supreme	11987

6. Top 5 Best Seller by Pizzas Sold:

```
SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Pizzas_Sold
FROM Pizza_Sales
GROUP BY pizza_name
ORDER BY SUM(quantity) DESC;
```

Results | Messages

	pizza_name	Total_Pizzas_Sold
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

7. Bottom 5 Worst Sellers by Total Pizzas Sold:

```
SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Pizzas_Sold
FROM Pizza_Sales
GROUP BY pizza_name
ORDER BY SUM(quantity);
```

Results | Messages

	pizza_name	Total_Pizzas_Sold
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961